

SIPL/Engg/20-21/007

3rd July 2020

To,
The Additional Principal Chief Conservator of Forests (C),
Ministry of Environment,
Forest and Climate Change,
Regional Office (CZ),
Kendriya Bhawan, 5th Floor, Sector "H", Aliganj,
Lucknow – 226020

<u>Subject</u>: Six Monthly Compliance report (October 2019 to March 2020) of Select CITYWALK–Commercial Complex at A-3 & P1B, District Centre, Saket, New Delhi

Dear Sir

Kindly find attached the six monthly Compliance report (October 2019 to March 2020) of Select CITYWALK — Commercial Complex at A-3 & P1B, District Centre, Saket, New Delhi with all necessary information regarding the same.

This is for your kind information and record please.

Thanking you,

Yours truly.

For Select Infrastructure Pvt. Ltd.

Shashi Sharma

Director-Operations & Projects

Annexure:

- 1. Consent to Establish 2013
- 2. Consent to Operate 2018
- 3. Consent to Establish 2019
- 4. Fire NOC



- 5. Environment Clearance 2007
- 6. AAI Permission
- 7. DDA approval letter for expansion
- 8. Environment Clearance for Expansion 2019
- 9. Monitoring Reports
- 10. Adequacy of Rain Water Harvesting
- 11. MOU with M/s Chintan
- 12. Traffic Management Plan
- 13. Green Belt Development Plan
- 14. Structural Stability Certificate
- 15. Certificate from Electrical Inspector
- 16. Electricity Bill
- 17. Diesel Storage License
- 18. MOU for e-waste and hazardous waste
- 19. ECBC Report
- 20. Water Consumption details
- 21. Adequacy of STP
- 22. Energy Conservation Measures
- 23. Form -4 DPCC
- 24. Company Policy
- 25. EMP Expenditure
- 26. Advertisement in News Paper

Cc: Member Secretary - DPCC



SIX MONTHLY COMPLIANCE REPORT OF

"Commercial Complex SELECT CITYWALK (Shopping Mall)", at A-3 & P1-B, District Centre, Saket, New Delhi by M/s. Select Infrastructure Private Limited.

Compliance Status (For the period October 2019- March 2020)

EC Clearance letter No - F. No. 21-672/2006-IA-III, dated 14/02/2007 EC Clearance letter No. - F. No. 21-45/2019-IA-III, dated 1/11/2019 (For Project Expansion)

S. No.	Description	
Α	Specific Conditions:	
(i)	Consent to Establish/Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water {Prevention and Control of Pollution) Act, 1974	Consent to establish and Operate for the project have been obtained from the Delhi Pollution Control Board, and are attached as Annexure 1 and Annexure 2
		- Consent to establish for the expansion project has also been obtained from the Delhi Pollution Control Board. and is attached as Annexure 3
(ii)	The project proponent shall provide for adequate fire safety measures and equipment as per National Building Code/required by Fire Service Act of the State and instructions issued by the local Authority/Directorate of fire, from time to time. Further, the project proponent shall take necessary permission/NOC regarding fire safety from Competent Authority as required	The project proponent has adopted adequate fire safety measures and equipment as per National Building Code/required by Fire Service Act of the State and instructions issued by the local Authority/Director.
		NOC regarding fire safety from Competent Authority

Page **1** of **16**

		has been obtained and is attached as Annexure 4
(iii)	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws	Environment Clearance has been obtained from MOEF&CC and is attached as Annexure 5. And approval from Airport authority of India has also been obtained for building height permission and is attached as Annexure -6.
		All necessary clearances/ permissions for expansion project from all relevant agencies including Town Planning Authorityhas been obtained. Form B-1 is attached as Annexure 7. Environment Clearance has also been obtained for expainsion project from MOEF&CC and is attached as Annexure 8.
(iv)	As proposed, fresh water requirement from Saket Place Developers Association shall not exceed 240 KLD. Consent to Operate (CTO)/Occupancy Certificate shall be issued only after getting necessary permission for required water supply from DJB/concerned authority	The fresh Water supply of 240 KLD will be met by Saket Place Developer's Association.
(V)	Sewage shall be treated in the STP based on Extended Aeration Technology with tertiary treatment i.e. Ultra Filtration. The treated effluent from STP shall be recycled/re-used for flushing & HVAC Cooling. As proposed, no excess treated water shall be discharge to Municipal drain	Noted & Complied. Total waste water generated is treated through in-house Sewage Treatment Plant. And treated water is reused in flushing, Cooling process and horticulture. Hence, no treated water is discharge outside the project.
(vi)	The project proponents would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated waste water being used for flushing in terms of faecal coliforms and other pathogenic bacteria	Noted & Complied. The monitoring report of treated waste water is attached as Annexure 9
(vii)	The project proponents would commission a third party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water	Green Circle Inc. authorized by MoEF& CC is hired as third party agency for monitoring of Water, Noise, Air, Stack &

	being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats	STP. Reports attached as annexure 9
(viii)	The local bye-law provisions on rain water harvesting should be followed. If local bye- law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed, 17 no. of rain water harvesting recharge pits shall be provided for rain water harvesting after filtration as per CGWB guidelines	Noted. Rooftop rainwater of buildings is collected in 15 RWH tanks for harvesting after filtration. Adequacy for Rain Water Harvesting System is attached as Annexure 10, and additional 2 rain water harvesting pit as proposed in EC shall be constructed prior to completion of expansion project.
(ix)	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic Waste Converter. As proposed 50 sqm area shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from project will be sent to dumping site	Noted & Complied. Generated garbage is segregated. Biodegradable waste is treated in Organic waste converter and non biodegradable recyclable waste including pastic waste is handed over to DPCC approved authorized waste collector (M/s Chintan Enviro Research Group). MOU with M/s Chintan Enviro Research Group is attached at Annexure -11 Adequate area is provided for solid waste management.
(x)	Traffic Management Plan as submitted shall be implemented in letter and spirit. Further, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time. Traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and	Noted. Traffic management Plan is attached as Annexure 12.

-		
	shall also have their consent to the implementation of components of the plan which involve the participation of these departments	7
(xi)	No tree cutting/transplantation of existing trees has been proposed in the instant project. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The landscape planning should include plantation of native species. The plantation species should be carefully chosen to avoid bird nesting and to improve pollution control and noise control measures. Water intensive and/or invasive species should not be used for landscaping. As proposed 8,290.16 sqm (34.30% of total area) area shall be provided for green area development	Noted & Complied. No tree cutting/transplantation of existing trees has been done. Greenbelt has been developed in the premises. Greenbelt Development Details is attached as Annexure 13.
(xii)	The company shall draw up and implement corporate social Responsibility plan as per the Company's Act of 2013. As per the Ministry's Office Memorandum F.No. 22- 65/2017-IA. III dated 1 May, 2018, and proposed by the project proponent, an amount of Rs. 0.32 Crore (@ 1.00% of project Cost) shall be earmarked under Corporate Environment Responsibility (CER) for the activities such as drinking water supply, plantation and horticulture and skill development & computer education. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring	Noted. An amount of Rs. 0.32 Crore (@ 1.00% of project Cost) shall be spent under Corporate Environment Responsibility (CER) over a span of five years for the activities such as drinking water supply, plantation and horticulture and skill development & computer education. The monitoring report shall be submitted to the Regional Office as a part of
	report shall be submitted to the Regional Office as a part of half yearly compliance report, and to the District Collector. It should be posted on the website of the project proponent	half yearly compliance report, and to the District Collector. It shall also be posted on the website of the project proponent.
B.	Standard Conditions:	5
I	Statutory compliance:	
i.	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local	Environment Clearance has been obtained from MOEF&CC and is attached as Annexure 5
* * * * * * * * * * * * * * * * * * *	building byelaws.	Environment Clearance for expansion project has been obtained from MOEF&CC and is attached as Annexure 8
		For Town Planning Authority, Form B-1 from Delhi Development Authority is attached as
	\	

a 111.9 mm		Annexure 7
II.	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc	Approval for structural safety from the Competent Authority has been obtained and is attached as Annexure 14 NOC from Delhi Fire Sevice has been obtained and is attached as Annexure 4. NOC from Office of Electrical Insepctor is attached as Annexure 15.
iii.	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority	The fresh Water supply is met by Saket Place Developer's Association. No Ground water/ surface water is extracted for use.
iv.	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	The Power requirement after expansion is 5660 KW (Connected Load: 6340 kva) which is provided by BSES, Delhi. Adequacy for Power Supply is attached as Annexure 16 (BSES bill)
V.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.	License for Diesel Storage is obtained from Petroleum & Explosive Safety Organization (PESO) attached as Annexure 17
Vi.	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed	Generated garbage is



		generated is handed over
		to pollution control board approved vendor (M/s Bharat Oil and waste management limited) MOU with M/s Bharat Oil and waste management limited is attached as Annexure 18
vii.	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly	Noted & Complied. ECBC compliance report has been obtained and is attached as Annexure 19
II.	Air quality monitoring and preservation:	* 11
i.	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.	Noted.
ii.	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.	Noted & Complied.
jii.	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period.	Noted & Complied. The project proponent has installed system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released
ív.	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board	Noted & Complied. Yes, all the D.G Sets installed at Select CITYWALK confirm to the Environment (Protection) Act.
V.	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site	Noted & Complied. All measures are taken to control the dust, smoke & other air pollution during construction phase.



vi.	Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution	Noted & Complied. Sand, murram, loose soil, cement, stored on site are covered properly to prevent dust pollution
vii.	Wet jet shall be provided for grinding and stone cutting	Noted & Complied.
viii.	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust	Noted & Complied.
ix.	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016	Noted & Complied. All demolition and construction waste are / shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016
Х.	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to rules made under the Environment (Protection) Act, 1986	Noted & Complied.
xi.	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The	Noted & Complied. To avoid the emissions, stack height of 6 m above roof level has been provided to reduce the air
â	location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) <i>norms</i>	emissions, meeting all the norms prescribed by CPCB. Additionally as an air pollution control measure installation of Emission control device – Chakra Shield 2.0 is being installed in stack of all 5 DG sets.
xii.	For indoor air quality the ventilation provisions	Noted & Complied.
III	as per National Building Code of India Water quality monitoring and preservation	
i.	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water	Noted & Complied. During construction natural drainage has not been obstructed.
ii.	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done	Noted & Complied.
iii.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water	The quantity of fresh water usage, water recycling and rainwater harvesting is

expansion project. xi. All recharge should be limited to shallow aquifer Noted & Complied.			managered and managed
body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users V. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface Vi. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done Vii. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan Viii. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done ix. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred x. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority xi. All recharge should be limited to shallow aquifer xi. All recharge should be limited to shallow aquifer xi. All recharge should be limited to shallow aquifer xi. All recharge should be limited to shallow aquifer		The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports	regularly. The records are submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports. Record attached at Annexure 20.
quantity of water alleady committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users V. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface Vi. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done Vii. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan viii. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done ix. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred x. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority xi. All recharge should be limited to shallow aquifer xi. All recharge should be limited to shallow aquifer	iv.	body supplying water, specifying the total annual	Cosumption is attached at
v. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface vi. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done vii. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan viii. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done ix. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred x. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority xi. All recharge should be limited to shallow aquifer. All recharge should be limited to shallow aquifer.		quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users	
Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface vi. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done vii. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan viii. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done ix. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred x. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority xi. All recharge should be limited to shallow aquifer All recharge should be limited to shallow aquifer Noted & Complied. Rooftop rainwater of buildings is collected in 15 RWH tanks for harvesting after filtration. Adequacy for Rain Water all tarvesting a system is attached as Annexure 10, and additional 2 rain water harvesting pit as proposed in EC shall be constructed in	٧.	At least 20% of the open spaces as required by	Noted & Complied.
vii. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done vii. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan viii. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done ix. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred x. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority xi. All recharge should be limited to shallow aquifer Noted & Complied. Rooftop rainwater of buildings is collected in 15 RWH tanks for harvesting after filtration. Adequacy for Rain Water Harvesting pit as proposed in EC shall be constructed prior to completion of expansion project.		Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface	* C = 1
viii. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow flow flow flow flow flow fl	vi.	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing,	Noted & shall be complied.
viii. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done ix. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred x. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority xi. All recharge should be limited to shallow aquifer Noted & Complied. Individual piping system has been provided for separation of grey and black water. Noted & Complied. Noted & Complied. Noted & Complied. Individual piping system has been provided for separation of grey and black water. Noted & Complied.	vii.	Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan	
reduced by use of pre-mixed concrete, curing agents and other best practices referred x. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority xi. All recharge should be limited to shallow aquifer Rooftop rainwater of buildings is collected in 15 RWH tanks for harvesting after filtration. Adequacy for Rain Water Harvesting System is attached as Annexure 10, and additional 2 rain water harvesting pit as proposed in EC shall be constructed prior to completion of expansion project.	viii.	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual	Individual piping system has been provided for separation of grey and
x. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority xi. All recharge should be limited to shallow aquifer Rooftop rainwater of buildings is collected in 15 RWH tanks for harvesting after filtration. Adequacy for Rain Water Harvesting System is attached as Annexure 10, and additional 2 rain water harvesting pit as proposed in EC shall be constructed prior to completion of expansion project. Xi. All recharge should be limited to shallow aquifer Rooftop rainwater of buildings is collected in 15 RWH tanks for harvesting after filtration. Adequacy for Rain Water Harvesting System is attached as Annexure 10, and additional 2 rain water harvesting pit as proposed in EC shall be constructed prior to completion of expansion project.	ix.	reduced by use of pre-mixed concrete, curing	**
prior to completion of expansion project. xi. All recharge should be limited to shallow aquifer Noted & Complied.	X.	A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval	buildings is collected in 15 RWH tanks for harvesting after filtration. Adequacy for Rain Water Harvesting System is attached as Annexure 10, and additional 2 rain water harvesting pit as proposed
xi. All recharge should be limited to shallow aquifer Noted & Complied.		from the Competent Authority	prior to completion of
Al. All rectarge criedia se infines e e e e		All recharge should be limited to shallow aquifer	

	Construction phase of the project	abstracted, as fresh water requirement is met by "Saket Place Developers's Association" and for construction treated water. No abstraction or
xiii.	managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering	dewatering is being done.
xiv.	The quantity of fresh water usage, water	Noted & Complied. The quantity of fresh water usage, water recycling and rainwater harvesting is measured and recorded regularly. The records are submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports. Record attached at Annexure 20.
XV.	No sewage or untreated effluent water would be discharged through storm water drains	Noted & Complied.
xvi.	Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP	Noted & Complied. Onsite Sewage treatment capacity is 300 KLD. Generated 245 KLD waste water is treated in-house STP and 220 KLD treated water is reused for flushing & cooling purpose. 125 KLD of outsourced treated water is used for gardening purpose. Adequacy Report of Sewage Treatment plant is attached as Annexure 21 Noted & Complied. Necessary measures are made to mitigate the odour problem from STP. Monitoring Report is attached as Annexure 9 Generated sludge from
xviii.	including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013	STP is converted to manure and Manure is used in gardening purpose within premises.
IV	Noise monitoring and prevention	
i.	Ambient noise levels shall conform to residential	Ambient noise levels

ii.	area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance	conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. The Monitoring Report of Ambient Noise level is attached as Annexure 9 Noted & Complied.
iii.	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources	Noted & Complied. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel are implemented as mitigation measures for noise impact due to ground sources
V.	Energy Conservation measures:	
i.	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC	Noted & Complied. ECBC compliance report has been obtained and is attached as Annexure 19
	Outdoor and common area lighting shall be LED	Noted & Complied.
ii. iii.	Outdoor and common area lighting shall be LED Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation,	Solar water heating system through solar panel to tap on renewable energy
* 2	elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications	converting to Hot water system of capacity 3000 LPD for food outlets.
iv.	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning	Annexure 22.
V.	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher	Solar water heating system through solar panel to tap on renewable energy converting to Hot water system of capacity 3000 LPD for food outlets. Solar lights for open area is provided. Energy conservation measures is attached as



vi.	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building byelaws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible	Annexure 22 Also 1 % of the total additional energy demand shall be met by installing solar power system. Noted & Complied. Solar lights for open area is provided to reduce the power load on grid and separate electric meter is installed. Solar water heating system through solar panel to tap on renewable energy converting to Hot water system of capacity 3000 LPD for food outlets is provided.
VI	Waste Management	Noted & Complied.
i.	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained	Generated garbage is segregated. Biodegradable waste is treated in Organic waste converter and non biodegradable recyclable waste including pastic waste is handed over to DPCC approved authorized waste collector (M/s Chintan Enviro Research Group). MOU with M/s Chintan Enviro Research Group is attached at Annexure -11
il.	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority	Noted & Complied. Disposal of muck during construction phase shall create no adverse effect on the neighbouring communities and is/shall be disposed off taking the necessary precautions for general safety and health aspects of people in approved sites with the approval of competent authority.

iii.	Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed	Organic Waste Converter is installed having capacity of 1.2 TPD.
iv.	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.	Non biodegradable recyclable waste including pastic waste is handed over to DPCC approved authorized waste collector (M/s Chintan Enviro Research Group). MOU with M/s Chintan Enviro Research Group is attached at Annexure -11
V.	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board	E waste and hazaroudous waste (used lube oil) generated is handed over to pollution control board approved vendor (M/s Bharat Oil and waste management limited) MOU with M/s Bharat Oil and waste management limited is attached as Annexure 18. Form 4 for FY 2019-2020 has been attached as Annexure 23.
vi.	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials	Noted & Complied. Environment friendly materials are being used in construction.
vii.	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27 th August, 2003 and 25 th January, 2016. Ready mixed concrete must be used in building construction	Noted & Complied.
viii.	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016	Noted & Complied.
ix.	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury	Noted & Complied. E waste generated is handed over to pollution control board approved

Page **12** of **16**

	contamination	vendor (M/s Bharat Oil and waste management limited) MOU with M/s Bharat Oil and waste management limited is attached as Annexure 18.
VII	Green Cover	
i.	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site	Noted
VIII	Transport	
į.	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.	Noted & Complied. A Comprehensive Mobility Plan Is Prepared and all roads are designed with due to consideration for environment and safety of users.
	 a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. b. Traffic calming measures. c. Proper design of entry and exit points. d. Parking norms as per local regulation 	
ii.	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours	Noted & Complied. Vehicles hired for bringing construction material to the site are in good condition and had pollution check certificate and confirm to applicable air and noise
		emission standards operated only during non-peak hours
IX	Human health issues	Natad & Committed
i.	All workers washing at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask	with dust mask during construction phase.
ii.	For indoor air quality the ventilation provisions as per National Building Code of India	Noted & Complied.
iii.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented	Noted & Complied. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan



		has been implemented
iv.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project	has been implemented. Noted & Complied. Local construction labour were/are deployed and all necessary facilities were/are provided including medical health care.
٧.	Occupational health surveillance of the workers shall be done on a regular basis	Noted & Complied.
vi.	A First Aid Room shall be provided in the project both during construction and operations of the project	Noted & Complied.
X	Corporate Environment Responsibility:	×
	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report	Noted & Complied. The company has well laid down Quality, Enviornment, Energy and health and Safety policy duly approved by the Board of Directors and signed by CEO. Copy of the same has been attached as Annexure 24.
ii.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization	Noted & Complied.
iii.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report	Noted & Complied. Expanditure on Environment Management Plan is prepared and is attached as Annexure 25. Year wise progress of implementation of action plan is reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
XI	Miscellaneous:	2
i.	The project proponent shall prominently advertise it at least in two local newspapers of	Noted & Complied. Environment Clearance



	the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed	Advertisement Copy is attached as Annexure 26.
ii.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt	Noted & Complied.
iii.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis	
iv.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal	Noted & Complied.
V.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company	Noted & Complied.
vi.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project	Noted
vii.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government	
Viii.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and commitment made during their presentation to the Expert Appraisal Committee	Noted
ix.	No further expansion or modifications in the plan shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).	Noted
Χ.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986	Noted




false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986 xii. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions xiii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports xiv. The above conditions shall be enforced, interalia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court	xi.	Concealing factual data or submission of	Noted
under the provisions of Environment (Protection) Act, 1986 xii. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions xiii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports xiv. The above conditions shall be enforced, interalia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court		this environmental clearance and attract action	
xii. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions xiii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports xiv. The above conditions shall be enforced, interalia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court		under the provisions of Environment (Protection)	
additional conditions if found necessary. The Company in a time bound manner shall implement these conditions xiii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports xiv. The above conditions shall be enforced, interalia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court			
Company in a time bound manner shall implement these conditions xiii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports xiv. The above conditions shall be enforced, interalia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court	xii.	The Ministry reserves the right to stipulate	Noted
implement these conditions xiii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports xiv. The above conditions shall be enforced, interalia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court	1.0	additional conditions if found necessary. The	E I
xiii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports xiv. The above conditions shall be enforced, interalia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court	de antenna		B 0.0 + 744 0
compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports xiv. The above conditions shall be enforced, interalia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court		implement these conditions	Noted
project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports xiv. The above conditions shall be enforced, interalia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court	XIII.	The Regional Office of this Millistry Shall Moriton	Noted
to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports xiv. The above conditions shall be enforced, interalia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court	per 17 4	project authorities should extend full cooperation	11
furnishing the requisite data / information/monitoring reports xiv. The above conditions shall be enforced, interalia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court	b Jra	to the officer (s) of the Regional Office by	n =
information/monitoring reports xiv. The above conditions shall be enforced, interalia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court			p =
xiv. The above conditions shall be enforced, interalia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court			1
(Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court	xiv.	The above conditions shall be enforced, inter-	Noted
the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court	10	alia under the provisions of the Water	
1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court		(Prevention & Control of Pollution) Act, 1974,	
Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court	11 2	the Air (Prevention & Control of Pollution) Act,	
and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court		Hazardous and Other Wastes (Management	
and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court		and Transhoundary Movement) Rules, 2016.	
along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court	n = 1 0	and the Public Liability Insurance Act, 1991	
other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court		along with their amendments and Rules and any	
	, 51	other orders passed by the Hon'ble Supreme	
			to the state of th
of Law relating to the subject matter		of Law relating to the subject matter	N
xv. Any appeal against this EC shall lie with the Noted	XV.	Any appeal against this EC shall lie with the	Noted
National Green Tribunal, if preferred, within a		National Green Tribunal, it preferred, within a	
period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010		16 of the National Green Tribunal Act 2010	8



Consent to Establish (2013)

Consent to Operate 2018



Consent to
Establish for
Expansion Project
2019



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)
4th & 5th Floor, ISBT Building Kashmere Gate, Delhi 110006

(Visit us at https://www.dpccocmms.nic.in) CONSENT ORDER

Certificate No.: G-4679

Name of the unit

M/s Select Infrastructure Pvt. Ltd.

Address

"COMMERCIAL COMPLEX SELECT CITY WALK (SHOPPING MALL)" at A-3 & P1B, District Centre, Saket, New Delhi-110017, Housing Complexes, Commercial Complexes (including shopping malls), office complexes including IT and Infrastructual and Town Development Projects (Built Up Area 20000 sq. meters

and above), Delhi - 110017

Consent Order No

DPCC/CMC/2019/2439234

Date of issue

16/11/2019

Product/Activity

Shopping Malls, Housing / Commercial/ Office Complexes having built up area

20,000 sqm and above

Manufacturing Activities

Expansion/Additional construction of "COMMERCIAL COMPLEX SELECT

CITY WALK(SHOPPING MALL)"

Category Name

[RED]

This Consent to Establish is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under RED Category. This consent is subjected to terms and conditions specified overleaf. This is being issued with reference to your application id 2439234 valid from 09/10/2019 to 08/10/2021.

PANKAJ KAPIL Digitally signed by PANKAJ KAPIL Date: 2019.11.18 12:23:31 +05'30'

Senior Environmental Engineer

Terms and Conditions

1.The Consentee shall meet the effluent standards i.e. pH= 5.5-9, Total Suspended Solids (TSS) 30, Biochemical

Oxygen Demand (3days at 27degree Cent.) 20, COD 250, Oil and Grease 10, Ammonical Nitrogen(as N) 50, Nitrate Nitrogen 10, Dissolved Phosphate (as P)5. #All effluent parameters are in mg/l expect pH value. 2. The Consent is activity specific and based on the information provided in the consent application along with the documents/subsequent documents/information submitted to Delhi Pollution control Committee (DPCC). The Consentee shall apply for fresh consent in case of any change in the activity /manufacturing process.

- 3. The consentee shall display the Name of the unit along with its Address, name of the proprietor/ Directors/partners etc, Contact Phone No(s) and its Activities Processes/ Product etc, on a Display Board t be placed/fixed at the main gate of the unit.
- 4. The consentee/unit shall have/take separate Electricity/Power connection in its name and shall have/install separate meter in this regard.
- 5. The consentee shall provide and maintain separate drainage system for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system and shall be connected to the conveyance system/ sewerage system of the area leading to common Effluent Treatment Plant of the Industrial Area/sewage Treatment Plant of the catchment area.
- 6.The Consentee shall obtain permission from Delhi Jal Board. for ground water extraction, if any, as per the various orders/Notification of Govt. of NCT of Delhi.
- 7.The Consentee shall ensure proper channelization/ control system for fugitive emissions generated from the various activities/ processes of the unit and maintain good house keeping practices so as to maintenance clean & safe environment in and around the premises of the unit
- 8.The Consentee shall comply with the noise standards laid down vide Gazette notification of Ministry of Environment and Forest(MOEF), Government of India Dated 17.05.2002 & 12.07.2004, as amended to date, for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements], if any, as per the Gazette Notification of MOEF, Dated 09.07.2002, as amended to date. Stack Height tor sets(Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following (i)Minimum 6 meter above the building where generator set is installed (ii) 30 meter (iii) $14Q^{\circ 3}$ (Total so2 emission from the plant in kg/hr) and for ofter DG Set(s) (up to 0.8 MW) stack height shall be as per the following formula, H = h + 0.22KVA(H-Total Height of stack in meter, h = Height of the building in meters where the Generator Set is installed, KVA -Total Generator capacity of the set in KVA).
- 9.The Consentee shall comply with the provisions of the Hazardous and Other Wastes (Management and Trans boundary Movement) Rules, 2016, as amended to date, the Batteries (Management and Handling) Rules, 2001 as amended to date. Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 2016, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date, wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed only through the Recycler/Reprocessor /Authorized Agencies for such wastes, authorized by MOEF/Central Pollution Control Board/State Pollution Control Board/Committee/DPCC as per details available on their websites.
- 10. The Consentee shall comply with the provisions of the Plastic Waste Management Rules, 2016, as amended to date, if applicable.
- 11. The Consentee shall comply the other prescribed standards of Effluent/Emissions as prescribed and as applicable under the provisions of the Environment (Protection) Act. 1986, as amended to date and the various Rules made there under including the Noise Pollution (Regulation and Control) Rules, 2000.as amended to date.

- 12. The Consentee shall promote the use CFL and recovery of mercury from CFL Lamps and should create a system of replacing of old bulbs for new to enable recovery of mercury after the bulbs are fused.
- 13. The Consentee shall not carry out any activity falling under the Prohibited/ Negative list of Industries (Annexure III of MPD -2021) which are prohibited in National Capital Territory of Delhi, as per Master Plan of Delhi.
- 14.Quantity of Sewage/ trade effluent discharge from the unit shall not exceed Nil litre/Day.(100 % waste water recycling and zero waste water discharge).
- 15. Consentee shall treat the Waste water generated from labours in existing STP.
- 16.The total waste water after expansion—will be 245 KLD which shall be treated into sewage treatment plant of total capacity 300KLD (already installed).
- 17. The zero waste water discharge condition to be achieved with installation of on site STP. Trade effluent shall confirm to the norms and standards prescribed by Delhi Pollution Control Committee. The STP should be certified by an independent expert and report in this regard should be submitted to Delhi Pollution Control Committee before the project is commissioned for operation. necessary measures should be made to mitigate the odour problem from STP.
- 18. The treated wastewater of shall be recycled and reused for Horticulture/landscape/cooling/flushing purposes to reduce the demand of fresh water as committed.
- 19. The project proponent shall provide electromagnetic flow meter at the inlet and outlet of the water supply, Inlet and outlet of the STP and any pipeline to be used for re-using the treated wastewater back into the system for cooling, flushing and for horticulture purpose/green etc. and shall maintain a record of readings of each such meter on daily basis.
- 20. The quantity of fresh water usage and water recycling shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Delhi Pollution Control Committee on six monthly basis.
- 21.Capacity of the Diesel Generator Set (s) already installed in the unit are 2X1010 kVA,3X2000 kVA. The Consentee shall provide and maintain the Acoustic Enclosure/ Acoustic Treated room for DG Set(s) in good condition and provide the adequate stack height for DG Set(s) to meet the prescribed standards/ norms. The Consentee shall not operate the DG Set(s) till compliance of the prescribed norms/standards for DG Sets. The D.G. Sets install for construction purposes shall also comply with the prescribed norms/standards. 22.The Consentee shall comply with the applicable provisions / Directions given vide Gazette Notification of Department of Environment, Govt. of NCT of Delhi, dated 23.10.2012 including the directions that no person shall manufacture, import, store, sell or transport any kind of plastic carry bags (including that of Poly Propylene, Non-woven fabric type carry bags) in the whole of National Capital Territory of Delhi. 23.The consentee shall provide wide spread Green Cover and the use of Fly Ash as per Fly Ash notification dated 14.09.1999 shall be mandatory.
- 24.Project proponent will ensure use of Ozone depletion substances (ODS) free appliances so that no toxic gases in air conditioning / refrigeration / fire extinguishers are created.
- 25.During construction Phase for control of dust pollution all precautionary measure should be ensured in compliance of Hon'ble National Green Tribunal order dated 04.12.2014 and 10.04.2015 in O.A. No. 21 c of 2014 and O.A. No. 95 of 2014 in the matter of Vardhman Kaushik Vs. Union India and other and Sanjay Kulshreshtha Vs. Union of India and Ors. and as notified by MOEF and CC, GOI vide Notification no. G.S.R. 94(E) dated 25.01.2018.
- 26.It will be the responsibility of the project proponent to obtain prior clearances/approval and ensure compliances under all other relevant Acts/ Rules/ Regulations/ guidelines/ instructions/Court Orders/Tribunal Orders as applicable to this project before starting of the project.
- 27. The consentee shall comply with the provisions of Solid Waste Management Rules, 2016.
- 28.Unit shall implement the environmental safeguards as per stipulations in Environmental Clearance issued by SEIAA Delhi and shall submit half yearly compliance report in respect of the terms and conditions of

Environmental Clearance to Regional Office of MoEF and simultaneously to DPCC on the prescribed date. 29. The Consentee shall not extract the Ground Water without obtaining prior permission in this regard from DJB / CGWA. The Consentee shall ensure that there is no bore well in the premises and if exist, same shall be close / sealed with immediate effect till permission received from DJB / CGWA.

- 30. The Consentee shall submit application for extension of the Consent / Consent to Operate, one month in advance of the expiry date of this Consent Order.
- 31. This consent is being granted focusing only on the Water Act 1974/ Air Act 1981. The project will be regulated by the concerned local Civic Authorities under the provisions of the relevant provisions of the extant MPD2021, Building Control Regulations and Safety Regulations. The investment made in the project, if any, based on Consent so granted, in anticipation of the clearance from other statuary authorities shall be entirely at the cost and risk of the project proponent DPCC shall not be responsible in this regard in any manner.
- 32. Project Proponent is allowed to run the pollution control devices and collect and test the data. The trial for three aforesaid purpose is permitted within the period of maximum three months from the date of completion. The consentee shall give prior intimation, to DPCC, of the dates on which trial would starts and end. Thereafter Project Proponent shall apply for Consent to Operate along with requisite details and test reports to DPCC
- 33. The Consentee shall abide by the Guideline on Environmental Management of Construction and Demolition (C and D) Waste and Guidelines on Dust Mitigation Measure in Handling Construction Material and C and D waste developed and published by CPCB available at www.cpcb.nic.in
- 34. The Consentee shall display the enclosed template of Notice for Construction and Demolition Waste Management at the site.
- 35.The Consentee shall ensure the compliance of policy to be followed regarding operation of Ready Mix Concrete Plants (RMC Plants) issued vide office order No. DPCC/CMC I/RMC/2017/2596 to 2614 dated 27.12.2017 (available at DPCC website)
- 36.In the event of any information furnished by the Consentee found to be false OR in case of failure to comply with any of the above mentioned consent conditions, consent granted through this Consent Order shall be deemed to be revoked without any notice and necessary action as per law shall be taken, which may include closure of the unit and prosecution for wrong declaration.
- 37.Notwithstanding anything contained in this consent order. Delhi Pollution Control Committee, reserves its right to review any / or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of enforcement of the Air (Prevention and Control of Pollution)Act, 1981, as amended to date and the Water(Prevention and Control of Pollution)Act, 1974, as amended to date.
- 38. The Consent granted to the Consentee is to ensure control of pollution from the premises of the unit in accordance with various Pollution Control Laws and in no way confers the right to the Consentee / unit to exist in violation of other laws and statutory provisions including the Master Plan of Delhi.
- 39. The Consent granted to the Consentee is to ensure control of pollution from the premises of the unit in accordance with various Pollution Control Laws and in no way confers the right to the Consentee / unit to exist in violation of other laws and statutory provisions including the Master Plan of Delhi.
- 40.Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.
- 41. The consentee will be bound to comply all the directions issued by EPCA/CPCB/DPCC under the GRAP and all other directions issued by other statutory authorities/Hon'ble Courts for prohibition of construction activity during high AQL.
- 42.As Proposed, Fresh water requirement from Saket Place Developers Association shall not exceed 240 KLD. Consent to Operate (CTO)/Occupancy Certificate shall be issued only after getting necessary permission for required water supply from DJB/Concerned authority.

This issues in view of the Office Order dated 12.04.2016 regarding processing of the Consent to Establish cases.
Template for displaying notice w.r.t. condition no 34 to be displayed on board of size 6 feet X 4 feet. Background color- Yellow, Letters- Black NOTICE
(Construction and demolition waste management rule 2016) The construction/Demolition site is authorized by Vide file no Dated
1.Name and Address with contact number of contractor/developer
2. Address of the site
3.Area/length
4.Date of initiation of the project(dd/mm/yy)
5. Scheduled completion date of the project (dd/mm/yy)
6.Details date of completion/disposal/clearing of the site(dd/mm/yy) 7.Estimated waste(TPD)
8.Total estimated waste(MT) for the entire project
9.Nature of waste (concrete/iron/plastic/soil)(TPD)
i. Material Generated Recycled Reused Disposed
ii. Sand
iii. Concrete
iv 22222 22222 2222 2222 2222
11.mode of utilization of waste(reuse/recycle/converting to construction material)
12.Mode of disposal
13.Mode of handling and transportation(manual/mechanical/pneumatic)(by road/rail)
14.Dust mitigation measures at the site(water sprinkling/curtain/barries etc)
15.Reason of delay in disposing waste(in any)
16.Accidents reported(in any)
Name of Agency Owner
Telephone number

Fire NOC

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: NEW DLEHI - 110 001 No. F.6/DFS/MS/Mall/SZ/2018/ $\frac{1}{1000}$

Dated: 28/6/18

FIRE SAFETY CERTIFICATE

Certified that the M/s Select City Wolk (Select Infrastructure Pvt. Ltd) situated at A-3, Distt. Centre Saket, New Delhi-110017 comprises of three tiers Basement, Ground & Seven upper floors was granted FSC by this department vide letter No.F6/DFS/MS/Mall/SZ/2018/585 dated 04/04/2018 for a period of three months. The premises was re-inspected by the officer concerned of this department on 27/06/2018 in the presence of Sh. Iqbal (Fire Officer)and found that the said Mall building have deemed complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rules, 2010 and that the premises is fit for occupancy class "Mixed Occupancy (Mercantile & Assembly)" with effect from 25/6/-2018 for a period of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule-38 of the Delhi Fire Service Rules, 2010.

(Vipin Kental) Chief Fire Officer Tel: 011-23412225

Copy to:-

- 1. The Executive Engineer, (Bldg.). Building Department, DDA, Vikas Sadan, INA, New Delhi.
- 2. Sh. ShashiSharrma (Sr.VP).M-s Select City Walk (Select Infrastructure Pvt Ltd), A-3, Distt. Centre Saket, New Delhi-110017

Conditions for the validity of fire safety certificate:

- 1. All the means of escape/entry/exit shall be kept free from any obstruction.
- 2. All the fire safety arrangements provided therein shall be maintained in good working condition at all time as seen during inspection. Any loss of life or property due to non-functional fire safety measures shall be at the responsibility of the management.
- 3. All the staff members must know the correct method of operation of firefighting system.
- 4. The owner/ occupier shalf submit a declaration every year in Rorm 'K' provided in the first Fire Service Rules 2010, The Delhi form is http://delhi.gov.in/wps/wcm/connect/doit_fire/EHGE/Temerborns
- 5. This fire safety certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or Alteration (Clause L.4.3 of UBBL-2016), if any,
- 6. "The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry.'
- 7. The portion sealed by The Assistant Collector (Ward-06). DT &T, GNCTD vide letter F,ward-96/Z-1X/2016-17/230 dated 21/02/2017 is not covered by this FSC.

Environment Clearance 2007

By Speed Post

No. 21-672/2006-IA-4H
Government of India
Ministry of Environment and Forests
(I.A. Division)

Paryavaran Bhawan, CGO Complex, Lodhi Road New Delhi 110003 Datéd: February 14, 2007

To

M/s Scient Infrastructure Pvt. Lid. 101, Kanchenjunga. 18, Barekhamba Road. Now Delhi-L10001

Estados de la complexión de proposed Complexial Complexión (CILL MAL SE ENCOMALL) at A-3 & R.I.B. District Castre, Sakot, New Mall

Sir.

clearance for the above project under the EIA Motification 2006. The above proposal has been appraised as per prescribed procedure on the basis of the mandatory documents enclosed with the application viz., the Form I and IA, EMP, and the additional clarifications furnished in response to the observations of the Expert Appraisal Committee (EAC) constituted by the competent authority in its meeting held on 15-16 December, 2006.

- 2. The project proponent is proposing for development of Commercial complex Select CTTYWALK at Plot No. A.3. District Centre, Saket, New Delhi: The project involves construction of Shopping Center, Cinemas, Serviced Apartments & Offices in total plot area of 15,884.00 sq. m.On plot A3, three basements, ground floor and seven upper floors will be constructed whereas on plot PI-B two basements and a Meltiplex plus two basements will be constructed. The FAR as indicated is 44,623 sq. m. Total water requirement will be 50% cu. in. Iday, and wastewater generation will be 297cu. m.Iday. A STP baving capacity of 300 cu. m.Iday will be installed at site.
- 3. The EAC after due consideration of the relevant documents submitted by the project proponent and additional clarifications furnished in response to its observations have recommended the grant of environmental clearance for the project mentioned above subject to compliance with the EMP and other stipulated conditions. Accordingly, the Ministry hereby accords necessary environmental clearance for the project subject to the strict compliance with the specific and general conditions mentioned below:

PART A. SPECIFIC CONDITIONS

1. Construction Phase

- i All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- ii. Soil and ground water samples will be tested to ascertain that there is no threat to groundwater quality by leaching of heavy metals and other toxic contaminants.
- iii. A First Aid Room will be provided at the project site both during construction and operation of the project.
- iv. Adequate crinking-water and senitary sacrlities should be provided for construction workers at the site. The safe disposal of wastewater and solid wastes generated during the construction phase should be casured.
- Disposal of muck including excessive displacing during construction phase should not create any adverse effects on the acigaisoning communities and be disposed off taking the necessary procautions for general safety and health aspects of people:
- vi. Dieset power generating sens used during construction phase should be of enclosed type to provent noise and should confere to miles made under Environment (Protection) Act 1986, prescribed for air and noise emission standards.
- vii. Ambient noise levels should conform to commercial standards both during day and night when measured at boundary wall of the premises, incremental pollution loads on the ambient sir and noise quality should be closely monitored during construction phase.
- viii Vehicles bired for bringing construction meterial at site should be in good conform to applicable air and noise emission standards.
- ix Construction spoils including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water.
- x Any hazardons waste generated during construction phase should be disposed of as per applicable Rules & norms with necessary approvals of the Delhi'
- xi. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase so as so avoid disturbance to the surroundings.

II. Operation Phase

The environmental elements recommended to the project is subject to the specific conditions as follows:

- i Necessary permission of competent authority shall be taken to store diesel in the premises for operation of DG set.
- ii. Diesel power generating sets proposed as source of back up power for lifts and common area diamination should be of enclosed type and conform to rules made under Environment (Protection) Act 1986, prescribed for air and noise emission standards as per CPCB guidelines, Exhausts should be discharged by stack, raised to 4 meters above the cooftop.
- iii. During nightfirm the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- iv. Noise harriers should be provided at appropriate locations so as to ensure that the noise levels do not exceed the prescribed standards.
- v. Weep holes in the compound walls shall be provided to ensure natural drainage of rainwater in the catchments area.
- vi. The sewage treatment plants should be scriffed by an independent expert for efficiency, as well as adequady until should submit a report in this regard to the Ministry before, the project is commissioned to operation. The wastewater should be treated to tertiary level and after freatment reused for flushing of toilets and gardening. Discharge of treated vewage, if may, shall conform to the norms & standards prescribed by Dolhi Pollution Control Committee.
- vii. Oil & Grease hap shall be provided to remove oil and grease from the surface run off and suspended matter shall be removed in a settling tank before its utilization for rainwater harvesting.
- viii. The solid waste generated should be properly collected & segregated. Wet garbage should be composted and dry/inert solid waste should be disposed of for land filling.
- ix. Any hazardous waste including biomedical value should be disposed of as per applicable. Rules its norms with necessary approvats of the Oelhi Pollution Control Committee.
- x. The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for commercial land use. The open spaces inside the plot should be satisfied landscaped and covered with vegetation of indigenous variety.
- xi. Incremental pollution loads on the ambient air quality, noise and water quality should be periodically monitored after commissioning of the project.
- xii. The ground water levels and its quality should be monitored regularly in consultation with Central Ground Water Authority.
- xiii. A Report on the energy conservation measures should be prepared incorporating details about building materials of textuology, R & U Factors etc and submitted to the Ministry in three months time.

xiv. The values of $k \propto 1$, for the building envelope should meet the requirements of the hot & hamid of institution. Details of the building envelope should be worked out and furnished in three months time

PART & GENERAL CONDUCTIONS

- i) The environmental saleguards contained in the documents should be implemented in letter and spire.
- ii) Provision should be made for the supply of kerosene or cooking gas and pressure cooker to the laborers during construction phase.
- iii) All the laborers to be engaged for construction works should be screened for health and adequately treated before the issue of svork permits.
- iv) 6 monthly monitoring reports should be submitted to the Ministry and its Regional Office.
- 5. Officials from the Regional Office of MOEF, Chandigarhowho would be racenitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents / data by the project proponents during their impection. A complete set of all the documents submitted to MoEF should be forwarded to the CCF, Regional office of WOEF, Chandigarh.
- 6. In the case of any change(s) in the scope of the project, the project would require a fresh appealsal by this Ministry
- 7. The Ministry reserves the right to sekl additional safeguard measures subsequently if found necessary, and to take action including revoking of the environment cleanage under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- 8. All other stantory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department (if required), etc. shall be obtained by project proposents from the competent authorities.
- 9. A copy of the environmental clearance letter would be marked to the local NGO(s), if any,
- 10. The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded environmental thermore and copies of clearance letters are available with the Delhi Pollution Control Committee and may also be seen on the website of the Ministry of Environment and horests at http://www.cuvfor.nic.in. The advertisement should be made within 7 days from the day of issue of the degrance letter and a copy of the same should be forwarded to the Regional office of this Ministry at Chandigach.
- 11. These stipulations would be enforced accord others under the provisions of the Water (Prevention and Control of Pollution) And 1978, the Air (Prevention and

control of Pollation) act 1981, the Tavarounient (Protection) Act and 1986, the Public Liability (Institute) Act, 1991

- 12. The project unthority will enter in to MOU with all buyers of the property flats/shops etc. to ensure operation and maintenance of the assets handed over to the society formed by the residents/owners of the buildings.
- 13. Under the provisions of Environment (Protection) Act 1986, legal action shall be initiated agains the project proponent if it was found that construction of the project bad standed without obtaining environmental clearance.

(K.C. RATHORE)
Additional Director (IA)
rathore27@yahoo.com
Tele: 24360789

Copy to: «

- 1. The Secretary, Department of Environment, Government National Capital Territory of Delhi, Old Secretariat, J. F. Betate, New Delhi.
- 2. The Member Secretary, Delfa Pollution Control Committee, ISBT Building, 4th Floor, Kushmere Cate, Delfa.
- 3. The CCF, Regional Office, Ministry of Bavironment & Forests, Chandigarh.
- 4. IA Division, MOEF, New Dathi 110001.
- 5. Guard file

(K. C. RATHORE)
Additional Director (IA)

Annexure – 6

Airport Authority of India Permission



AIRPORT AUTHORITY OF INDIA

Rapy Gandhi Bhavan Safdarjung Airport, New Delhi-11003

No. AAI/20012/835/2004 - ART

Dated, New Delhi the 20.08.04

 $-T_{\Omega}$

"Select Infrastructure Ltd. M/s. Tevatiu Chauhan & Sharma Architects (P) Ltd., 13-1, Bhawani Kuni, Behind D-11, Vasat Kani, NEW DELHL

Sub: Issue of NOC, Case No.

Please refer to your letter No. — Dated — on the subject mentioned above.

2. This office has no objection to the construction of the proposed bidg. By Select fatrastructure Ltd.

here in after referred to as the applicant(s) or location plot. No. A-3, District Centre, Suket, New Delbi to height 38.00 /M (in figures) Thirty Eight deci Zero - Mones (in words)

ABOVE GROUND LEVEL, so that the top of the proposed structure when creded shall not exceed 226.30 /M. (site Elevation)+38.00. /M/ (Height of the structure) Le. 264.30 /M.

ABOVE MEAN SEA LAVEL

3 This no objection certificate is being issued on the express understanding that the abe-elevation reduced level (height above mean sea level) vis 226.30 /M, relative location of the proposed Bldg/Structure it its distances and Bearings from the ARP/Runway ends, as . Lendered by the applicant (s) are correct. If, However, at any stage it is established that the said data as tendered by the said applicant is actually different from the one tendered & which could adversely affect around operations, the structure or part(s) thereof in respect of which this 'NOC' is being issued will have to be demolished at his own cost as may be directed by the Airports Authority of India(N.A. Division). The applicant(s) is fare therefore advised in his/their own interest to verify the elevation and other data furnished for the site, before embersing on the proposed construction

4. The issue of the 'NOC' is faither subject to the provisions of Section 9 A of the Judian Aircraft Act, 1934 and those of any notifications issued thereunder from used to tome and under which the apparait may be called upon by the Auports Authority of India(N.A. Division) to demolish in whole or in ten the structure new being stationised cide this "NOC"

5 No indio/TV Antenna, lighting arrestors, stancisse, kiumice, Overhead water tank and attackations of fixtures of any kind shall project above the height indicated in para 2

6 The use of oil fired of electric fired housee is obligatory, within 8 Kins. Of the Actoditional

7. The certificate is valid for a period of three years from the date of its usue. If the building/structure/Chimney is not constructed & completed within the above menuoused period of three years he will be restured to communa fresh 'No Objection Certificate' from the Chairman Airports Authority of India(NAI); and at the Director of Actistrentes Northern Region. The date of completion of Building/Structure/Chimney should be inuneated to the AAl(NAI)) and/or Americanas Sorthera. Region.

8. No light or a combination of lights which by reason of its intensity, configuration of colour may cause confission with the aeronautical ground lights of the Airport shall be installed at the site at nay time during or other the construction of the building.

"NOC FOR HEIGHT CLEARANCE ONLY"

Day & Night markings with secondary power supply may be provided as per ICAU standards.

Assit GENERAL MANAGER(NOC) For Airports Authority of India

Conviou

.) The Regional Executive Director, AAT Morthern Region IC: Alepaci New Depth-37 w.r.t. his letter No. . AAL/NOC/2004/64/295-96 Dated 29.96,63

2. Sr. Manager, Maps & Maps & Chans, AAI (MAD), Highs.

3. Guard file/Airport Director.

Annexure – 7

DDA Approval Letter for Expansion

FORM- B-1 (Chapter 2, Para 2.3)

GRANT OF SANCTION

Delhi Development Authority Building Section

File No.: SZ/0110/19-20 Dated: 17 January, 2020

To,

Shashi Sharma
Select Infrastructure Pvt Ltd A-3 District Centre Saket, Newdolfni.
110017

GRANT OF SANCTION

Sub: Sanction U/S 12 of the Delhi Development Act 1957

Dear Sir/Madam,

With reference to your application dated 0.1 October, 2019 for the grant of sanction to creet/ re-creet/add to/alteration in the building to carry out the development specified in the said application relating to Plot No. A3 & P1B Pocket No. -- Block No. -- Sector No. -- Situated in/at SAKET, NEW DELHI. I have to state that the same has been sanctioned on 17 January, 2020 by the Delhi Development Authority subject to the following conditions and corrections made on the plans:-

- 1) The plans are valid up to 16 day of month 1 year 2025
- 2) The construction will be undertaken as per sanctioned plan only and no deviation from the bye-laws will be permitted without prior sanction. Any deviation done against the bye-laws is liable to be demolished and the supervising Architect, engaged on the job will run the risk of having his license cancelled.
- 3) Violation of building bye-laws will not be compounded.
- 4) It will be duty of the owner of the plot and the Architect preparing the plan to ensure that the sanctioned plans are as per prevalent building bye-laws. If any infringement of the bye-laws remain unnoticed the Delhi Development Authority reserves the right to amend the plans as and when the infringement comes to its notice and Delhi Development Authority will stand indemnified against any claim on this account.
- 5) The party shall not occupy or permit it to occupy the building or use permit the building or part there of affected by any such work until occupancy certificate is issued by the sanctioning. Authority,
- 6) Delhi Development Authority will stand indemnified and kept harmless from all proceedings in courts and before other authorities of all expenses/losses/claims which the Delhi Development Authority may incur or become fiable to pay as a result or in consequences of the sanction accorded by it to these building plans.

Note: "This is a computer-generated document therefore does not require any signature or stamp."

Page 1 of 4

- 7) The door and window leaves shall be fixed in such a way that they shall not when open project on any street.
- 8) The party will convert the house into divelling units of each floor as per the approved parameters of the project and shall use the premises only for residential purpose.
- 9) The building shall not be constructed within minimum mandatory distance as specified in Indian Electricity Rules and as per the requirement of Delhi Vidut Board from the voltage lines running on any side of the site.
- 10) The land left open on consequences of their enforcement of the set back rule shall form part of the public street.
- 11) The thickness of outer walls will be maintained at least 0.23 mt. (9").
- 12) The basic levels should be got ascertained from the concerned at the site of the construction,
- 13) The owner will display boards of minimum size of 3 ft. X 4ft, indicating the following
 - i. Plot No. and location A3 & P18 (South Zone).
 - ii. Name of lesse/owner Shashi Sharma.
 - iii. Use of the property as per lease deed 24174.66.
 - iv. Date of sanction of Building Plan with No. CA/BP/0111/10-20(17 January, 2020)
 - v. Sanction valid up to 16 January, 2025
 - vi. Use of different floors and areas sanctioned ---
 - vii. Name of the Architect & his address Goonmeet Singh Chauhan [K-47, Kailash Colony, New Delhi-110048].
 - viii. Name of the contractor and his address ---
- 14) The provision of the display board on the construction site is a mandatory requirement and non-compliance of the same will invite a penalty of Rs. 5000/-.
- 15) It will be ensured that the construction / demofition work shall be carried out in such a manner that no disturbance/nuisance is caused to residents of the neighborhood.
- 16) It will be ensured by the owner and the Architect that during the construction the building plans sanctioned shall satisfy all the Environmental Conditions for Buildings and Constructions of Chapter 3, Annexure XIV of these Bye laws and as amended from time to time or any specific orders issued by the Govt.
- 17) Intimation of Completion of work up to Plinth Level, Plinth Level inspection and the issue of Plinth level Inspection shall be done as per procedures laid down in the Chapter 2 of these bye-laws.
- 18) The building shall be constructed strictly in accordance with the sanction plan as well as in accordance with the certificate submitted jointly by the owner/Architect/Structural Engineer for safety requirement as stipulated in Chapter 9 of these Building Bye-Laws, and the structural Design including safety from any natural hazards duly incorporated in the design of the building as per the Government Of India Notification issued time to time and Annexure VII of theses Bye Laws.
- 19) The mulba during the construction will be removed on weekly basis. If the same is not done, in that case the local body shall remove the mulba and the cost shall be borne by the owner of the plot.

Note: "This is a computer-generated document therefore does not require any signature or stamp."

- 20) During construction, it is mandatory on the part of the owner to properly screen the construction site of the main road by means of erecting a screen wall not less than 8 ft. in height from ground level which is to be painted to avoid unpleasant look from the road side. In addition to this a net or some other protective material shall be hoisted at the facades or the building to ensure that any falling material remains within the protected area.
- 21) Noise related activities will not be taken up for construction at night after 10.00 PM.
- 22)
- Every builder or owner shall put tarpaulin on scaffolding around the area of construction and the building. No person including builder, owner can be permitted to store any construction material particularly sand on any part of the street, roads in any colony.
- ii. The construction material of any kind that is stored in the site will be fully covered in all respects so that it does not disperse in the air in any form.
- iii. The construction material and debris shall be carried in the trucks or other vehicles which are fully covered and protected so as to ensure that the construction debris or the construction material does not get dispersed into the air or atmosphere, in any form whatsoever.
- iv. The dust emissions from the construction site should be completely controlled and all precautions taken in that behalf.
- v. The vehicles carrying construction material and construction debris of any kind should be cleared before it is permitted to ply on the road after unloading of such material.
- vi. Every worker working on the construction site and involved in loading, unloading and carriage of construction material and construction debris shall be provided with mask to prevent inhalation of dust particles.
- vii. Every owner and or builder shall be under obligation to provide all medical help, investigation and treatment to the workers involved in the construction of building and carry of construction material and construction debris relatable to dust emission.
- viii. It shall be the responsibility of every builder to transport construction material and debris waste to construction site, dumping site or any other place in accordance with rules and in terms of this order.
- Ix. All to take appropriate measures and to ensure that the terms and conditions of the earlier order and these orders should strictly comply with by fixing sprinklers, creations of green air barriers.
- x. Compulsory use of wet jet in grinding and stone cutting.
- xi. Wind breaking walls around construction site.
- xii. All efforts to be made to increase the 'free cover' area by planting large number of trees of various species depending upon the quality content of soil and other natural attendant circumstances.
- xiii. All the builders who are building commercial, residential complexes which are covered under the EIA Notification of 2006 shall provide green bell around the building that they construct.
- 23) The sanctioning authority approves Architectural Drawings/Development Control norms with respect to the Building Bye Laws and Master Plan provisions only. The technical drawings/documents submitted by the owner/consultant/Architect/Engineer/Structural Engineer/Landscape Architect /Urban Designer/Engineer for Utility Services are considered as part of the records/information supporting the building permit only. The responsibility of the correctness of information/application of technical provisions fully vests with the owner/consultant/ Architect/Engineer/Structural Engineer/Landscape Architect /Urban Designer/Engineer for Utility Services and shall be liable as per laws.
- The sanctioning authority approves Architectural Drawings/Development Control norms with respect to the Building Bye Laws and Master Plan provisions only. The technical drawings/documents submitted by the

Note: "This is a computer-generated document therefore does not require any signature or stamp."

Page 3 of 4

owner/consultant/Architect/Engineer/Structural Engineer/Landscape Architect/Afrban Designer/Engineer for Utility Services are considered as part of the records/information supporting the building permit only. The responsibility of the correctness of information/application of technical provisions fully vests with the owner/consultant/ Architect/Engineer/Structural Engineer/Landscape Architect/Orban Designer/Engineer for Utility Services and shall be liable as per laws.

- 25) No puncture, perforation, cutting, chiseling, trimming of any kind for any purpose are permitted in the structural members (beams / columns) submitted by the structural engineer as structural drawing for building permit in accordance with the relevant structural codes.
- 26) The sanction will be void ab initio if any material fact has been suppressed or mis-represented of if auxiliary conditions mentioned above are not complied.

Plot No.:

. .

A3 & P1B

Pkt. No.:

Block No.: --

Sector No.: --

Delhi.

Encl: One set of sanctioned plan.

Yours Faithfully

Name: PARVEEN KUMAR Designation: Assistant Engineer Organization: DELHI DEVELOPMENT AUTHORITY

Date: 17-Jan-2020 13: 18:13

For Vice Chairman

Delhi Development Authority

Note: "This is a computer-generated document therefore does not require any signature or stamp."

<u>Annexure – 8</u>

Environment
Clearance for
Expansion Project
2019

F.No. 21-45/2019-IA-III Government of India Ministry of Environment, Forest and Climate Change (IA.III Section)

Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi - 3

Date: 1st November, 2019

To.

M/s Select Infrastructure Private Limited Select City Walk, A-3, District Centre, Saket, Hauz Khas, Delhi - 110017

Subject: Expansion of "Commercial Complex SELECT CITY WALK (Shopping Mall)" at A-3 & P1-B, District Centre, Saket, New Delhi by M/s Select Infrastructure Private Limited - Environmental Clearance - reg.

Sir,

This has reference to your online proposal No. IA/DL/MIS/91578/2006 dated 15th May, 2019, submitted to this Ministry for grant of Environmental Clearance (EC) in terms of the provisions of the Environment Impact Assessment (EIA) Notification, 2006 under the Environment (Protection) Act, 1986.

- 2. The proposal for grant of environmental clearance to the project Expansion of "Commercial Complex SELECT CITY WALK (Shopping Mall)" at A-3 & P1-B, District Centre, Saket, New Delhi by M/s Select Infrastructure Private Limited, was considered by the Expert Appraisal Committee (Infra-2) in its 42nd Meeting held during 10-12 July, 2019 and 43rd meeting held during 20-22 August, 2019. The details of the project, as per the documents submitted by the project proponent, and also as informed during the above meeting are as under:-
- (i) The project will be located at Latitude 28°31'44.03"N and Longitude 77°13'10.23"E.
- (ii) The Project is Expansion. The proposed project titled expansion of "Commercial Complex SELECT CITY WALK (Shopping Mall)" at A-3 & P1-B, District Centre, Saket, New Delhi has already been granted Environmental Clearance vide letter no. 21-672/2006-iA-III dated 14/02/2007 from MoEF&CC for the development of the "Commercial Complex SELECT CITY WALK (Shopping Mall)" at A-3 & P1-B, District Centre, Saket, New Delhi for FAR area of 44,623 sqm & Built-up area (Including basement area) of 1,07,671.51 sqm.
- (iii) Due to enhancement of FAR of the above said plot under MPD 2021, there is change in FAR, Non-FAR area and increase in FAR and built-up area. The built- up area of the project after expansion will be 1.18,979,00 sqm (including basement area). The activities of the project involve Shopping Centre/ Mall building, Service Apartment, Offices, Multiplex & Hotel. The changes are proposed in Shopping Centre/ Mall building only. The details of the building are as follows:

Particulars	Unit	As per Environmental Clearance granted in February, 2007	Existing Operational Details	Proposed Details	Total After Expansion
SubTotal Plot area as per EC -A	san	15,884.50	15,884,50		15,884.50
Landscape & Surface Plot Area-B	som	8,290.16	8,290.16	-	8,290.16
Total plot area (A+B)	sqm	24,174.66	24,174.66	-	24,174.66
G.C (Permissible)	sqin	**	11,275.31		11,275.31
G.C (Ach)	sqm	*	11,150.03	-	11,160.03

DA PARTIE

FAR Permissible	sạm	**	45,020.55	-	52,328.55
Proposed FAR/Built- up area excluding Non-FAR area/Basement area	scho	44,623	44,623	7,459.84	52,082.8400
		Non-FAí	RAREA		
Third Basement Area	sqm	*-	13,345.18		13,345.18
Second Basement Area	som		25,022.53	(-)2215.22	22,807.31
First Basement Area	sam	<u>.</u>	24,680.8028	(-)2709.99	21,970.81
Total Basement area/ service area	sqn	## . T. A. A. C. A	63,048.5128	(-)4925.22	58,123.30
Other Non- FAR	sam	**	-	7872.8640	7,872.8640
Built-up Area (FAR + Basement area + other Non- FAR)	sqm	-	1,07,671.51	10,407.49	1,18,079.000
Total Green Area	sgm	**	8,290.16	a.	8,290.16
Open area	sam	*	4,724.47	-	4,724.47
No. of shops	Nos.	**	183	30	213
No of Towers	Nos.		4	4	4
Maximum No. of Floors	Nos.		38+G+7	3B+G+7	3B+G+7
Max. height of building (up to terrace level)	Nos.		38	38	38
No. of Basement	Nos.	3	3	3	3

- (iv) During the construction phase, total water requirement is expected to be 12 KLD which will be met by Saket Place Developer's Association. During the construction phase, mobile toilets will be provided during peak labour force. Waste water from labours shall be treated in Exiting STP.
- (v) The total water requirement after expansion will be 699 KLD. Out of which fresh water 354 KLD will be met by Saket Piece Developer's Association and remaining water will be outsourced from STP water. The total waste water generation after expansion will be 245 KLD which shall be treated into Sewage Treatment Plants (STP) of total capacity 300 KLD (already installed). 220 KLD treated water will be used in flushing & Cooling. 125 KLD of outsourced treated water shall be used for gardening purpose. No treated water shall be discharge outside the project.
- (vi) The total solid waste generation after expansion will be 1.624 TPD. Out of which the biodegradable waste (0.65 TPD) shall be treated in Organic Waste Convertor provide within the complex, recyclable waste (0.487 TPD) and Plastic waste (0.487 TPD) will be handed over to NGO Chintan Environmental Research & Action Group and Used Oil of 62 lit/month shall be collected in leak proof containers at isolated place and then it will be given to approved recycler. E- Waste of 2-3 kg/month will be collected and given to approved recycler.
- (vii) The Total power requirement during construction phase will be met by 62.5 KVA DG sets. The total power requirement after expansion will be 5660 kW (Connected load: 6340 KVA) which will be provided by BSES, Delhi. D.G. Sets of capacities 3 x 2000 kVA & 2 x 1010 kVA has already been installed for back-up. To avoid the emissions, stack height of 6 m above roof level has already been provided to reduce the air emissions, meeting all the norms prescribed by CPCB.
- (viii) Rooftop rainwater of buildings will be collected in 17 RWH tanks of total 345.67 KLD capacity for harvesting after filtration.

- (ix) Parking facility for 1170 ECS for four wheelers and 222 for two wheelers is proposed to be provided against the requirement of 1125 ECS for four-wheeler & two-wheeler.
- (x) There are two Eco-sensitive areas within 10 km radius of the project i.e. Asola Wildlife Sanctuary is at a distance of 3.26 Km from the project site & Okhla Bird Sanctuary is at a distance 9.83 Km NEE from the project site. The ESZ boundary of Okhla Bird Sanctuary is 100 m to 1.27 Km & Asola Wildlife Sanctuary is 1 Km. Hence, NBWL Clearance is not required.
- (xi) Forest Clearance is not required.
- (xii) There is no court case pending against the project.
- (xiii) Investment cost of the project: The total estimated cost of the project is Rs. 428 Crores including cost of expansion which is Rs. 32 Crores.
- (xiv) Employment potential: Labourers during construction phase 150 nos. and after expansion total staff will be 1121 persons.
- (xv) Benefits of the project: Employment opportunities provided due to the project will lead to better quality of life and will also set a standard for future developments in the area. The project will provide direct and indirect employment opportunity. The project will also enhance the infrastructure facility of the area. Corporate Environment Responsibility will also be considered for the social benefits of the society. Well connected with network of public transport, local railways and cabs. Pollution free environment with proper drainage and sewage system. Easy access to airport and local Railway Station.
- 3. The project/activity is covered under category 'B' of item 8(a) 'Building and Construction Projects' of the Schedule to the EtA Notification, 2006, and requires appraisal at State level. However due to absence of SEIAA/SEAC in Delhi, the proposal is appraised at Central Level.
- 4. The project proponent informed the EAC that the proposed project is expansion of "Commercial Complex SELECT CITY WALK (SHOPPING MALL)" at A-3 & P1-B, District Centre, Saket, New Delhi. The project will be developed by M/s Select Infrastructure Pvt Ltd. Delhi Development Authority had handed over the land in 2004 on lease hold basis to M/s Select Infrastructure Pvt. Ltd. for development of the commercial complex, which was converted into free hold in 2009. The project has already been granted Environmental Clearance vide letter No. 21-572/2006-IA-tit dated 14.02.2007 from MoEF&CC for the development of the "Commercial Complex SELECT CITY WALK (SHOPPING MALL)" at A-3 & P1-B, District Centre, Saket, New Delhi for FAR area of 44,623 sqm (excluding basement area) & Built-up area (Including basement area) of 1,07,671.51 sqm. The project is already operational Commercial Complex. These include activities such as Shopping Centre/ Mall building, Service Apartment, Offices, Multiplex, Due to enhancement of FAR of the above said plot under MPD 2021, there is change in FAR, Non-FAR area and increase in FAR and built-up area. The built-up area of the project after expansion will be 1,18079.00 sqm (including basement area).

The project proponent informed the EAC that at present water supply in complex is being made through Saket Place Developer's Association (duly authorized by DDA) which is sourcing water through approved tube wells and water tankers under mutual legal agreement with DDA. The project proponent further informed that they have already got water scheme sanctioned from DJB for water connection and requisite fee of Rs. 29,09,250/-(Rs. Twenty Nine Lacs Nine Thousand Two Hundred Fifty only) has already been paid to Delhi Jal Board in the year 2010.

The EAC also deliberated on the certified compliance report letter No. 4-251/2007-RO(NZ)/111 dated 02.05.2019 issued by the MoEF&CC's Regional Office (CR), Lucknow. As per Compliance report, it is observed that PAs have complied or are in process or

9. Bass. 1.

complying the environmental conditions stipulated for this project. A discrepancy has been noticed as project has got occupancy certificate from Delhi Development Authority, Delhi (vide letter No.113(62)04/13010/93 dated 20.08.2007) whereas CTE submitted (letter no. DPCC/CMC/2013/31913) is valid from 03.04.2013, for one year. STP adequacy report has been obtained from Delhi College of Engineering Delhi vide no. Adequacy/Env/2009/07/01 dated 02.07.2009. As per the submitted document, it has been found that under Section 15, 16 & 19 of Environment (Protection) Act, 1986, a complaint filed in the court of Chief Metropolitan Magistrate, Delhi vide complaint No. 2008/0240RO297302208 dated 06.05.2008. Where, PAs have been found violating the norms by the court and agreement has been settled with DPCC dated 02.11.2012 where they have deposited Rs. 14,00,000/vide DD No. 464452 dated 21.11.2012 as compensation and then above mentioned CTE has been granted to PAs by DPCC. After that they have been granted above mentioned CTOs by DPCC.

5. The EAC in its 43rd meeting held on 20-22 August, 2019, based on the information submitted and clarifications provided by the Project Proponent and detailed discussions held on all the issues, recommended the project for grant of environmental clearance with stipulated specific conditions along with other Standard EC Conditions as specified by the Ministry vide OM dated 4th January, 2019 for the said project/activity, while considering for accord of environmental clearance. As per recommendations of the EAC, the Ministry of Environment, Forest and Climate Change heroby accords Environmental Clearance to the project Expansion of "Commercial Complex SELECT CITY WALK (Shopping Mall)" at A-3 & P1-B, District Centre, Saket, New Delhi by M/s Select Infrastructure Private Limited, under the provisions of the EIA Notification, 2006 and amendments/circulars issued thereon, and subject to the specific and general conditions as under:-

A. Specific Conditions:

- (i) Consent to Establish/Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974.
- (ii) The project propenent shall provide for adequate fire safety measures and equipment as per National Building Code/required by Fire Service Act of the State and instructions issued by the local Authority/Directorate of fire, from time to time. Further, the project proponent shall take necessary permission/NOC regarding fire safety from Competent Authority as required.
- (iii) The project preponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- (iv) As proposed, fresh water requirement from Saket Place Developers Association shall not exceed 240 KLD. Consent to Operate (CTO)/Occupancy Certificate shall be issued only after getting necessary permission for required water supply from DJB/concerned authority.
- (v) Sewage shall be treated in the STP based on fixtended Aeration Technology with tertiary treatment i.e. Ultra Filtration. The treated effluent from STP shall be recycled/re-used for flushing & HVAC Cooling. As proposed, no excess treated water shall be discharge to Municipal drain.
- (vi) The project proponents would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated waste water being used for flushing in terms of faecal coliforms and other pathogenic bacteria.
- (vii) The project prepenents would commission a third party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats

3. M. A. B. M. . . .

- using recycled freated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.
- (viii) The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed, 17 no. of rain water harvesting recharge pits shall be provided for rain water harvesting after filtration as per CGVVB guidelines.
- (ix) Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composed in Organic Waste Converter. As proposed 50 sqm area shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from project will be sent to dumping site.
- (x) Traffic Management Plan as submitted shall be implemented in letter and spirit. Further, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the coads within a 05 kms radius of the project is manufained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the slic in different scenarios of space and time. Traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.
- (xi) No tree culting/aransplantation of existing trees has been proposed in the instant project. A minimum of 1 tree for every 80 sqin of land should be planted and maintained. The landscape planning should include plantation of native species. The plantation species should be carefully chosen to avoid bird nesting and to improve pollution control and noise control measures. Water intensive and/or invasive species should not be used for landscaping. As proposed 8,290.16-sqm (34,30% of total area) area shall be provided for green area development.
- the Company's Act of 2013. As per the Ministry's Office Memorandum F.No. 22-65/2017-IA.III dated 1st May, 2013, and proposed by the project proponent, an amount of Rs. 0.32 Grore (@ 1.00% of project Cost) shall be earmarked under Corporate Environment Responsibility (CER) for the activities such as drinking water supply, plantation and borticulture and skill development & computer education. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The atomitoring report shall be submitted to the Regional Office as a part of half yearly compliance report, and to the District Collector. It should be posted on the website of the project proponent:

B. Standard Conditions:

- Statutory compliance:
 - The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work.
 All the construction shall be done in accordance with the local building byelaws.
 - ii. The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.
- iii. The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.

S. Lesse

- A certificate of adequacy of available power from the agency supplying power to the project along with the lead allowed for the project should be obtained.
- All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) νi Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.
- vii. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.
- 11. Air quality monitoring and preservation:
 - i. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
 - A management plan shall be drawn up and implemented to contain the current ii. exceedance in ambient air quality at the site.
- iii. The project prepanent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM₁₀ and PM₂₆) covering upwind and downwlad directions during the construction period.
- Diesel power generating sets proposed as source of packup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG acts. Use of tow sulphur diesel. The location of the DG seis may be decided with in consultation with State Pollution Control Board.
- Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air political prevention measures shall be provided for the building as well as the site. These measures chall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaufin shect covers shell be provided for vehicles bringing in sand, cement, munam and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- vi. Sand, murroin, loose soil, dement, stored on sits shall be covered adequately so as to prevent designation.
- vii. Wet jet shall be provided for gonding and stone coming.
- viii. Unpaved surfaces and loose spill shall be adequately sprinkled with water to suppress dust.
- All construction and demolition debris shall be stored at the site (and not dumped on iχ, the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the previsions of the Construction and Demolision Waste Management Rules 2016.
- The dieset concertor sets to be used during construction phase shall be low sulphur Χ. diesel type and chalf conform to rules made under the Environment (Protection) Act, 1986.
- The gaseous emissions from DG set shall be dispersed through adequate stack XI. height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to miligate the noise pollution, Low sulphur diesel shall be used. The location of the DG set and adhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- For indoor air quality the ventilation provisions as per National Building Code of India.

 No. IA/DUMIS/81878/2008

 Page 6 of xii.

- III. Water quality monitoring and preservation:
 - i. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
 - ii. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
- iii. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be cubmitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- iv. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
- v. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass powers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
- vi. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
- vii. Use of water saving devices/ lixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation chall be incorporated in the building plan.
- viii. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system peparate recirculation lines for flushing by giving dual plumbing system be done.
- ix. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- x. A rain water hervesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
- xi. All recharge should be limited to shallow aquiter.
- xii. No ground water shall be used during construction phase of the project.
- xiii. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
- xiv. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- xv. No sewage or unireated effluent water would be discharged through storm water drains.
- xvi. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an

J. S. Mayler

independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change, Matural treatment systems shall be promoted.

- xvii. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
- xviii. Studge from the onsite sewage irreatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health, and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

IV. Noise monitoring and prevention:

- i. Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution leads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
- ii. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as miligation measures for noise impact due to ground sources.

V. Energy Conservation measurer:

- Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- ii. Outdoor and common area lighting shall be LED.
- iii. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increesed day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specificaliens.
- iv. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- v. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- vi. Solar power shall be used for lighting in the apastment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as par the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

VI. Waste Management:

James 25

- A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall belobtained.
- Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and by disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
- All non-biodegradable waste shall be handed over to authorized recyclers for which a Ì۷. written tie up must be done with the authorized recyclers.
- Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board,
- Use of environment friendly materials in bricks, blocks and other construction ۷i. materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AAOs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- Fly ash should be used as building material in the construction as per the provision of νii. Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
- Any wastes from construction and demotition activities related thereto shall be viii. managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
- Used CFLs and TFLs should be properly collected and disposed off/sent for recycling ĬΧ. as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

VII. Green Covert

Topsoil should be stripped to a Popth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpilled appropriately in designated areas and reapplied during prontation of the proposed vegetation on site.

VIII. Transport

- A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The more system can be designed with those basic criteria.
 - a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - b. Traffic calming measures.
 - c. Proper design of entry and exit points.
 - d. Parking norms as per local regulation.
- Vehicles hired for bringing construction material to the site should be in good ii. condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.

IX. Human health insues:

- All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shalf be provided with dust mask.
- For indoor ne quality the ventilation provisions as per Mational Building Code of India.

- iii. Emergency preparedness plan based on the Hazard identification and Risk Assessment (MRA) and Dispater Management Plan shall be implemented.
- iv. Provision shall be made for the housing of construction labour within the site with all necessary infrectructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crêche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- v. Occupational health surveillance of the workers shall be done on a regular basis.
- vi. A First Aid Room shall be provided in the project both during construction and operations of the project.

X. Corporate Environment Responsibility:

- i. The company shall have a wail laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringemental/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- ii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- fii. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise tunds cannerked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

XI. Miscellanaces:

- i. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MeSPCC/SEIAA website where it is disclayed.
- II. The copies of the environmental degrance shall be submitted by the project proponents to the Heads of focal bodies, Panchayais and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 20 days from the data of receipt
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit bix-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- v. The project proponent shall cubmit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as accended subsequently and put on the website of fire company.
- vi. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.

Page 10 of 11

- vii. The project authorities must strictly achieve to the stipulations made by the State Pollution Control Board and the State Covernment.
- viii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and commitment made during their presentation to the Expert Appraisal Committee.
- ix. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).
- x. Concealing factual data or submission of telse/labricated data may result in revocation of this environmental clearance and affract action under the provisions of Environment (Protection) Act, 1986.
- xi. The Ministry may revoke or suspend the clearance, it implementation of any of the above conditions is not satisfactory.
- xii. The Ministry reserves the rigid to stirulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xiii. The Regional Office of this Ministry shall inchitor compliance of the stipulated conditions. The project authorities should extend full properation to the officer (s) of the Regional Office by furnishing the requisite date / information/monitoring reports.
- xiv. The above conditions shall be enforced, intervalle under the provisions of the Water (Prevention 3, Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Honfale Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act. 2010.
- 6. This issues with the approval of the Competent Authority.

(Dr. Subrata Bose)
Scientist F

Copy to:

- 1) The Secretary, Department of Environment, Government of Dolhi, New Delhi.
- 2) The Addl. Prescipal Chief Conservator of Forests Cr. Ministry of Environment, Forests and Climate Change, Rendriya Bhavan, 5th Floor Sector-H, Aliganj, Lucknow 226024.
- 3) The Chairmas, Central Pollution Control Board Parivosh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi 110 032.
- 4) The Member Secretary, Delhi Politikon Control Committee, Department of Environment, Government of N.C.T. Delhi, 4th Floor, ISBT Building, Kashmere Gate, Delhi.
- 5) Monitoring Cell, MoEF&CC, Indias Parysvaran Bhavan, New Delhi.
- 6) Guard File/ Record File/ Notice Board.
- MoRFCC weache.

したなと、 (Dr. Subrata Bose)

(Dr. Subrata Bose)
Scientist F

Proposal No. IA/DE/MIS/91/578/2006

Page 11 of 11

Annexure – 9

Monitoring Reports



Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986) (No. Q - 1508 / 32 / 2007 - CPW) (ISO 9001, 14001 & OHSAS 18001 Certified Organisation)

Report No: - GCI/V/LAB/G0007/15-SP/18-19/March-00/0903

Date: 21/03/2020

ANALYSIS REPORT (For the Month of March-2020)

Client Det	ails		Sample Details		
Name	M/s. Select Inf	rastructure Pvt. Ltd	Sample Code	GCI/V/20/C2/SSW/AA1 & AA2	
	!	alk" at Plot No. A-3 & P I	Location	As Per Table	
Address	B, District centre, Saket, New Delhi –		Quantity	NA	
	110 017		Date of Sampling	13/03/2020	
Sampling I	Done By	Mr. Pragnesh/Mukesh	Sampling Instrument	RDS, FPS	
		16/03/2020	Sampling Method	IS 5182 : Part 5 : 1975	
		21/03/2020	Sample Received Date	16/03/2020	

AMBIENT AIR MONITORING RESULTS

			R	esults	D	
Sr. No.	Parameters	Unit	Near Main Gate	Back Side Office (Near STP) (KFC)	Permissible Limit AS per NAAQS	Reference Method
1.	Particulate Matter (PM10)	μg/m³	68.6	64.9	100	IS 5182 : Part 23 : 2006
2.	Particulate Matter (PM2.5)	µg/m³	27.4	25.9	60	NAAQS Guidelines
3.	Sulfur Dioxide (SO ₂)	μg/m³	8.9	7.7	80	IS 5182 : Part 2 : 2001
4.	Oxides of Nitrogen (NOx)	µg/m³	14.2	12.3	80	IS 5182 : Part 6 : 2006
5.	Carbon Monoxide CO	mg/m³	0.33	0.23	2.0	IS 5182 : Part 10 : 1999
6.	Ozone as O ₃	μg/m³	<20	<20	100	NAAQS Guidelines
7.	Lead as Pb	µg/m³	<0.05	<0.05	1.0	NAAQS Guidelines
8.	Nickel as Ni	ng/m³	<1.0	<1.0	20	NAAQS Guidelines
9.	Arsenic as As	ng/m³	<0.5	<0.5	6.0	NAAQS Guidelines
10.	Ammonia as NH₃	µg/m³	<20	<20	400	NAAQS Guidelines
11.	Benzene , C6H6	µg/m³	<0.5	<0.5	5.0	IS 5182 (Part 11):2006
12.	Benzo (a) Pyrene	ng/m³	<0.05	<0.05	1.0	Gas Chromatography



Authorized Signatory

- Analysis is subject to the condition In Which the Sample Is received at our Laboratory.
- Reports can not be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA. R&D Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 Email: inlo@greencircleinc.com Website: www.greencircleinc.com



Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986) (No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001, 14001 & OHSAS 18001 Certified Organisation)

Report No: - GCI/V/LAB/G0007/15-SP/18-19/March-00/0903

Date: 21/03/2020

ANALYSIS REPORT

(For the Month of March-2020)

Client details			Sample Details		
Name	M/s. Select	Infrastructure Pvt. Ltd	Sample Code	GCI/V/20/C2/SSW /N1 - N4	
			Location	As per table	
Address		y Walk" at Plot No. A-3 & P B,	Nature of Sample	Noise	
	District cen	tre, Saket, New Delhi – 110 017	Date of Sampling	14/03/2020	
Sampling	Done By	Mr. Mukesh		Lutron/SL-4023SD inst.	
Sampling Instrument		Sound Level Meter	Sampling Method	Manual	

NOISE MONITORING RESULTS

		_	Day	Time dB(A) Leg	Night Time dB(A) Leg		
Sr. No.	Location Name	Category of Area/Zone	Results	CPCB Permissible	Results	CPCB Permissible Limit	
1.	At the Site	Commercial	61.7	65	46.8	55	
2.	Malviya Nagar	Residential	52.6	55	42.4	45	
3.	Pushpa Vihar	Residential	51.9	55	41.7	45	
4.	CPWP Office	Residential	50.7	55	43.8	45	
5.	Madan Gir	Residential	53.2	55	42.9	45	
6.	D.G. Sets (In Site)	_	94.8	Minimum 25 dB(A)	94.5	Minimum 25 dB(A)	
7.	D.G. Sets (Out Site)	-	69,5	insertion loss	68.7	insertion loss	

Remark: Results are within Standard as per CPCB Permissible



Authorized Signatory

- Analysis is subject to the condition in Which the Sample is received at our Laboratory.
- Reports can not be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.

R & D Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 Email: info@greencircleinc.com Website: www.greencircleinc.com



Integrated HSEQR Consulting Engineers, Scientists & Trainers
(Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986)
(No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001, 14001 & OHSAS 18001 Certified Organisation)

Report No: - GCI/V/LAB/G0007/15-SR/18-19/ March -00/0903

Date: 21/03/2020

ANALYSIS REPORT

(For the Month of March-2020)

Client Details			Sample Details		
Name	M/s. Select Infra	astructure Pvt. Ltd	Sample Code	GCI/V/20/C2/SSW /WW2	
Address	74	ALK" at Plot No. A-3 & P B, Saket, New Delhi – 110 017	Batch/Location	STP Outlet	
Sampling	Done By	Operator	Quantity	1000 ml	
Analysis S	itarts on	16/03/2020	Date of Sampling	14/03/2020	
Analysis Completion On		21/03/2020	Sample Received Date	16/03/2020	
Sampling Method APHA 1060		Sampling Instrument	Manual Sampler		

WASTE WATER ANALYSIS RESULTS

Sr. No.	Parameters	Unit	Results	DPCC Standard	Reference Method
1.	рН		7.58	6.5 – 9.0	APHA 4500
2.	Total Suspended Solids	mg/L	10	100	APHA 2540 D
3.	Chemical Oxygen Demand	mg/L	32	50	APHA 5220
4.	Biochemical Oxygen Demand (3 days at 27 °C)	mg/L	6	10	APHA 5210
5.	Oil & Grease	mg/L	0.5	10	APHA 5520
6.	Ammonical Nitrogen	mg/L	ND	2.0	APHA 2540 D
7.	Phosphate	mg/L	1.2	5.0	APHA 4500-P
8.	Total Kjeldahl Nitrogen (TKN)	mg/L	5.8	10	APHA 4500 – NORG-B
9.	Faecal Coliforms	mg/L	180	<230	APHA 9221-E

ND: Not Detected



Authorized Signatory

- Analysis is subject to the condition In Which the Sample Is received at our Laboratory.
- Reports can not be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.

Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 Email: info@greencircleinc.com Website: www.greencircleinc.com



Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986) (No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001, 14001 & OHSAS 18001 Certified Organisation)

Report No: - GCI/V/LAB/G0007/15-SR/18-19/ March -00/0903

Date: 21/03/2020

ANALYSIS REPORT

(For the Month of March-2020)

ils		Sample Details		
M/s, Select Infrastructure Pvt. Ltd		Sample Code	GCI/V/20/C2/SSW/ST1-ST5	
"Select City W	/alk" at Plot No. A-3 & P I	Batch/Location	As per Table	
		Nature of Sample	Stack	
017		Sampling Instrument	Stack Monitoring Kit	
one By	Mr. Mukesh	Date of Sampling	14/03/2020	
arts on	16/03/2020	Sampling Mothed	Isokinetic Sampling,	
Analysis Completion On 21/03/2020		Sumpling Method	IS:11255,PART-1,2,3	
Diesel Fuels HSD		Sample Received Date	16/03/2020	
	M/s. Select Info "Select City W B, District cent 017 one By onts on empletion On	M/s. Select Infrastructure Pvt. Ltd "Select City Walk" at Plot No. A-3 & P I B, District centre, Saket, New Delhi – 110 017 one By Mr. Mukesh urts on 16/03/2020 empletion On 21/03/2020	M/s. Select Infrastructure Pvt. Ltd "Select City Walk" at Plot No. A-3 & P I Batch/Location B, District centre, Saket, New Delhi – 110 017 One By Mr. Mukesh Date of Sampling Instrument Date of Sampling Instrument	

STACK MONITORING RESULTS

Sr. No.	Parameter	Units			Result				Reference Method
	Sampling Location	าร	D.G. Sets-1 (2000 KVA)	D.G. Sets-2 (1010 KVA)	D.G. Sets-3 (1010 KVA)	D.G. Sets-4 (2000 KVA)	D.G. Sets-5 (2000 KVA)	Emission Standard	
1.	Particulate Matter (PM)	mg/nm³	34.2	24.7	32.5	36.8	26.2	75	Gravimetric
2.	NOx (as NO ₂)	ppmv	104.2	66.3	72.4	84.7	94.7	710	Phenol Disulphonic Method
3.	Carbon Monoxide	mg/nm³	21.7	17.7	22.8	34.5	31.6	150	Non Dispersive Infrared
4.	NMHC (as C)	mg/Nm³	8.3	8,6	7.0	8.0	9.8	100	Gas Chromatograph – Flame Ionization Detector

Note: Generator sets commissioning Date – after 01.07. 2005 (Emission Standards for Diesel Engines (Engine Rating more than 0.8 MW (800 KW) were notified by the Environment (Protection) Third Amendment Rules 2002, vide G.S.R. 489 (E), dated 9thJuly, 2002 at serial no. 96, under the Environment (Protection) Act, 1986.)



Authorized Signatory

- Analysis is subject to the condition in Which the Sample is received at our Laboratory.
- Reports can not be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.

Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 Email: info@greencircleinc.com Website: www.greencircleinc.com



Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986) (No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001, 14001 & OHSAS 18001 Certified Organisation)

Report No: - GCI/V/LAB/G0007/15-SR/18-19/ March -00/0903

Date: 21/03/2020

ANALYSIS REPORT

(For the Month of March-2020)

Client Details			Sample Details		
Name	M/s. Select	Infrastructure Pvt. Ltd	Sample Code	GCI/V/20/C2/SSW /ST6	
	"Select City	y Walk" at Plot No. A-3 & P I	Batch/Location	As per Table	
Address	B, District of	centre, Saket, New Delhi –	Nature of Sample	Stack	
	110 017		Sampling Instrument	Stack Monitoring Kit	
Sampling Do	one By	Mr. Mukesh	Date of Sampling	14/03/2020	
Analysis Sta	rts on	16/03/2020	A	Isokinetic Sampling,	
Analysis Completion On		21/03/2020	Sampling Method	IS:11255,PART-1,2,3	
Diesel Fuels HSD		HSD	Sample Received Date	16/03/2020	

STACK MONITORING RESULTS

Sr. No.	Parameter	Units	Result	Maritantana	
Sampling Locations		Hot water Generator No.1 & 2	Emission Standard	Reference Method	
1.	Particulate Matter (PM)	mg/nm³	26.8	Not Specified	Gravimetric
2.	NOx (as NO ₂)	ppmv	63.7	Not Specified	Phenol Disulphonic Method
3.	Carbon Monoxide	mg/nm³	11.5	Not Specified	Non Dispersive Infrared
4.	NMHC (as C)	mg/Nm³	7.2	Not Specified	Gas Chromatograph – Flame Ionization Detector



Authorized Signatory

- Analysis is subject to the condition in Which the Sample is received at our Laboratory.
- Reports can not be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.

R & D Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 Email: info@greencircleinc.com Website: www.greencircleinc.com



Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986) (No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001, 14001 & OHSAS 18001 Certified Organisation)

Report No: - GCI/V/LAB/G0007/15-SP/19-20/November-00/0649

Date: 07/12/2019

ANALYSIS REPORT

(For the Month of November-2019)

Client Deta	ails		Sample Details				
Name	Name M/s. Select Infrastructure Pvi. Ltd		Sample Code	GCi/V/19/K5/AA1 & AA2			
	"Select City W	'alk" at Plot No. A-3 & P l	Location	As Pertable			
Address	B, District centre, Saket, New Delhi –		Quantily	NΛ			
	110 017		Dafe of Sampling	28/11/2019			
Sampling I	Done By	Mr. Chirag & Kartik	Sampling Instrument	RDS, FPS			
Analysis Starts on 02/12/2019		02/12/2019	Sampling Method	IS 5182 : Part 5 : 1975			
Analysis Completion On 07/12/2019		Sample Received Date	30/11/2019				

AMBIENT AIR MONITORING RESULTS

			Re	sulfs	0	Reference Method	
Sr. No.	Parameters	Unit	Near Main Gate of Mall	Back Side of mall (Near STP)	Permissible Limit AS per NAAQS		
1.	Particulate Matter (PM10)	μg/m³	63,6	61.5	100	IS 5182 : Part 23 : 2006	
2.	Particulate Matter (PM2.5)	μg/m³	29.4	. 27.2	60 .	NAAQS Guidelines	
3.	Sulfur Dioxide (SO ₂)	μg/m³	13.5	9.1	80	IS 5182 : Part 2 : 2001	
4.	Oxides of Nitrogen (NOx)	μg/m³	20.4	14,8	80	IS 5182 : Part 6 : 2006	
5.	Carbon Monoxide CO	mg/m³	0.2	0.4	2.0	IS 5182: Part 10: 1999	
6.	Ozone as O3	μg/m³	<20	<20	100	NAAQS Guidelines	
7.	Lead as Pb	µg/m³	<0.05	<0.05	1.0	NAAQS Guidelines	
8.	Nickel as Ni	ng/m³	<1.0	<1.0	20	NAAQ\$ Guidelines	
9.	Arsenic as As	rıg/rn³	<0.5	<0.5	6.0	NAAQS Guidelines	
10.	Ammonia as NH3	μg/rn³	<20	<20	400	NAAQS Guidelines	
۲۱.	Benzene , C&H&	μg/m³	<0.5	<0.5	5.0	IS 5182 (Part 11):2006	
12.	Benzo (a) Pyrene	ng/m³	<0.05	<0.05	1.0	Gas Chromatography	

Analysis is subject to the condition in Which the Sample is received at our Laboralory.

Reports can not be used as evidence anywhere including judiciary purpose without our prior permission

Sample will be retained till one month from the date of sampling.

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.

R & D Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 Email: info@greencircleinc.com Website: www.greencircleinc.com



Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986)
(No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001, 14001 & OHSAS 18001 Certified Organisation)

Report No: - GCI/V/LAB/G0007/15-SR/19-20/ November -00/0649

Date: 07/12/2019

ANALYSIS REPORT

(For the Month of November-2019)

Client det	ails		Sample Details		
Name	M/s. Select	Infrastructure Pvt. Ltd	Sample Code	GCI/V/19/K5/N1 - N6	
Address	"Salact City	/ Walk" at Plot No. A-3 & P I B,	Location	As per table	
		re, Saket, New Delhi – 110 017	Nature of Sample	Noise	
	District Certs	16, 30ker, 14ew Delti - 110 017	Date of Sampling	29/11/2019	
Sampling Done By Mr. Pragnesh Sampling instrument Sound Level Meter		Mr. Pragnesh	P	Lutron/SL-4023SD inst.	
		Sound Level Meter	Sampling Method	Manual	

NOISE MONITORING RESULTS

Sr.		Callanania	Day Ti	me dB(A) Leg	Night Time dB(A) Leg		
No.	Location Name	Category of Area/Zone	Results	CPCB Permissible Limit	Results	CPCB Permissible Limit	
149	Central Atrium	Commercial '	53.8	. 65	52.7	55	
2.	My Squire	Commercial	55.3	65	50.6	55	
3.	1st floor Zone-5near gap store	Commercial	56.4	65	49.8	55	
4.	2 nd Floor Near Food court Area	Commercial	53.8	65	52.1	55	
5.	Chiller room	Commercial	62.8	65	51.8	55	
6.	3 rd Floor near Food court Area	Commercial	56.2	65	50.4	55	

Remark: Results are within Standard as per CPCB Fermissible



- Analysis is subject to the condition in Which the Sample is received at our Laboratory.
- Reports can not be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA. Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 Email: info@greencircleinc.com Website: www.greencircleinc.com R&D



Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986)
(No. Q - 1508 / 32 / 2007 - CPW)
(ISO 9001, 14001 & OHSAS 18001 Certified Organisation)

Report No: - GCI/V/LAB/G0007/15-SR/19-20/ November -00/0649

Date: 07/12/2019

ANALYSIS REPORT

(For the Month of November-2019)

Client det	ails		Sample Details			
Name	M/s. Select	nfrastructure Pvt. Ltd	Sample Code	GCI/V/19/K5/N7 - N8		
	"Soloot City	Walki of Diot No. A 2 9 D L D	Location	As per table		
Address	"Select City Walk" at Plot No. A-3 & P I B, District centre, Saket, New Delhi – 110 017		Nature of Sample	Noise ·		
			Date of Sampling	29/11/2019		
Sampling Done By Mr. Pragnesh Sampling Instrument Sound Level Meter		Mr. Pragnesh	Carrage Carra at all and	Lutron/SL-4023SD inst. Manual		
		Sound Level Meter	Sampling Method			

NOISE MONITORING RESULTS

			Day Ti	me dB(A) Leg	Night Time dB(A) Leg	
Sr. No.	Location Name	Category of Area/Zone	Results	CPC3 Permissible Limit	Results	CPCB Permissible Limit
1.	D.G. Sets (Inside)	Commercial	84.6	Minimum 25 dB(A)	58.1	
2.	D.G. Sets (Outside)	Commercial	78.4	insertion loss	52.8	NA NA

Remark: Results are within Standard as per CPCB Permissible



- Analysis is subject to the condition in Which the Sample is received at our Laboratory.
- Reports can not be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.



Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986)
(No. Q - 1508 / 32 / 2007 - CPW)
(ISO 9001, 14001 & OHSAS 18001 Certified Organisation)

Report No: - GCI/V/LAB/G0007/15-SR/19-20/ November -00/06490

Date: 07/12/2019

ANALYSIS REPORT

(For the Month of November-2019)

Client Details			Sample Details		
Name M/s. Select infrastructure Pvt. Ltd			Sample Code	GCI/V/19/K5/WW2	
Address	Address "SELECT CITYWALK" at Plot No. A-3 & P B, District centre, Saket, New Delhi – 110 017			STP Outlet	
Sampling	Sampling Done By Operator		Quantity	1000 ml	
Analysis S	tarts on	02/12/2019	Date of Sampling 29/11/2019		
Analysis Completion On 07/12/2019		Sample Received Date	30/11/2019		
Sampling Method APHA 1060		Sampling Instrument Manual Sample			

WASTE WATER ANALYSIS RESULTS

Sr.	_			-		
No.	Parameters	Unit	Results	DPCC Standard	Reference Method	
1.	рН	-	. 7.9	6.5 - 9.0	APHA 4500	
2.	Total Suspended Solids	mg/L	15	100	APHA 2540 D	
3.	Chemical Oxygen Demand	mg/L	48	50	APHA 5220	
4.	Biochemical Oxygen Demand (3 days at 27 °C)	mg/L	8	10	APHA 5210	
5.	Oil & Grease	mg/L	1.5	10	APHA 5520	
6.	Ammonical Nitrogen	. mg/L	ND	2.0	APHA 2540 D	
7.	Phosphate	mg/L	1.7	5.0	APHA 4500-P	
8.	Total Kjeldahl Nitrogen (TKN)	mg/L	3.8	10	APHA 4500 – NORG-B	
9.	Faecal Coliforms	mg/L	110	<230	APHA 9221-E	

Analysis is subject to the condition in Which the Sample is received at our Laboratory.

Reports can not be used as an evidence anywhere including judiciary purpose without our prior permiss

Sample will be retained till one month from the date of sampling.

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA. Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 Email: info@greencircleinc.com Website: www.greencircleinc.com R&D



Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986) (No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001, 14001 & OHSAS 18001 Certified Organisation)

Report No: - GCI/V/LAB/G0007/15-\$R/19-20/ November -00/06490

Date: 07/12/2019

ANALYSIS REPORT

(For the Month of November-2019)

Client Deta	ails		Sample Defails			
Name M/s. Select Infrastructure Pvt. Ltd			Sample Code GCI/V/19/K5/ST			
Address	"Select City V	Valk" at Plot No. A-3 & P I	Batch/Location	As per Table		
	B; District centre, Saket, New Delhi – 110		Nature of Sample	Stack		
	017		Sampling Instrument	Stack Monitoring Kit		
Sampling I		Mr. Pragnesh	Date of Sampling	29/11/2019 Isokinetic Sampling.		
Analysis St		02/12/2019				
Analysis Completion On 07/12/2019		Sampling Method	IS:11255,PART-1,2,3			
Diesel Fuels HSD		HSD	Sample Received Date	30/11/2019		

STACK MONITORING RESULTS

Sr. No.	Parameter	Units			Result	<u></u>			
	Sampling Locations			D.G. D.G. D.G. D.G. Sets-1 Sets-2 Sets-3 Sets-4 (2000 (1010 (1010 (2000 KVA) KVA) KVA) KVA)		Hot Oven- 1&2	Emission Standard	Reference Method	
1.	Particulate Matter (PM)	mg/nm³	29.1	27.3	31.6	34.8	32.3	75	Gravimetric
2.	NOx (as NO ₂)	ppmv	99.5	. 72.4.	75.3	86.4	95.2	<i>7</i> .10	Phenol Disulphonic Method
3.	Carbon Monoxide	mg/nm³	25.2	17.1	22.7	30.4	35.8	150	Non Dispersive Infrared
4.	NMHC (as C)	mg/Nm³	7.4	8,6	6.9	7.8	11.3	100	Gas Chromatograph – Flame Ionization Detector

Note: Generator sets commissioning Date – after 01. 07. 2005 (Emission Standards for Diesel Engines (Engine Rating more than 0.8 MW (800 KW) were notified by the Environment (Protection) Third Amendment Rules 2002, vide G.S.R. 489 (E), dated 9thJuly, 2002 at serial no. 96, under the Environment (Protection) Act, 1986.)

Analysis is subject to the condition in Which the Sample is received at our Laboratory.

Reports can not be used as an evidence anywhere including judiciary purpose without our prior permission.

Sample will be retained till one month from the date of sampling.

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.

R & D Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 Email: info@greencircleinc.com Website: www.greencircleinc.com

Annexure – 10

Adequacy Report of Rain Water Harvesting

DELHI JAL BOARD: GOVT. OF NCT DELHI OFFICE OF THE EXECUTIVE ENGINEER (RWH/GWC) ROOM NO-209, VARUNALAYA PH-I, JHANDEWALAN NEW DELHI-110005

No.DJB/EE (RWH/GWC)/2017/ /0 50

Dated:- /3/7//3

To,

Mr. Shashi Sharma, Sr. VP- Engineering & Operations Select City Walk Mall, A-3, District Centre, Saket New Delhi-17

Subject: Adequacy for Rain Water Harvesting System at Select City Walk Mall, A-3, District Centre, Saket, New Delhi-17.

Sir,

Please refer your application dated 03.7.2017, wherein you have requested to issue adequacy & functionality certificate for RWH structure at above premises. The size of existing 8 Nos. RWH structure with one no. bore well in each pits are 2.5 m dia x 2.5 m depth and newly constructed 7 nos. RWH pits of size 4.3m x 2.9 m x 1.8 m, 4.8m x 2.9 x 1.8m, 5.5 x 2.9 x 1.8 m, 5.7 x 2.9 x 1.8 m, 4.7 x 3.9 x 1.8 m, 4.5 x 3.9 x 1.8m, 4.3 x 3.5 x 1.8 m. The retention capacity of 8 Nos. existing RWH pits and 7 Nos. newly constructed RWH pits are 146.12 m3 and 197.62 m3 respectively, are adequate and functional. DJB had already been issued the design of 7 Nos. newly constructed RWH structures issued vide letter No. DJB/EE(RWH/GWC)/2017/598 dated 05.4.2017. The retention capacity of existing/newly constructed RWH structures is more than the design retention capacity of RWH structures. Hence, the existing/newly constructed RWH structures are adequate and functional to harvest the rain water roof top of 12780 sqm at above said premises as provided by applicant. This certificate does not absolve the legality of bore well.

You are therefore requested to keep it neat & clean and maintain periodically.

EE (RWHELL)
HI JAV BOARD
THALAYA BHAWAN,
HANDEWALLAN, N.D.-ST

Annexure – 11

MOU with M/s Chintan





सत्यमेव जयते

Certificate No.

Certificate Issued Date

Account Reference

Unique Doc. Reference

Purchased by

Description of Document

Property Description

Consideration Price (Rs.)

First Party

Second Party

Stamp Duty Paid By

Stamp Duty Amount(Rs.)

INDIA NON JUDICIAL

Government of National Capital Territory of Delhi

e-Stamp

IN-DL58752018288263Q

: 31-Jul-2018 04;31 PM

: IMPACC (IV)/di719103/ DELHI/ DL-DLH

SUBIN-DUDL71910321657907308630Q

: SELECT INFRASTRUCTURE PVT LTD

: Article 5 General Agreement

: Not Applicable

٠ ،

(Zero)


: SELECT INFRASTRUCTURE PVT LTD

Not Applicable

: SELECT INFRASTRUCTURE PVT LTD

: 100

(One Hundred only)



AGREEMENT

This Agreement is made and entered into on the 2nd August, 2018 at New Delhi by and between:

Select Infrastructure Pvt. Ltd., a company incorporated under the Companies Act, 1956 and having its registered office at A = 3, District Centre, Sakot, New Delhi = 110 017 (hereinafter referred to as "SIPL" which expression shall, unless repugnant to the context or meaning thereof, be deemed to mean and include its successors, and permitted assigns) represented through Mr. Shashi Sharma, Sr. V.P. = Engineering & Operations, the party of the one Part;

Statutory Aled

The authenticity of the Saurio Conflicate should be verified at "www.shollestamp.com". Any discrepancy in the details on this Certificate and as available on the wabsile randers it invalid.

evaluate 00 the wabsite randers it invalid.

2. The enuls of checking the localithacy is on the users of the certificate.

3. In case of any discrepancy blass inform the Competent Authority.

interalia consisting of a Shopping Centre, Landscape Plaza etc. along with parking and other utilities in the basements, on Plot Nos. A-3 & P-1B at District Centre, Saket, New Delhi – 110017 (hereinafter known as to 'Select CITYWALK').

AND WHEREAS, Chintan represents, confirms, assures SIPL that Chintan has the expertise, standard operating procedures and trained manpower to manage and maintain the waste (solid and e-waste) material generating or emanating out of various properties including Commercial buildings, multistoried buildings, Mixed used Commercial Complexes, etc. Chintan has confirmed, declared and assured SIPL, after understanding, evaluating and satisfying itself about the building plans, specifications, concept, infrastructure, utilities, etc., at Select CITYWALK; that it has the professional skills, standard operating procedures and experience as also wherewithal and financial means to provide services relating to the maintenance and management of waste (solid and e-waste) material at Select CITYWALK of such nature and magnitude which are in line with best available global standards and practices followed in the industry in accordance with the applicable Laws.

AND WHEREAS, SIPL relying upon the above representation, confirmation, and assurance from Chintan and in good faith proposed to engage Chintan to provide, operate and maintain waste (solid and e-waste) material taking away facilities at Select CITYWALK and Chintan unequivocally accepted the same, subject to the terms and conditions mentioned in this Agreement.

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. Definition:

"Agreement" shall mean and include this Agreement, together with all Annexures, Schedules & Attachments and its modifications thereof.

"Applicable Law" means all Acts, Rules and Regulations, including labour laws and laws relating to environment, solid and e-waste management, collection and disposal, safety, labour, land and property, in force and in effect as of the date hereof and which may be promulgated or brought into force and effect hereinafter in India including judgements, decrees, injunctions, writs of or orders of any court of record, as may be in force and effect during the subsistence of this Agreement applicable to or relating to the maintenance and management of waste (solid and e-waste) material taking away and disposal services, provided by Chintan to SIPL.

Page 2 of 5

July Stay

"Parties" shall mean the joint reference to SIPL and Chintan.

"Party" shall mean either SIPL or Chintan.

2. Scope of Services:

- a) SIPL permits to Chintan to take away garbage from the garbage room at Select CITYWALK;
- b) Chintan shall take away e-waste of SIPL, whenever it will be requested by SIPL and dispose of adequately;
- c) Chintan hereby covenants with SIPL as follows:
 - i. Chintan shall segregate the solid waste material in dry and wet category.
 - ii. Chintan shall ensure that all plastic bags/ items, glass items, silver foils and/ or any non-biodegradable items shall be removed from the wet garbage.
 - iii. After segregating the wet garbage, Chintan shall feed the segregated wet garbage into Shredder and thereafter, the end product of the shredder solid waste material shall be put into the Organic Waste Converter machine in different batches and raw compost will be placed into the compositing system.
 - iv. In case, Chintan find any material, which is not a solid waste material, same shall be handed over to the Housekeeping Manager of Select CITYWALK;
 - v. Chintan shall take away solid waste material from the garbage room and carry out the operations mentioned above at Select CITYWALK on everyday basis, at its own cost and expenses;
- d) Chintan shall adequately take away and dispose off the waste (solid and e-waste) material at its own cost and expenses, and shall ensure and adhere with the rules and compliances of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules 2016, (including any new enactment/ amendment/rules, modification, etc., in future), and other acts, rules, etc. in this regard.
- e) Chintan shall maintain and manage a record book of all solid waste material to be taken away from Select CITYWALK on every day basis and shall submit a copy of the same to Housekeeping Manager of SIPL.
- f) Chintan shall obtain and procure all requisite licenses, permissions, etc. from the concerned statutory authority / department, if any, required under the law for taking away the waste material (solid and e-waste) from Select CITYWALK and disposing off the same as per the applicable laws, rules, etc. Chintan shall submit a copy of license and proof of disposing of waste (solid/ e-waste) material as per the relevant law to SIPL on monthly basis/ time to time, as the case may be.
- g) It is clarified that all equipments or movable property placed or installed in the garbage area of Select CITYWALK are owned and possessed by SIPL. CHINTAN shall not be authorized to take away any equipment or movable property from Select CITYWALK.

Mar.

Dogo 2 of f

Page 3 of 5

h) Chintan hereby agrees and confirms that it shall not transfer, assign the rights and the benefits of this Agreement to any other third party and/ or appoint any third party for completing the scope of services, as mentioned herein above, without prior written consent of SIPL in this regard.

3. Tenure:

The Agreement with respect to the taking away and dispose off of waste (solid and e-waste) material services shall come into with retrospective effect from 7th August, 2018 (the "Commencement Date") and shall remain operative for a fixed tenure of 02 (Two) years. This Agreement may be renewed/ extended for further tenure, subject to the mutual agreed terms of the agreement between the both parties.

4. Manpower:

- a) Chintan shall depute its employees with requisite skill and experience to properly, safely, ethically and carry-out the scope of services at Select CITYWALK. Chintan shall depute one (01) Supervisor, who will visit and supervise the performance of services at Select CITYWALK, twice a week or more, as requested by SIPL. All matters pertaining to the employment, supervision, compensation, promotion, and discharge of such manpower are the sole responsibility of Chintan. Chintan shall maintain a record-book of its employees and supervisors, including a copy of each document, i.e., Employee ID, Government issued Photo ID and any other documents, as requested by SIPL and shall furnish the employees' record-book, as and when demanded by SIPL and/ or its authorised representative, within 3 (three) working days.
- b) All employees of Chintan deployed at Select CITYWALK must be trained and equipped to handle the extra ordinary situations, such as suffocation and/ or health deterioration during the segregation and/or any other activity relating thereto at Select CITYWALK.

5. Compliance with the Labour Laws:

Chintan shall fully comply with all applicable laws and regulations, any amendments and/ or modification thereto, pertaining to employees/ workers and obtain insurance policy to cover its liability under all applied labour laws, in force, during tenure of this Agreement, including any amendment or modification thereto. It is further agreed by the parties that Chintan shall at all times act and be responsible as employer/principal employer of all/any of the employees/ workmen engaged by it.

6. Indemnification:

Chintan shall at all times completely indemnify and keep SIPL completely harmless and indemnified from any civil, and criminal liabilities including vicarious liabilities by Chintan in performing its obligations including taking away and disposal of waste material (solid and e-waste) as per the applicable rules and regulations, under this Agreement. This indemnity provision shall survive the termination or expiration of this Agreement.

7. Termination of the Agreement:

This Agreement shall expire automatically after a period of 2 (Two) years from the Commencement

Date unless terminated earlier as provided in this Agreement.

Page 4 of 5

Notwithstanding, either party can terminate the Agreement by serving a written notice, 30 (thirty) days prior, to the other party before the expiry of the Agreement.

SIPL reserves the right to terminate this Agreement incase of any default on part of Chintan in the performance of the services and / or breach and/ or non-compliance of any of the terms of the Agreement or non-conformity to the any of the instructions of SIPL, notified by SIPL time to time. Such a decision will be intimated to Chintan by written notice. The cure period, if any, shall be specified by SIPL in the written notice depending upon the event of default.

8. Obligation of Chintan on Termination:

Upon the end of this Agreement (either by afflux of tenure or earlier termination), Chintan shall handover to SIPL and/ or its authorised representative, within 07 (seven) days, without demur, reservation and/ or protest, all the equipments, record book and other data in the possession of Chintan pertaining to Select CITYWALK and other information, documents pursuant to the terms of this Agreement duly reconciled in all respects to the satisfaction of SIPL and all the keys or combinations to locks then in possession of Chintan.

9. Arbitration and Jurisdiction --

Any difference or dispute arising between the Parties arising out of or in relation to this Agreement shall be referred to the sole Arbitrator appointed by SIPL. The arbitration shall be conducted under the Arbitration & Conciliation Act, 1996. The award of the Arbitrator shall be final and binding upon the parties. The venue of the arbitration shall be at New Delhi. This Agreement shall be subject to the exclusive jurisdiction of the Courts of Delhi.

10. Waiver of Right:

The delay, failure, negligence or forbearance on the part of SIPL to enforce at any time or for any period to time any right or provisions hereof, shall not be construed as a waiver of any provision or any right and it shall nor preclude that Party from subsequently enforcing such provisions or right.

IN WITNESS WHEREOF, the above terms and conditions this Agreement and a duplicate copy thereof have been executed on the date above first mentioned.

Signed and agriced by and between

For SIPL

through Mr. Shash

Designation: Sr. V.P. - Engineering & Operations

For Chintan


through Ms. Bharati Chaturvedi

Designation: Director


Page 5 of 5

Traffic Management Plan






Expansion of "Commercial Complex SELECT CITY WALK (SHOPPING MALL)" by M/s Select Infrastructure Private Limited




Expansion of "Commercial Complex SELECT CITY WALK (SHOPPING MALL)" by M/s Select Infrastructure Private Limited


Z

PARKING PLAN OF BASEMENT 1






Expansion of "Commercial Complex SELECT CITY WALK (SHOPPING MALL)" by M/s Select Infrastructure Private Limited




Expansion of "Commercial Complex SELECT CITY WALK (SHOPPING MALL)" by M/s Select Infrastructure Private Limited




Expansion of "Commercial Complex SELECT CITY WALK (SHOPPING MALL)" by M/s Select Infrastructure Private Limited

TRAFFIC SURVEY



TRAFFIC SURVEY

STUDY AREA WITH ROAD CHARACTERISTICS:-



Source:- Traffic Survey conducted by TPA Engineering Consultancy (I) Pvt. Ltd.

Expansion of "Commercial Complex SELECT CITY WALK (SHOPPING MALL)" by M/s Select Infrastructure Private Limited

Expansion of "Commercial Complex SELECT CITY WALK (SHOPPING MALL)" by M/s Select Infrastructure Private Limited

١.
Four Park
푺
1 Peak
ing
ven
Ú
t during Evening
t du
jec
thout project d
out
/ith
<u>ح</u> ∞
ysis with & without
SW
alysis v
\ns
ffic /
raf

				though Designet		2	Mith Daniant	
Year	Location	Approach Road	Cited all (100) amulal affect	Williout Project	90	A COOL CONTRACTOR	With Project	-
			Evening Peak Hour	VIC Natio		litatile voluine (red)	V/C Katlo	LOS
	MB-01	Select City walk (Press Enclave Marg)	2815	0.36	ESO1	2815	0.36	10SB
<u></u>	MB-02	Mandir Marg	2737	0.66	2 207	2737	0.66	0.801
2019	MB-03	Court Chowk Road	2021	0.49	E SOI	2021	0.49	10SB
2	MB-04	Saheed Pankaj Juniyal Marg	1940	0.47	FOSB	1940	0.47	8S01
	MB-05	Vocational College (Press Enclave Marg)	2931	0.38	1058	2931	0.38	8 SO1
	MB-06	Malviya Nagar Metro Station (Press Enclave Marg)	3060	0.40	8507	3060	0.40	ES01
	MB-01	Select City walk (Press Enclave Marg)	2956	0.38	8 SO7	3117	0.40	801
	MB-02	Mandir Marg	2873	69'0	2 807	2906	0.70	2807
0000	MB-03	Court Chowk Road	2122	0.51	ESOT	2154	0.52	B SOT
2020	MB-04	Saheed Pankaj Juniyal Marg	2036	0.49	890T	2069	0.50	BS01
	MB-05	Vocational College (Press Enclave Marg)	3078	0.40	8 SO7	3126	0.41	FOSB
	MB-06	Malviya Nagar Metro Station (Press Enclave Marg)	3213	0.42	8 SO1	3261	0.42	8507
	MB-01	Select City walk (Press Enclave Marg)	3427	97'0	B SO7	3870	0:00	ESOT
	MB-02	Mandir Marg	3331	08'0	CSO1	3637	0.88	GS01
3000	MB-03	Court Chowk Road	2459	65.0	> 2 SO1	2694	0.65	2S01
C707	MB-04	Saheed Pankaj Juniyal Marg	2361	0.57	OSOT	2587	0.62	2 S07
	MB-05	Vocational College (Press Enclave Marg)	3568	0.46	LOSB	3909	0.51	LOSB
	MB-06	Malviya Nagar Metro Station (Press Enclave Marg)	3725	0.48	LOSB	4079	0.53	LOSB
	MB-01	Select City walk (Press Enclave Marg)	3972	0.51	2801	4415	0.57	OSOT
	MB-02	Mandir Marg	3862	0.93	LOSE	4167	1.01	30X
l	MB-03	Court Chowk Road	2851	0.69	108.0	3086	0.74	OSOT
0507	MB-04	Saheed Pankaj Juniyal Marg	2737	99'0	10SC	2963	0.72	2 SO1
	MB-05	Vocational College (Press Enclave Marg)	4136	0.54	LOS C	4478	0.58	10S C
	MB-06	Maiviya Nagar Metro Station (Press Enclave Marg)	4318	0.56	10SC	4672	0.61	2 SOT
	MB-01	Select City walk (Press Enclave Marg)	4605	09:0	LOSC	5048	0.65	108 C
L	MB-02	Mandir Marg	4477	1.08	180	4783	1.15	1817
L	MB-03	Court Chowk Road	3305	0.80	10SD	3540	0.85	LOSD
5502	MB-04	Saheed Pankaj Juniyal Marg	3173	0.77	LOSD	3399	0.82	COSD
	MB-05	Vocational College (Press Enclave Marg)	4795	0.62	1080	5136	0.67	0 801
	MB-06	Malviya Nagar Metro Station (Press Enclave Marg)	9009	0.65	108 C	5360	0.69	7 TOS C
		Legend of LOS and V/C Ratio:						

Source: Consultant Estimate Stand Complex Services Constant Complex Services Commercial Complex Services Congested Flow Conges

TRAFFIC SURVEY (MITIGATION MEASURES)

CONCLUSION:

During most intense peak hour, the incremental traffic from the proposed expansion is insignificant and its contribution to existing network is quite minimal.

Hence it could be said that the project site will contribute insignificant traffic to surrounding road network and hence cause no impact on the adjacent road network tan existing. However it is necessary to correct the situation for future by suggesting few mitigating measures along immediate road network.

Mitigation Measures :-

The Traffic impacts of the expansion of Select City Walk could be mitigated by adopting few measures:-

- The signage scheme around the project site must provide adequate information in time and every time in a simple sign language which is appropriate for road users so that they can take safe measures.
- parking. It is suggested that the guests and physically challenged users must be allow to park at surface level and signs entering and leaving traffic. Within the project site, the users must be directed through signs and marshals to basement exit gates of project site parking must be strictly avoided to facilitate easy entry and exit as well maintain site distance for On street parking on approach roads outside the project site must be prohibited through regulatory measures. At the entry/ must be posted to make these parking slots clearly visible.
- Pedestrian movement outside and inside the project site must be guided through signs and protected through footpath must be provided to interchange between levels. On the road, Zebra crossings must be provided to guide the crossing about 150 mm above the road surface. Wherever the pedestrians cross the road, a ramp of suitable gradients (1 in 12)

Green Belt Development Plan

Green Belt Development at Select City walk Species of plants planted Area Covered No. of plants planted Sr. No. 2008-10 Indoor Plants 600 plants Arica palm, jed plant, dry royal cina, palm, luca, pansatia, rafish palm, ascodium, zanadu etc 2 2008-10 8290 Sq Mtr, Open 328 plants of different Ficus Benjamina plaza area varietes & varoius others ground coverage plants Magnolia champaca (champa) Date Palm (khajoor) Foxtail Palm Fishtail Palm Rubber Tree Bottle brush plant Herbaceous plant (Banana Tree) Ficus 3 2008-10 Complete 168 plants of different Magnolia champaca varietes Development of DDA (champa) park Ficus Benjamina Bottle brush Plant Hyophorbe lagenicaulis (Bottle Palm) Azadirachta Indica (Neem) Black Ficus Aug-10 600 Plants 4 DDA Park Drop Off Point Open Bamboo 5 Mar-11 Plaza 55 Plants Drop Off Point Open Ficus Panda 6 Mar-11 50 Plants Plaza grass cover in 168m2 Grass 7 May-11 Rear Side of Mall area Washingtonian 5' - 6 ' 8 Aug-11 4 Plaza

9	Aug-11	Rear side of Mall	50	Ashoka Tree 6' - 7'
10	Aug-11	DDA Park	350	Ficus 8' - 10'
11	Nov-11	Rear Side of Mall	100	Golden Panda 4' - 5'
11	1404-11	Rear Side of Mall &	100	Enermy 12"
12	Nov-11	DDA Park	20000	
13	Nov-11	DDA Park	25	Neem 4' - 5'
14	May-12	Front side of the mall	800 Plants	Ficus 4' - 8'
			20000 sq ft of grass	Grass
15	May-12	Front side of the mall	cover	
16	Sep-12	DDA Park/Plaza	300	Ficus Panda
17	Sep-12	Plaza	22	Ficus Starlike
18	Sep-12	Mall area/Plaza	175	Ficus
19	Sep-12	Mall area/ Basement	150	Arika Palm
20	Sep-12	DDA Park	1000	Rose
21	Sep-12	DDA Park/Plaza	100	Raat Ki Rani
22	Sep-12	DDA Park/Plaza	1000	Hibiscus
23	Oct-12	DDA Park	1000	Bougenvilia
24	Oct-12	DDA Park	500	Enermy 12"
25	Jul-13	DDA Park	200	Ficus 3' - 4'
26	Jul-13	DDA Park	25	Azadirachta Indica 5' - 6'
27	Jul-13	DDA Park	500	Tikoma Gaudi Chaudi 4' - 5'
28	Jul-13	DDA Park	500	Hibicus 2' 3'
29	Jul-13	DDA Park	500	Bougenvilia 2' - 3'
30	Jul-13	DDA Park	10000	Enermy 12"
31	May-14	DDA Park/Plaza	200	Bougainvillea-2'
32	May-14	Plaza	800	Denali-8"
33	Dec-14	Terrace area	10	Ficus Reginald-9'-10'
34	Dec-14	Terrace area	6	Bougainvillea-6'-8'
35	Dec-14	Terrace area	30	Bougainvillea-2'-3'
	Dec-14	Rear Side of	61	Plumeria alba (Champa)-10'-
36		Mall/Terrace area		12'
37	Dec-14	DDA Park/Plaza	11	Washington Philiphons-8'-10'
38	Jan-15	DDA Park/Plaza	23	Ficus 9'-10'
39	Jan-15	Open Terrace area	6	Bougenvilia 4' - 5'
40	Jan-15	DDA Park	1	Bottle brush plant-6'-8'
41	Jan-15	Open Terrace area/DDA Park	15	Plumeria alba (Champa)-10'- 12'
42	Jan-15	DDA Park	1	Hibicus 3-4'
43	Jan-15	Rear Side of Mall	2	Rafish palm-2'-3'
44	Jan-15	Rear Side of Mall/DDA Park	2	Drycina(Green)6

45	Jan-15	Open Terrace area/DDA Park	5	chinese palm
46	Jan-15	Rear Side of Mall/DDA Park	5	Jed plant
47	Jan-15	DDA Park	1	Arica palm
48	Jan-15	Open Terrace area/Plaza	17	Phoenix plant
49	Jan-15	Open Terrace area	1	Pedilanthus plant-6"-8"
50	Jan-15	Open Terrace area/DDA Park	9	Spray grass-2"-3"
51	Dec-15	Back side of the mall	100	Ficus 4'-5'
52	Dec-15	DDA Park	30	Ficus 5'-6'
53	Mar-16	Mall staircase area	200	Arika Palm
54	Sep-16	DDA Park	70	Bougainvillea-2'-3'
55	Sep-16	DDA Park	200	Ficus Panda 9"-12"
56	Sep-16	DDA Park/1st Floor	400	Enermy 12"
57	Mar-17	SDMC(JAMUN WALA PARK)	5	Plumeria alba (dwarf) 18" pot (10' Ht. 150mm Girth- 2 Mts canopy)
58	Mar-17	SDMC(JAMUN WALA PARK)	15	Bottle palm 6' 7' ht stem (6'-7' stem Ht. 450mm Girth- 2 Mts canopy)
59	Mar-17	SDMC(JAMUN WALA PARK)	15	Cycus palm
60	Mar-17	SDMC(JAMUN WALA PARK)	21	Fish tail palm
61	Mar-17	SDMC(JAMUN WALA PARK)	35	Pheonix palm 1' - 2' ht stem (Phoenix roebelleni 1'-6" stem Ht. 150mm Girth- 1.5 Mts canopy)
62	Mar-17	SDMC(JAMUN WALA PARK)	5	Cycus Cersanalasis(Ravina Palm)
63	Mar-17	SDMC(JAMUN WALA PARK)	7	Caryota Mitis
64	Mar-17	SDMC(JAMUN WALA PARK)	50	Leropetnun
65	Mar-17	SDMC(JAMUN WALA PARK)	30	Rapis Palm (2.5 ft.ht)
66	Mar-17	SDMC(JAMUN WALA PARK)	30	Rapis Palm (4 ft ht)
67	Mar-17	SDMC(JAMUN WALA PARK)	5	Nolina
68	Mar-17	SDMC(JAMUN WALA PARK)	5	Adenium

!

4

69	Mar-17	SDMC(JAMUN WALA PARK)	6	Yuca Elegance
70	Mar-17	SDMC(JAMUN WALA PARK)	12	Silver yucca 14" pot (2' Ht.)
71	Mar-17	SDMC(JAMUN WALA PARK)	30	Juniperous orientalis 4' to 5' ht (4'-5' Ht. well shaped)
72	Mar-17	SDMC(JAMUN WALA PARK)	12	Furcuria 14" pot (Furcaerea 2'-6" dia.)
73	Mar-17	SDMC(JAMUN WALA PARK)	20	Ficus Panda
74	Mar-17	SDMC(JAMUN WALA PARK)	15	Podo carpus
75	Mar-17	SDMC(JAMUN WALA PARK)	200	Ixora
76	Mar-17	SDMC(JAMUN WALA PARK)	300	chandni
77	Mar-17	SDMC(JAMUN WALA PARK)	500	boxes
78	Mar-17	SDMC(JAMUN WALA PARK)	50	chinese caronda
79	Mar-17	SDMC(JAMUN WALA PARK)	100	kevada
80	Mar-17	SDMC(JAMUN WALA PARK)	20	umberalla palm
81	Mar-17	SDMC(JAMUN WALA PARK)	600	dynella
82	Mar-17	SDMC(JAMUN WALA PARK)	100	pittospera
83	Mar-17	SDMC(JAMUN WALA PARK)	15	Topiary Casurina/ficus panda/
84	Mar-17	SDMC(JAMUN WALA PARK)	15	Weeping willow
85	Mar-17	SDMC(JAMUN WALA PARK)	15	Bottle brush
86	Mar-17	SDMC(JAMUN WALA PARK)	5	Kathal Champa
87	Mar-17	SDMC(JAMUN WALA PARK)	15	Lyrata compacta
88	Mar-17	SDMC(JAMUN WALA PARK)	15	Plumerai Alba
89	Mar-17	SDMC(JAMUN WALA PARK)	5	Brachichitan
90	Mar-17	SDMC(JAMUN WALA PARK)	10	Accacia auriculiformis 5' to 6' ht (Acacia auriculiformis 5'-6'

, , ,

				Ht. Girth 60mm Canopy 1 Mt.)
91	Mar-17	SDMC(JAMUN WALA PARK)	5	Michalia Champa
92	Mar-17	SDMC(JAMUN WALA PARK)	10	Ficus nerifolia 4' to 5' ht (4'-5' Ht. Girth 50mm Canopy 0.6 Mt.)
93	Mar-17	SDMC(JAMUN WALA PARK)	15	Alstonia scholoris 7' to 8' ht (Alastonia scholaris 7'-8' Ht. Girth 100mm Canopy 1.5 Mt.)
94	Mar-17	SDMC(JAMUN WALA PARK)	5	Neem
95	Mar-17	SDMC(JAMUN WALA PARK)	235	F.Benjamina (dark green leaf) 5' to 6' ht (5'-6' Ht. Girth 60mm Canopy 1 Mt.)
96	Mar-17	SDMC(JAMUN WALA PARK)	5	Ficus decora
97	Mar-17	SDMC(JAMUN WALA PARK)	12	F.retusa 5' to 6' ht (Ficus retusa5'-6' Ht. Girth 100mm Canopy 1.5 Mt.)
98	Mar-17	SDMC(JAMUN WALA PARK)	12	Ashok (desi) 7' to 8' ht (7'-8' Ht. Girth 60mm Canopy 1 Mt.)
99	Mar-17	SDMC(JAMUN WALA PARK)	30	Bamboo multiplea
100	Mar-17	SDMC(JAMUN WALA PARK)	50	Bamboo yellow 8' to 10' ht (8'- 10' Ht.)
101	Mar-17	SDMC(JAMUN WALA PARK)	15	Buddha bally bamboo 6' to 7' ht (6'-7' Ht.)
102	Mar-17	SDMC(JAMUN WALA PARK)	15	Giant bamboo
103	Mar-17	SDMC(JAMUN WALA PARK)	4000	Shrubs
104	Mar-17	SDMC(JAMUN WALA PARK)	14000	Ground cover
105	Apr-17	Rear Side of Mall	90	RAPHIS PALM 3' -4'
106	Apr-17	Rear Side of Mall	70	ARECA PALM 4'-5'
107	Apr-17	Rear Side of Mall	500	DINAELIA VARIEGATED
108	Apr-17	Rear Side of Mall	200	Brassisa
109	Apr-17	Rear Side of Mall	200	sefhlera
110	Apr-17	Rear Side of Mall	200	sefhlera green
111	Apr-17	Rear Side of Mall	200	Drenna rosay
112	Dec-17	Rear Side of Mall	150	RAPHIS PALM 3' -4'
113	Jan-18	Plaza area	250	RAPHIS PALM 3' -4'

114	May-18	Plaza area	100	Bougainvillea 3-4 ft in 16" pot
115	May-18	Plaza area	200	Ixoag Singapuria Red flower , 1.5" height
116	May-18	Plaza area	200	Hybrid Roses bunch flower, with 8" pot
117	May-18	Plaza area	5000	Elorodendan Enermy
118	May-18	Plaza area	2000	Erenthemum
119	May-18	Rear Side of Mall	125	RAPHIS PALM 3' -4'
120	Jul-18	SDMC(JAMUN WALA PARK)	4500sqft	Grass (selection No.1)
121	Jul-18	SDMC(JAMUN WALA PARK)	100	Hybrid Roses bunch flower, with 8" pot
122	Jul-18	SDMC(JAMUN WALA PARK)	600	Green wall plants
123	Aug-18	DDA Park	50	Golden Panda 1'-2'
124	Nov-18	Distribution	150	Herbal (indoor air purifying)
125	Nov-18	DDA park	500	Rose with 1 feet height
126	Nov-18	Plaza	100	Poinsettia with 8" pot
127	Nov-18	Plaza	400	Earthern Pot (clay) 8" Dia
128	Nov-18	Opposite Gate no 2	3000	Good Earth (one truck having 600 cfeet)
129	Jan-19	DDA park	500	Rose plant
130	Jan-19	Plaza	600	Earthern Pot (clay) 8" Dia
131	Jan-19	Opposite Gate no 2	3000	Good Earth
		Plaza area	200	Tikoma Gwaraf 1'.5"-'2'.5"
132 133	Jul-19 Sep-19	SDMC(JAMUN WALA PARK)	105	Tikoma Gaudi Chaudi 1'
134	Sep-19	SDMC(JAMUN WALA PARK)	. 17	Neem 1-'2'
135	Sep-19	SDMC(JAMUN WALA PARK)	. 7	Aam Tree 2' - 3'
136	Sep-19	SDMC(JAMUN WALA PARK)	6	Jamun Tree 2' - 3'
137	Oct-19	SDMC(JAMUN WALA PARK)	16	Hibicus 3'-4'
138	Oct-19	SDMC(JAMUN WALA PARK)	200	Bougenvilia 2' - 3'
139	Oct-19	Rear Side of Mall (Gate No.02)	170	Tikoma Gaudi Chaudi 1'
140	Oct-19	Plaza area (water body)	150	Tikoma Gaudi Chaudi 1'
141	Nov-19	DDA Park	25	Hibiscus-1'-2'

				Bougainvillea 3-4 ft in 16"
114	May-18	Plaza area	100	pot
117	1014 10	Discourse		Ixoag Singapuria Red flower
115	May-18	Plaza area	200	, 1.5" height
		Plaza area		Hybrid Roses bunch flower,
116	May-18	Plaza alea	200	with 8" pot
117	May-18	Plaza area	5000	Elorodendan Enermy
118	May-18	Plaza area	2000	Erenthemum
119	May-18	Rear Side of Mall	125	RAPHIS PALM 3' -4'
110	11109 10	SDMC(JAMUN WALA		Grass (selection No.1)
120	Jul-18	PARK)	4500sqft	
		SDMC(JAMUN WALA		Hybrid Roses bunch flower,
121	Jul-18	PARK)	100	with 8" pot
		SDMC(JAMUN WALA	000	Green wall plants
122	Jul-18	PARK)	600	Golden Panda 1'-2'
123	Aug-18	DDA Park	50	
124	Nov-18	Distribution	150	Herbal (indoor air purifying)
125	Nov-18	DDA park	500	Rose with 1 feet height
126	Nov-18	Plaza	100	Poinsettia with 8" pot
127	Nov-18	Plaza	400	Earthern Pot (clay) 8" Dia
121	1404-10	1,1923		Good Earth (one truck having
128	Nov-18	Opposite Gate no 2	3000	600 cfeet)
129	Jan-19	DDA park	500	Rose plant
130	Jan-19	Plaza	600	Earthern Pot (clay) 8" Dia
	Jan-19	Opposite Gate no 2	3000	Good Earth
131		Plaza area	200	Tikoma Gwaraf 1'.5"-'2'.5"
132	Jul-19	SDMC(JAMUN WALA	200	Tikoma Gaudi Chaudi 1'
400	Con 10	PARK)	105	
133_	Sep-19	SDMC(JAMUN WALA		Neem 1-'2'
134	Sep-19	PARK)	17	
104	0ep-10	SDMC(JAMUN WALA		
135	Sep-19	PARK)	7	Aam Tree 2' - 3'
100	007.0	SDMC(JAMUN WALA		
136	Sep-19	PARK)	6	Jamun Tree 2' - 3'
1 - 1		SDMC(JAMUN WALA		Hibicus 3'-4'
137	Oct-19	PARK)	16	Diii 21 21
		SDMC(JAMUN WALA		Bougenvilia 2' - 3'
138	Oct-19	PARK)	200	Tikoma Gaudi Chaudi 1'
		Rear Side of Mall (470	TINOTHA GAGGI CHAGGI
139	Oct-19	Gate No.02)	170	Tikoma Gaudi Chaudi 1'
		Plaza area (water	150	TROTTIC COMM CTICAGE.
140	Oct-19	body)		Hibiscus-1'-2'
141	Nov-19_	DDA Park	25	

ø

•				
142	Nov-19	DDA Park	30	Ficus Panda-1'-2'
1 "T &	Dec-19 to	Plaza area and DDA	1390	Calendula
143	Feb-2020	Park	1990	Calcillula
	Dec-19 to	Plaza area and DDA	1470	Salvia
144	Feb-2020	Park	THE	
	Dec-19 to	Plaza area and DDA	2000	Babuna
145	Feb-2020	Park DDA		
4.40	Dec-19 to	Plaza area and DDA Park	800	Cinneneria
146	Feb-2020 Dec-19 to	Plaza area and DDA		
147	Feb-2020	Park	707	Dianthus
14/	Dec-19 to	Plaza area and DDA	4000	Ice flower
148	Feb-2020	Park	1280	Ice nower
	Dec-19 to	Plaza area and DDA	1150	Phlox
149	Feb-2020	Park	1100	
	Dec-19 to	Plaza area and DDA	421	Stock
150	Feb-2020	Park		
	Dec-19 to	Plaza area and DDA	430	Marigold
151	Feb-2020	Park DDA		
450	Dec-19 to Feb-2020	Plaza area and DDA Park	250	Hollyhocks (alcea rosea)
152	Dec-19 to	Plaza area and DDA		Dalification
153	Feb-2020	Park	452	Dahlia double
100	Dec-19 to	Plaza area and DDA	1150	Dahlia single
154	Feb-2020	Park	1100	Darma single
	Dec-19 to	Plaza area and DDA	4000	Alyssum
155	Feb-2020	Park	1000	
	Dec-19 to	Plaza area and DDA	200	Kale
156	Feb-2020	Park		
4	Dec-19 to	Plaza area and DDA	180	Marigold jafri
157	Feb-2020	Park Plaza area and DDA		
158	Dec-19 to Feb-2020	Park	400	Guldavri single
100	Dec-19 to	Plaza area and DDA	405	Guldavri double
159	Feb-2020	Park	125	Guidavii double
100	Dec-19 to	Plaza area and DDA	320	Straw
160	Feb-2020	Park	320	Oli div
	Dec-19 to	Plaza area and DDA	841	Gazania
161	Feb-2020	Park		
	Dec-19 to	Plaza area and DDA	134	Sweet William
162	Feb-2020	Park		
400	Dec-19 to	Plaza area and DDA	150	kalanchoe
163	Feb-2020	Park Plaza area and DDA		
164	Dec-19 to Feb-2020	Plaza area and DDA Park	800	Antirrhinum (dog flower)

165	Dec-19 to Feb-2020	Plaza area and DDA Park	525	Pansy
166	Dec-19 to Feb-2020	Plaza area and DDA Park	2740	Petunia
167	Dec-19	Inside mall and DDA Park	200	Poinsettia with 8" pot (12"to 18")
168	Feb-20	Plaza area	500	Dahlia double hybrid

Structural Stability Certificate

SAHNI & ASSOCIATES

CIVIL & STRUCTURAL ENGINEERING CONSULTANTS

C/O T.C.S. COMPLEX, 13A, BHAWANI KUNJ, BEHIND D2, VASANT KUNJ, NEW DELHI-110070.

16th June, 2007

To Whom So Ever It May Concern

This is to certify that the proposed Select City Walk at Plot No A-3 and P1B, District Center, Saket, New Delhi - 17 for M/s Select Infrastructure has been designed in accordance with the logical provisions of latest edition of National Building Code of India and prevailing relevant Codes of Bureau of Indian Standards for structural stability and to withstand the earthquake impact. The seismic zone considered in design is Zone IV as per IS-1893 part I-2002. Further, we certify that the structure is considered safe for the purpose it has been designed for.

Signature of Structural Consultant

Ajay Sahni

Ajay Sahni

M. Tech. (Structures) IIT Delhi

Certificate from Electrical Inspector

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI LABOUR DEPARTMENT OFFICE OF THE ELECTRICAL INSPECTOR 5, SHAM NATH MARG, DELHI-110054

No.ED5 (143)/2019/ 10 28 To. Dated: - 10 01 2020

M/s Select Infrastructure Pvt. Ltd., Select City Walk, A-3, District Centre, Saket, New Delhi – 110017.

Sub:- Periodical inspection of electrical installation of S/Stn. comprising of four nos. of dry type transformers of capacity 2000 KVA each, 33 KV five panel board (having SF6 Breakers) and EHV (33 KV) XLPE Cables installed in the premises of M/s Select Infrastructure Pvt. Ltd., Select City Walk, A-3, District Centre, Saket, New Delhi

With reference to your letter no. SIPL/Engg/19-20/039 dated 13/11/2019, the inspection of electrical installation of S/Stn. comprising of four nos. of dry type transformers of capacity 2000 KVA each, 33 KV five panel board (having SF6 Breakers) and EHV (33 KV) XLPE Cables installed in the premises of M/s Select Infrastructure Pvt. Ltd., Select City Walk, A-3, District Centre, Saket, New Delhi was carried out by the undersigned alongwith Sh. Daya Ram, Electrical Overseer of this Inspectorate on 06/01/2020. It is to inform you that at the time of inspection, the said installation has been found in accordance with the provisions of the Central Electricity Authority (Measures relating to Safety and Electric Supply) Regulations, 2010.

There is no objection, so far as this office is concerned, if the use of the said installation is continued subject to consistent compliance of the regulations. The said installation shall be due for periodical inspection under Regulation 30 of the said regulations within interval not exceeding five years from the date of this inspection.

No change, addition, alteration, replacement or shifting etc. in the said installation is permitted under the above regulations without prior permission of Electrical Inspector. In the event of any violation this permission shall deemed to be cancelled.

DETAILS OF THE INSTALLATION:-

(a) Transformer (Dry Type): 04 Nos.

Capacity

: 2000 KVA each

Voltage Ratio

: 33/0.433 KV each

Make

: Kirloskar Power Equipments each

Sl. nos.

: 07COG005/04 (Tr. no. 1), 07COG005/03 (Tr. no. 2)

07COG005/01 (Tr. no. 3), 07COG005/02 (Tr. no. 4)

(b) EHV (33 KV) five Panel Board (with 5 nos.of SF6 breakers) :-

Rated Current

: 1250 Amp each

Rated Voltage

: 33 KV each

Make

: ABB each

Sr.No.

: \$22963 (I/C), \$22960 (O/G-1),

S22961 (O/G-2), S22958 (O/G-3), S22959 (O/G-4)

(c) EHV (33 KV) XLPE Cables of size 3x300 Sq.mm each :- 5 nos.

(i) Length: 53 Mtrs.

Route: From BSES Metering Cubicle to breaker S.No. S22963

(ii) Length: 36 Mtrs.

Route: From breaker S. No. S22960 to transformer S. No. 07COG005/04

(iii) Length: 30 Mtrs.

Route: From breaker S.No. S22961 to transformer S. No. 07COG005/03

(iv) Length: 24 Mtrs.

Route: From breaker S.No. S22958 to transformer S. No. 07COG005/01

(v) Length: 18 Mtrs.

Route: From breaker S.No. S22959 to transformer S. No. 07COG005/02

(Mukesh Kumar Sharma) Electrical Inspector

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI LABOUR DEPARTMENT OFFICE OF THE ELECTRICAL INSPECTOR 5, SHAM NATH MARG, DELHI-110054

No.ED9 (30)/2019/ 1027

Dated :- 10 01 2020

To,

M/s Select Infrastructure Pvt. Ltd., Select City Walk, A-3, District Centre, Saket, New Delhi – 110017.

Sub:- Periodical inspection of electrical installation of three nos. DG sets of capacity 2000 KVA each and two nos. DG sets of capacity 1010 KVA each installed in the premises of M/s Select Infrastructure Pvt. Ltd., Select City Walk, A-3, District Centre, Saket New Delhi

With reference to your letter no. SIPL/Engg/19-20/040 dated 13/11/2019, the inspection of electrical installation of three nos. DG sets of capacity 2000 KVA each and two nos. DG sets of capacity 1010 KVA each installed in the premises of Select Infrastructure Pvt. Ltd., Select City Walk, A-3, District Centre, Saket, New Delhi was carried out by the undersigned alongwith Sh. Daya Ram, Electrical Overseer of this Inspectorate on 06/01/2020. It is to inform you that at the time of inspection, the said installation has been found in accordance with the provisions of the Central Electricity Authority (Measures relating to Safety and Electric Supply) Regulations, 2010.

There is no objection, so far as this office is concerned, if the use of the said installation is continued subject to consistent compliance of the regulations. The said installation shall be due for periodical inspection under Regulation 30 of the said regulations within interval not exceeding five years from the date of this inspection.

No change, addition, alteration, replacement or shifting etc. in the said installation is permitted under the above regulations without prior permission of Electrical Inspector. In the event of any violation this permission shall deemed to be cancelled.

Details of Diesel Generating sets -.

 DG sets of capacity -2000 KVA each- 3 nos. <u>ALTERNATOR</u>

Volts Make	- 2000 KVA each - 415 Volts each - Stamford each - 0198502/001 0210487/003 0194572/001	RPM Make Sr. nos.	- 1500 each - Cummins each - 33161054 33163864 33161107
---------------	---	-------------------------	---

P.T.O

ENGINE-

2. DG set of capacity -1010 KVA - 2 nos.

ALTERNATOR

ENGINE-

Capacity - 1010 KVA each
Volts - 415 Volts each
Make - Stamford each
Sr. nos. - 06042620
06042463

RPM - 1500 each
Make - Cummins each
Sr. nos. - 25311742
Sr. nos. - 25311741

(Mukesh Kumar Sharma) Electrical Inspector.

Electricity Bills



Supply Address: SELECT CITY WALK PLOT NO-A-3 DISTRICT

; sushil@selectcitywalk.com

: MH1KC0304A0AA

: 9654339936

: Saket

JUN-20

: 13-06-2020

EBILL Customer

Name

Billing Address

Mobile / Tel. No.

District / Division

Walking Sequence

Email (D

Bill Month

Bill Date

Bill of Supply for Electricity

: M/s. SELECT INFRASTRUCTURE PVT LTD Sanctioned Load Contract Demand SELECT CITY WALK PLOT NO-A-3 DISTRICT CENTRE SAKET NEW DELHI 110017

Cycle No.

Tariff Category

MDI

: 6340.00 (kW) : 5000.00 (kVA)

: 1200,00 (kVA) : 0.993

Power Factor Pole No. Meter Reading Status : MR

: NA

: KC

Due Date(देय तिथि): 30-06-2020

: 100014206 Energisation Date: 11-06-2009 Meter Type : 3PSK : HT(33KV) Supply Type : 100215570646

Bill Basis Actual : R/20/10186545158 O.D. No.

: No **CCTV Tagged**

: OA Retail Non-Domestic [HT]

CA No.

Bill No.

Customer Care Centre No.(ग्राइक सेवा केंद्र का नंगर) 19123 (24x7 Toll Free)

Meter No.	Unit	Billed Consumption	(Current)	Billed Consumption (Multiplication Factor	Current Consum		
(मीटर सं.)	(यूनिट)	Date of Meter Reading (मीटर रीडिंग की तिथि)	Reading (रीडिंग)	Date of Meter Reading (मीटर रीडिंग की तिथि)	Reading (रीडिंग)	(गुणांक)	Days (दिन)	Unit (युनिट)
	22777005	•	Meter	Details in Annexure				

Billing Details(बिल का विवरण)

Fixed Charge="A" र (स्थामी शुल्क)	Consumption Measured	Units	Slabwise Energy Charge (स्त्रेड अमारित विद्युत शुल्क)		Slab-wise Power Purchase Adjustment Charge (स्तिर सम्बद्धित नियुक्त कर कर्मक चुन्न)		Time of Day (TOD) Charge टॉइम बॉफ हे (टिमोरी) कुल		Surcharge @ 8% on (Energy Charge + Fixed Charge - Rebate)	Electricity Tax 65 SN on Energy Charge, Surcharge on Energy Charge, PPAC amount & TOO Surcharge/Rabala amount = "N"	Total Amount (J = A+B+C+D+E+ F+G+H)
	(खपत अवधि भाग)	Consumed / Billed (खगर / मिल में स्वामित दिश्वत युनिर)	Units Rate ए (पुनिट प्र)	Amount = "B" र (राशि)	PPAC % on B (B पर पीपीएसी प्रतिस्त)	PPAC Amount = "C" र (वैपीएसी चरित्र)	TOD % on "B" (ser deal	TOD Surcharge/ Rebate Amount = "D" र देखोडी कविषार/बूट सरि	विद्वत दुव्य + स्थानी दुव्य विद्वत दुव्य + स्थानी दुव्य - शुद्र, पर 8% क्रमेनाई	हैं विश्वात सुरक निष्ठय सुरक के बलिनार पीपीएसी सारी इस्में देखों में बलिनार / यूट पर, ४% विश्वय करों	र (कुल शरि)
250000.00	NORMAL(S)	2179.00	8.50	18521.50	7.94	1469.68			321220,86	54753.07	1895761.31
1.00 Mth(s)	OFFPEAK(S)	327.00	8.50	2779.50	7.94	176.44	(20.00)	(555.90)			
PPAC on Fixed	PEAK(S)	1181.00	8.50	10038.50	7.94	955.86	20.00	2007.70	Pansion Surcharge & 150% on (Energy Charges+ Fixed	2002 DC 2004/03	en estat
Charge = "G"	NORMAL(S)	65403.00	8.50	555925.50	7.94	44112.69			Charge Robste) * "?"	黑色绿斑。	
र (स्थायी शतक पर	OFFPEAK(S)	9811.00	8,50	83393.50	7.94	5293.82	(20.00)	(16678.70)	दिवत हान्छ + स्थापी हैन्छ - सूट पर		
पीपीरसी)	PEAK(S)	35418,00	8.50	301053.00	7.94	28666.27	20.00	60210.60	3.80% मेशन समित्रा)	32 ET 2	232 Y
19837.50									152579.91		
CCTV									CCTV Bill Amount ="1"		
Consumption (kWh)						<u> </u>	<u> </u>		₹	高速数数	
C	Total Units =	114319	Total (B)= 971711.50	Total (C)¤80674.77	Total(D)= 44983.70		0.00	TELEMONE AND M	. "I TAKE IN "."

Past Dues / Refunds / Subsidy (पिछला बकाया / वापसी / सिसाडी) Consumer registered under GST may submit it's GSTIN at concerned division

Arrears / Refunds (बकाया / वापसी) Amount Period to which it ro (पशि) (जिस अवधि से संबद्ध	ates Surcharge (LPSC)	Other Charges, if any* (अन्य शुल्क, यदि हो तौ)	Total Charges Payable (कुल देय शुल्क)	(मृट/समिस्डी)	Payable (कुल देय शशि)
(us)	736.02	(2.51)	1896494.82	(43894.80)/	1852600.02

Amount not immediately payable, if any. (राशि जो तुरंत देय नहीं है, यदि हो तो) Reasons (কাरण)

Service line cum Development Charges paid धुगतान किया गया सर्दिसलाईन एवं ढेव्लफेंट युल्क) Interest accrued for FY 2019-20 , alread Security Deposit with DISCOM ₹9510000.00 (कंपनी के पास जमा सुरक्षा शरिः) ₹(733799,68) already adjusted in bill No. 010004089032 (generated for the period 01-03-2020 to_ 31-03-2020

_ will be adjusted in your first bill to be generated in FY Interest for FY 2020-21

Bill Amount Payable (बिल देय राशि)

₹ <u>1852600.00</u> Due Date of Payment

(भुगतान देय तिथि) 30-06-2020 If payment is made after the due date, LPSC for the delay, shall be charged in the next bill. (नियत तिथि के बाद भुगतान करने पर इस विलंब हेतु अगले बिल में एलपीएससी जोड़ दिया जाएगा.)

Last payment ₹ 802100.00 received on 10-06-2020 Payment accounted upto 10-06-2020
The connection shall be liable for disconnection on non-payment of all dues (including arrears of previous bill(s) by due date, after notice as per Section 56(1) of the Electricity Act, 2003. Charges for reconnection Single phase ₹ 200, Three phase ₹ 500.

IMPORTANT MESSAGE (महत्वपूर्ण सूचना)

- In wake of the lock down in Delhi to avoid spread of Corona Virus, DERCh Suo Motu Issued order Dated 07.04.2020*.

 1) Intentive to the consumers for payment of bills raised during Mar 24, 2020 till June 39, 2020;

 1) Payment in Day 3-14 of the Billing Date: 0.5% of the Bill amount (excluding arrears) or Ra 150 (whichever's lower)

 10) No rebate if the consumer is making part payment

 11) No rebate if the consumer is making part payment
- 2) Bills to be raised on Provisional basis. Bills are sent through electronic mode viz. E-mail, SMS & Whats App which can be downloaded & can be paid online. The amount billed and paid will be adjusted whenever the actual reading is downloaded. For any related query, pls contact through Call Centre or your concerned Division Customer Care Number. Note: *This is without prejudice to BRPL's rights and contentions in this Order and subject to the outcome of proceedings to be taken by BRPL in this regard.

(This bill is computer generated, hence does not require any signature.)



Powered by



BSES Rajdhani Power Limited

Payment slip

- Make your cheque/DD payable to "BRPL CA No. 100014206"
- Cheque should not be post dated.



- Cheque should be account payee and payable at Delhi.
- Do not staple, only clip the cheque to payment slip.

Bill amount payable : ₹ 1852600.00 Cheque/DD No.:

Bill month: JUN:20.. Date:

		1	Energy Charge								Energy Cl	harge
		Fixed/Doman	Energy Chargo							Fixed/Demand Charge	Energy Charge	
Calegories	Description	Load(kW)	(₹/month)	0 - 200 Units	201 - 400 Units	401-800 Units	601-1260 DeXs	Above 1200 Units	Categories	Description	(र/month)	
	Individual connections:	Uplo 2kW	20/kW/mth		₹4,50 ₹6.50	1	-	Agriculture	Agriculture	125/kW/mih	₹ 1,50/kWh	
	Domestic Light / Mixed Domestic Power, Farm House upto 21kW	>5kW to 15kW 100 >15kW to 25kW 200		₹ 3.00		₹ 6.50	₹ 7,00	₹ 8.00	Mushroom	Mushroom Cultivation uplo 100 kW	200/kW/mth	マ 6.50/kWh
								1 0,000	Public Utility	Delhi Jal Board, DMRC, Public Lighting etc.	250/kVA/mlh	₹ 6.25/kVAh
ŀ	0.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	>25kW		<u> </u>		l	J	<u> </u>	Deihi International Airport Limited (DIAL)		250/kVA/mth	₹ 7.75/kVAh
	Single point supply at 11kV for GHS - Domestic Lighting / Fan and Power	150/kW/	mth .			₹ 4,50/kW	h		Advertisements and Hoardings		250/kVA/mth	₹ 8.50/kVAh
Non Pannaga	Shopkeepers	Uplo 3kVA	250 kVA/mth	₹ 6,00/kVAh					Charoi	ng Stations for E-Rickshaw/	LT	₹ 4.50/kWh
Non-Domestic	Other Non-Domestic	>3kVA		₹ 8,50/kVAh						cle on Single Point Delivery	ΗĬ	₹ 4.00/kVAh
Industrial	Industrial	250/kVA	/mth		₹ 7.75/kVAh						L	1

Schedule of Time of Day (TOD) Tariff

1	Month	Peak hours	Surcharge on Energy Charges	Off-Peak hours	Rebate on Energy Charges
***************************************	May-September	1400-1700 hrs and 2200-0100 hrs	20%	0400-1000 hrs	20%

For other than peak & off-peak hours normal energy charges are applicable. Mandatory for > 10kW / 11kVA other than Demestic. Optional for 3 Phase Demestic Co

Consumption History (खपत का विवरण) :

Period		No. of Days	Units (kwh/kvah)	Total Bill Payable	Bill Sasis	
From	То	No. or Dayo	21114 (111111111111111111111111111111111			
01-04-2020	30-04-2020	30	6700-	7295590.00	Actual	
01-03-2020	31-03-2020	31	573967	6652840.00	Actual	
01-02-2020	29-02-2020	29	868726	10111290.00	Actual	
01-01-2020	31-01-2020	31	833536	9438310.00	Actual	
01-12-2019	31-12-2019	31	613404	7561700.00	Actual	
01-11-2019	30-11-2019	30	805817	9737820.00	Actual	

Paying your electricity bill (Bill payment information)

- You can pay your bill by cash / cheque /DD /Pay Order up to Re 4000/- and for amount more than Re 4000/- by cheque /DD/Pay Order Drop your cheque in our drop boxes at various. RWA offices and at BRPL Counters. The list of drop boxes is available on the website Bill payment counters. Klosks are open from 0900 hrs. to 1800 hrs. from Monday to Saturday.

 Bill payment up to Re 50,000/- can be paid in cash at Bank branches of PNB and Bank of Bancds.

 Interface the part of th

- Points to ramember while paying your bell an assistance of the sing pains of process.

 Points to ramember while paying your bill

 Please pay your electricity bill only on obtaining computer generated bill.

 Do not make payment to unauthorized agencies / feuts.

 In case your deque is returned unpaid / dishonored by bank, cheque return charges (presently Rs. 200 + GST, as any action will be taken under Section 138 of the Negoliable Instruments Act 1881.

 Convenience See on card swipe and online payments applicable on payment amount above Rs 5000/- is to be borne!

 details, kindly visit our website www.bsesdelut.com

Customer Complaint Management:

For any query / complaint, you may contact us using any of the following options:

- . Call Center No. 19123 (24x7 Toll Free)
- Customer Care Centers (Timing Mon to Fri : 9:30 AM to 5:30 PM & Sat: 9:30 AM to 1:00 PM)
- . Email-brpl.customercare@relianceada.com
- www.bsesdelhi.com

Escalation matrix for complaints:

- 1. In case you are not satisfied with the resolution of your query / complaint, you may contact the below listed BRPL officials-
- Customer Care Officer (Timing 09:15 AM to 3:15 PM)
- Business Manager (between 10 AM to 11 AM on any working day)
- · Circle Head (with prior appointment)

2. Head-Customer Care.

BSES Raidhanl Power Limited, BSES Bhawan, Nehru Place, New Delhi-110019 Email - brothead. customercare@relianceada.com

- 3. Consumer Grievance Redressal Forum (CGRF): in case you are not satisfied with the response of the above, you may approach CGRF-BRPL, Sub-station Building, Sector-V, Pushp Vihar, New Delhi-110017. Email: cgrfbrpl@gmail.com
- 4, Electricity Ombudsman: An appeal against the CGRF order may be filed with Electricity Ombudsman. B-53, Paschimi Marg, Vasant Vihar, New Delhi-110057.

उपभोक्ता शिकायत प्रबंध :

किसी तरह के पछताछ / शिकायत के लिए कृपया आप हमें निम्नवत् विकल्पों के जरिए संपर्क कर सकते हैं:

- कॉल सेंटर नंबर 19123 (24x7 टोल फ्री)
- करट्मर केयर सेंटर समय (सोमवार से शुक्रवार सुवह 9:30 बंजे से अपरहर 530 बजे और शनिवार सुबह 9:30 से अपराहन 1:00 बजे तक)
- brpl.customercare@relianceada.com पर ईमेल करें
- www.bsesdelhi.com

शिकायतों के लिए यहां भी संपर्क करें :

- अगर आप अपने पूछताछ / शिकायत के निवारण से संतुष्ट नहीं है तो आप निम्नवत बीआरपीएल अधिकारियों से संपर्क कर सकते है-
- करन्मर केथर ऑफिसर (सुबह 9:15 वजे से अपस्हन 3:15 बजे)
- विजनेस मैनेजर (किसी भी कार्यदिक्स के दिन सुबह 10 बजे से 11 बजे तक)
- सर्किल हेड (पूर्व निश्चित समय लेकर)

2. हेड करट्मर केयर,

बीएसईएसं राजधानी पावर लिमिटेड, **धीएसईएस भवन, नेहरू प्लेस, नई दिल्ली 110019** ईमेल: <u>brpinead, customercare@relianceada.com</u>

- कंज्यूमर ग्रिवांच रिड्सल फोरम (सीजीआरएफ) : यदि आप अपनी शिकायत पर सेया प्रदाता के जवाव से संतुष्ट नहीं है तो आप शीजीआरएफ-बीआरपीएल, सब स्टेशन विल्डिंग, सेक्टर - V पुष्पविहार, नई दिल्ली 110017, ईमेल conbrol@gmail.com में अपनी शिकायत दर्ज कर सकते हैं।
- 4.इसैक्ट्रिसिटी ऑम्बड्समैन : सीजीआरएफ के आदेश के खिलाफ अपील इलैक्ट्रिसिटी ऑम्बङ्समैन, बी–53,पश्चिमी मार्ग, यसंत विहार, नई दिल्ली-110057, में दायर कर सकते हैं।

Disclaimer- This electricity bill is only for electricity supply to the premises occupied by the consumer and should not be construed as having bearing on the rights of titles over the premises.

अर्चीकरणः यह विजली का विल उपभोक्ता के निवास/कार्यालय पर बिजली की आपूर्ति के लिए हैं, और धूसे उस स्थान पर उपभोक्ता के अधिकार या स्वागित्व समान न समझा जाए।

GoNCTD vide Order No. F.11(11)/2012/Power/Vol-II/2098 dated 07.08.2019 has extended subsidy to domestic consumers w.e.f. 01.08.2019 of entire bill amount upto 200 Units/month. Slab 201-400 Units/month will get subsidy upto ₹ 800/month. No subsidy for consumption above 400 Units/month.

दिल्ली सरकार की आदेश संख्या F11(111)/2012/Power/Vol-II/2098 हिनांक 07/08/2019 के अनुसार घरेलु उपमोक्ताओं के लिए सक्तिओं बढ़ा दी हे w.e.f. 01/08/2019 से 200 यूनिट/माह तक के संपूर्ण बिल राशि, रलैब 201-400 यूनिटस/माह पर र 800 सिलंडी गिलेगी। 400 यूनिट प्रति माह से ऊपर खपत के लिए कोई सब्तिडी नहीं हैं।



मुफ्त कानूनी सहायता (Free Legal Aid) मुक्त काबूनी खेवाओं के लिए आप दिल्ली राज्य विधिक सेवाए

पाषिकरण (DSLSA) से संपर्क करें : दिल्ली राज्य विधिक सेवाएं प्राधिकरण, पटियाला हाउस न्यायालय पटिसर, ਕੁਫ਼ (दिल्ली प्रोज बा: 23071825, ਸੀਬਾਲਰ ਕਾ: 9870101337, हैप्पलाइक: 1516 (24x7) ਗੋਲ ਪੂਸੇ, ਵੇ-*ਜੋ*ਲ: <u>lae-ds|sa@gov.in,</u> website: <u>www.dslsa.org.</u> ਛੱਡੋ-facebook.com/dslsa

अववा आप किसी भी जिला स्थादालय परिसर में स्थित जिला विधिक सेवार पारिकरण (DLSA) के कार्यालय में भी संपर्व वर सकते हैं।

आपका बिल भुगतान

बिल भुगतान सूचना

भगतान विकल्प

- पु निराम निकरण 1. आम 4000 रुपसे सक के अपने बिल का मुगतान नकर / चेक / डीडी / पे ऑर्डर के महत्यम से कर स्वत्ये हैं। 4000 रुपसे से अधिक बी रचन का मुगतान सेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं आस्त्रस्कृत और जिमिन वीआस्पीएल कर्मडर्स पर लगे हमारे ड्रॉप बॉक्सेज में आप अपना चेक आले। ड्रॉप बॉक्सेज की लिस्ट हमारी येक्साइट पर
- विस भुगतान केंद्र / किथॉरक्स सुब्ह 9 बजे से शाय 6 बजे तक खुले रहेंगें।
- पंजाब नेशनल बेंक और बैंक ऑफ बड़ीदा की शाखाओं में 50000 रुपये तक बिजली का गुगतान नकद में करा सकते हैं।

बिल भुगतान करते सगय ये बातें याद रखें

- कंप्यूटरीकृत बिल पाने के शद ही अपने विजली बिल का मुगतान करें।
- कपुरानाधुन्त परिवारियाँ/ वलालों की मुगतान न करें अगर आपका भेक वैक द्वारा भीर मुगतान के, अस्वीभृत होक्त प्राप्त आ जाता है तो केक पासरी मुल्क (नीजुदा 200 रुपये + जीएसटी, चैसा तम्मू हो) वसूला जाएगा और निमोहिएसल इस्ट्रोस्टस एवंद 1881 की धारा 138 में तहरा कमचाडी भी जाएगी।
- ाजान्यन्त ब्रम्पान्य पुरं 1601 व्यायाः 150 व प्राट व्यापान्यान्य व व्यापान्य व जारं नाथ कार्ड स्वाप्त्रप और ऑगलाइन के द्वारा 5000 रुपये से अधिक के कृशाना पर लागने वाले सूचिया सुन्क को उपनोक्ता को वहन करना होगा। शूल्क के विराह्म ब्यास के लिए कृपया हगारे वेबसाइन् <u>xwww.bsostolih.com</u> पर आएँ।

Contact details:(संपर्क संबंधी विवरणः)

Nearest Payment Centre

1ST FLOOR, A-BLOCK, BSES BHAWAN NEHRU PLACE NEW DELHI 110019 (Tel No: 39999493

Business Manager : MR MANOJ PANDEY (39997154) Commercial Officer : MR BHUPESH DHASMANA (39999485)

Pay your electricity bills conveniently by any of the following options:

	Payment Options	Timings
Digital Online Payments	Bharat BillPay - Pay option at BSES website (Zero Charges) Bharat QR code - QR Code on bill BSES Mobile App? Website - UPI, IMPS, internet Banking, Credit / Debit Cards RTGS / MEFT / ECS Mobile Wallets - Paytm, Mobikwik etc	24x7
Cash Counters	BRPt, Cash Counters - Cash (Upto ₹4000), Cheque, Demand Draft, Credit / Debit Cards	9AM - 3PM
Payment Kiosks	Kiosks at BRPL division offices - Cash (Upto ₹4000), Cheque, Demand Draft, Credit / Debit Cards	9AM - 6PM
Bank Branches	Bank of Baroda and PNB-{Cash Upto ₹50,000), Cheque, Demand Draft, Transfer by account holders	Bank Timing
Cheque Drop boxes	Select RWA locations	24x7
Cuedne ptob poxes	BRPL owned drop boxes at counters	9AM - 5PM
Cheque by Post	To BRPL division offices	24x7
Retail Outlets	Select outlets powered by Oxigen / ITZ	Outlet timing

Stay Safe: Go Digital!

In the wake of COVID-19, stay safe by practising 'social distancing' & avoiding crowded places. You can avail a host of BSES services through our smart digital platforms, including Website, App,

Mobile App, Chat-Bot, WhatsApp, SMS & Call Center. #GoDigital





For detail log on to our website www.bsesdelhi.com. Alternatively, you can visit our Customer Care Center or simply call at 19123 (24x7 Toll Free) Regd. Office: BSES Rajdhani Power Limited (A joint venture of Reliance Infrastructure Ltd. and Govt. of NCT of Delhi) BSES Bhawan, Nehru Place New Delhi 110 019. CIN No.: U40109DL2001PLC111527, GSTIN.: 07AAGCS3187H2Z3, Tel. No.: 19123 (24x7 Toll Free), Fax No.: 011 39999830, Website: www.bsesdelhi.com

Bill Print Date 13.06.2020_23_14_07_RKC(With Annexture) 919/2728



Meter Details Annexure

Name

: M/s. SELECT INFRASTRUCTURE PVT LTD

Billing Address

SELECT CITY WALK PLOT NO-A-3 DISTRICT CENTRE SAKET NEW DELHI 110017

Supply Address: SELECT CITY WALK PLOT NO-A-2 DISTRICT Mobile / Tel. No. : 9654339936

Email ID

District / Division Saket Meter Reading Status : MR Bill Month

Bill Date

: sushil@selectcitywalk.com

JUN-20 13-06-2020 Sanctioned Load

Walking Sequence

Power Factor

Tariff Category

MDI

Pole No.

Cycle No.

Contract Demand

: 6340.00 (kW) 5000.00 (kVA) : 1200.00 (kVA)

: 0.993 : NA

: MH1KC0304A0AA

: KC

CA No. : 100014206 Energisation Date : 11-06-2009

Meter Type Supply Type Bill No. Bill Basis : 3PSK : HT(33KV)

: 100215570646 : Actual

: OA Retail Non-Domestic [HT]

	Net Meter Consumption Details (Date Of Reading:)												
	Total Solar For the Billing Period Cumulative Generation							Solar Installation Details			Date of Installation		ity kWp
B/F Units	Generation Units B/F Units Export Reading		Import Reading			Net Difference			Moderated Units		nits	C/F Units	
(If any)	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak	(If any)
												-	
									!			1	l

(Consumption in the above table are in kWh/kVah, as applicable)

Meter No	Units	Billed Consumption (Current)	Billed Consumption	(Previous)	Multiplication Factor	Current Consumption	
		Date of Meter Reading(24:00Hrs)	Reading	Date of Meter Reading	Reading	Tactor	Days	Units
XH413006	KWH	31-05-2020	20.14	30-04-2020	17.38	120000.00	31	331200.00
XH413006	KW	31-05-2020	0.01			120000.00		1200.00
XH413006	KVAH	31-05-2020	20.28	30-04-2020	17.50	120000.00	31	333600.00
XH413006	KVA	31-05-2020	0.01			120000.00		1200.00
XH413006	KVAHP	31-05-2020	5.60	30-04-2020	4.84	120000.00	31	91200.00
XH413006	KVAHO	31-05-2020	2.98	30-04-2020	2.44	120000.00	31	64800.00

Diesel Storage License



भारत सरकार Government of India याणिजय और उपीय मंत्रालय

Par Paris

Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटन सुरक्षा संगठन (पेसा)
Petroleum & Explosives Safety Organisation (PESO)
हाल संख्या 502 एवं 507, लेवल-5, ह्लाक ॥, पुराला सी.जी.ओ. काम्प्लेक्स, एल.एच.4
फरीदाबाद-121001
Hall No. 502 & 507, Level 5, Block B, Old CGO Complex, NH-4,
Faridabad - 121001

E-mail: itccofaridabad@explosives.gov.in Phone/Fax No : 0129 - 2410734, 2410732

दिलांक /Dated : 20/09/2017

संख्या /No. : P/NC/DL/15/323 (P179467)

भेवा में /fo.

M/s Select Infrastructure Pvt.Ltd., A-3, District Centre, Saket New Delhi-110017, A-3, District Centre, Saket New Delhi-110017, Taluka: Saket, District: DELHI. State: Delhi PIN: 110017

-6 OCT 2017

विषय /Sub : Plot No, Plot no.- A-3, Select City Walk, District Centre, Saket, District: DELHI, State: Delhi, PlN: 999999 में स्थित विधाना Plot No, Plot no.- A-3, Select City walk, District Centre, Daket, District DeLin, State: Delin, Fin. 33333 के स्पन्न नेपाली पेट्रोलियम को B अधिष्ठावन में अनुमित्त से PINCIDLI15/323 (P179467) के निर्वामरण के सदर्भ में । Existing Petroleum Class B Installation at Plot No, Plot no.- A-3, Select City Walk, District Contre, Sakot, District: DELHI, State: Dolhi, PIN: 999999 - Licence No. PINCIDLI15/323 (P179467) - Renewal regarding.

सहोदय /Sic (8).

कृपया आपके पत्र क्रमांक OIN124559 दिलांक 28/08/2017 का अवलोकत करें ।

Please refer to your letter No.: OIN124559, dated 28/08/2017

अनुजिति संख्या P/NC/DL/15/323 (P178467) दिलांक 04/07/2007 को दिलांक 31/12/2020 तक लगीनीकृत गर इस पत्र के साथ अधिवत की जा रहीं है।

Licence No. PINC/OL/15/323 (P179467) dated 04/07/2007 is forwarded herewith duty renewed upto 31/12/2020.

2002 के अधील बसाए गए नियम 148 में दी गई प्रक्रिया का कड़ाई से पालन करें । अनुनित्ति के लवीकरण हेतु समस्य दस्तावेजों को अनुनित्ति की वैधता सभास क्षेत्र की तिथि से कम से कम 30 दिल पूर्व to Jt. Chief Controller of Explosives, North Circle. Faridabad, so as to reach his कार्यालय में पस्तुत करें 1

Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence to Jt. Chief Controller of Explosives, North Circle, Earldabad, so as to reach his office on or before the date on which Licence expires.

कृपया पायती दें। Please acknowledge the receipt.

भवदीय /Yours faithfully.

((आर. एन.डीटा))
(R. N. Moens))
ठूप सुरूप विरूपोटक नियंत्रक
Dy. Chief Controller of Explosives
कृत संभूक मुख्य विरूपोटक नियंत्रक
कृत संभूक मुख्य विरूपोटक नियंत्रक
For Jt. Chief Controller of Explosives

संयुक्त मुख्य विस्कोदक नियन्त्रक

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइस्स एक्साम रिक्साएतीक्षिर of Explosives (For more information regarding status, fees and other details please visit our website; pley in so details please visit our website; pley visit our website visit our website visit our website visit o

Month Circle, Faridabad

अनुजित संख्या-(Licence No.) P/NC/DL/15/323 (P179467)

तयीनीकरण के पृष्ठांकन के लिए स्थान SPACE FOR ENDORSEMENT OF RENEWALS

समाप्ति की तारीख अनुजापन प्राधिकारी के हस्ताक्षर और पेट्रोलियम अधिनियम. १९३४ के उपवर्ल्धों या उतके नवीकरण की तारीख रटाज्य Date of Date of अधील बताए गए विभमों या इस अनुजाति की Signature and office stamp of the Expiry of license Renewal शर्तों का उल्लंघन न होने की दशा में यह अनुराप्ति licencing authority. फ़िरा में बिना किसी छूट के दस वर्ष तक नवीकृत की जा सकेगी। This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the Petroleum Act, 1934 or of the rules framed thereunder or of any of the conditions of this leaden. licence. • Sd/-31/12/2011 03/12/2008 1). 31/12/2014 Sdl. 17/11/2011 2) A K Meena 31/10/2014 31/12/2017 3). OR SANJAY KUMAR SINGH Controller of Explosives For Jt. Chief Controller of Explosives Faridabad R.N.Meena Dy. Chief Controller of Explosives For Jt. Chief Controller of Explosives 31/12/2020 20/09/2017 4) Faridabad i: 1 The property of the most was a . 100 x 1315.

्राहर कि प्रदेशक अधावह विवरण और शर्तों के अनुरूप नहीं पाए जाते हैं और जिन नियमों और शर्तों के अधीन यह अनुरुसि गंजूर की गई है उनमें से किसी का उल्लंघन होने की दशा में यह अनुत्तिरि रह की जा सकती है और अनुत्तिरिधारी प्रथम अपराध के तिए साधारण कारावास से, जो एक भास तक हो सकता है, या जुमीने से, जो एक हजार रुपये तक हो सकता है, या दोनों से, और प्रत्येक पश्चातवर्ती अवसंध के लिए साधारण कारावास से जो तील मास तक हो सकता है, या जुमोने से, जो पांच हजार रुपये तक हो सकता है, या

A Strategie

This licence is liable to be cancelled if the licensed premises are not found conforming to the description given on the approved plan attached hereto and confravention of any of the rules and conditions under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprisonment which may be extend to one month, or with holder of this licence is also punishable for the first offence with simple imprisonment which may have a the rest that any literature of the rest that the literature of the rest that the rules and the rules are the rest that the rules are the rules and the rules are fine which may extend to one thousand rupees, or with both and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees or with both.

DEST XV (प्रथम अनुसूची का अनुच्छेद ६ देखिए) FORM XV (see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुसारि LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुजित सं. (Licence No.) : P/NC/DL/15/323(P179467)

फीस स्वर (Fee Rs.) 1150/- per year

M/s Select Infrastructure Pvt.Ltd., A-3, District Centre, Saket New Delhi-110017, A-3, District Centre, Saket New Delhi-110017, Saket, Taluka: Saket, District: DELHI, State: Delhi, PIN: 110017 को केवल इसमें यथा विनिर्दिष्टु वर्ग और मात्राओं में पेट्रोलियम 60.00 KL आसात करते के लिए और उसका, तीचे वर्णित और अनुमोदिस तमशा संख्या P/NC/DL/15/323(P179467) तारीख 20/09/2017 जी कि इससे उपावद हैं, में दिखाए गए स्थात पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपवंधों या उसके अधीत महाए गए तियमों तथा इस अमुनारी की अतिरिक्त भरी के अधीत रहते हुए यह अनुजास अनुदत्त की जाती है।

Licence is hereby granted to M/s Select Infrastructure Pvt.Ltd., A-3, District Centre, Saket New Delhi-110017, A-3, District Centre, Saket New Delhi-110017, Saket, Taluka: Saket, District: DELHI, State: Delhi, PIN: 110017 valid only for the importation and storage of 50.00 KL Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No P/NC/DL/15/323(P179467) dated 20/09/2017 attached hereto subject to the provisions of the Petroleum Act. 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुजारि 31st day of December 2020 तक प्रवृत रहेगी । The Licence shall remain in force till the 31st day of December 2020

पेटोलियम का विवरण /Description of Petroleum

अनुसरा मात्रा (किलोलीटरॉ में) /Quantity licenced in KL

राजे क प्रयुंज पेट्रोलियंग /Petroleum Class A in bulk वर्ग क प्रपुंज पेट्रोलियम रो भिन्न /Petroleum Class A, otherwise than in bulk 60.00 KL वर्ग ख प्रयुंज पेट्रोक्षियम (Petroleum Class B in bulk यर्ग ख प्रपंज पेट्रोलियम से भिन्न IPetroleum Class B, otherwise than in bulk वर्ग ग प्रपंज पेट्रोलियम /Petroleum Class C in bulk यर्ग म प्रापुंज पेट्रोलियम से मिल्न /Petroleum Class C,otherwise than in bulk

60.00 KL

NIL.

NIL

NIL

MI£.

NII.

धृत्व क्षमता /Total Capacity

July 4, 2007

For Jt. Chief Controller of Explosives NC, Fandabad

अनुशस परिसरों का विवरण और अवस्थान DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

उम्बुजस परिसर जिसकी विल्यास सीमाएं अन्य विशिष्टयां संवयन अनुमीदित नक्शेज़ी में दिखाई गई हैं Plot No: Plot no.- A-3, Select City Walk, District Centre, Saket; District: DELHi, State: Delhi, PIN: 999999 स्थान पर अवश्यित है तथा उरार्ग विम्नितिखित Three underground tanks for storage of petroleum clas B connected together with another facilities. राम्बितित हैं |

The licensed premises, the layout boundaries and other particulars of which are shown in the attached approved plan are situated at Plot No: Plot no.- A-3, Select City Walk, District Centre, Saket, District: DELHI, State: Delhi, PIN: 999999 and consists of Three underground tanks for storage of petroleum clas B connected together with another facilities, together with connected facilities

Annexure – 18

MOU for E - waste and Hazardous Waste



INDIA NON JUDICIAL

Government of National Capital Territory of Delhi

e-Stamp

(1(41.

Certificate No.

Certificate Issued Date

Account Reference

Unique Doc. Reference

Purchased by

Description of Document

Property Description

Consideration Price (Rs.)

First Party

Second Party

Stamp Duty Paid By

Stamp Duty Amount(Rs.)

IN-DL58400760117612P

: 29-Nov-2017 11:36 AM

201101-2017 11:007(1)

: IMPACC (IV)/ dl853303/ DELHI/ DL-DLH

: SUBIN-DLDL85330319377093714405P

SELECT INFRASTRUCTURE PVT LTD

: Article 5 General Agreement

Not Applicable

0

(Zero)


: SELECT INFRASTRUCTURE PVT LTD

: Not Applicable

: SELECT INFRASTRUCTURE PVT LTD

: 100

(One Hundred only)



Plea ACRIPEND POT below this line.....

This Agreement is made at New Delhi on this day 2nd January, 2018 by and between

M/s. Select Infrastructure Pvt. Ltd. (CIN: U74999DL1979PTC009494) a Company incorporated under the Companies Act, 1956_having its registered Office located at A – 3, District Centre, Saket, New Delhi – 110 017 (hereinafter called as "FIRST PARTY" which expression shall, unless repugnant to the context or meaning thereof, be deemed to mean and include its nominees and permitted assigns) represented through its authorized signatory, the party of the First Part.

For Bharet Oil & Waste Management Ltd.

Nowell

Page 1

Authorised Signatory

Charles Aller

1 The authenticity of this Stamp Ceruficate should be verified at "www.o-clostomp.com". Any discrepancy in the details on this Ceruficate and as assubable on the wetsate randers it invalid.

The onus of microsing the legitimisty is on the users of the centerne.

A tree one of the second state of the second second

M/s Bharat Oil and Waste Management Ltd (BOWML), (CIN: _________) a Company registered under the Companies Act 1956, having its registered office at B-5(GF), East of Kailash, New Delhi – 110065 represented by its Director, as the case may be (hereinafter called as "SECOND PARTY" which expression shall, unless repugnant to the context or meaning thereof, be deemed to mean and include its nominees and assigns), the party of the Second Party.

WHEREAS First Party is engaged in business of mall management services and it is providing various services to a mixed-use commercial complex, known as Select CITYWALK, located at A=3, District Centre, Saket, New Delhi $=110\ 017$ and within Select CITYWALK premises, shopping mall, serviced apartment, multiplex and offices are operating their respective business.

AND WHEREAS the First Party desires that the Hazardous Waste being generated at Select CITYWALK, as mentioned above, to be lifted, transported, treated, stored and disposed of, by utilizing the services of SECOND PARTY, as per the Pollution Control Board Authorization, list of Hazardous Wastes and their tentative quantity is enclosed herewith marked as Annexure. Further, the SECOND PARTY's engineered common facility at Gata No. 672, Vill. Kumbi, NH-2, Ramabai Nagar, Kanpur(UP), duly authorized by the Uttar Pradesh Pollution Control Board and having another Facility at Mauza Mukimpur, Roorkee-Laksar Road, Roorkee-247664, (Uttarakhand), to treat, store and dispose of Hazardous Waste and/ or Bharat Oil Company (India) Registered (BOC) a partnership concern registered under the Partnership Act with its registered office at 169 Kailash Hills, New Delhi 110065, duly registered with Central Pollution Control Board, having its CHWTSDF at E-18, Site IV, Sahibabad Industrial Area, Ghaziabad, (UP), duly authorized by the UPPCB, under the Environment Protection Act 1986 (for short the 'Act') and the Hazardous & Other Waste (Management & Transboundary Movement) Rules, 2016, and authorised for carrying out of the state the Hazardous Waste, generated in Delhi from Delhi Pollution Control Committee ("DPCC") and / or the E-Waste (Management) Rules 2016 (for short 'The Rules') as amended from time to time.

AND WHEREAS the SECOND PARTY has represented and assured to First Party that it's Facility in Kanpur/Roorkee/Sahibabad is duly authorized by the concerned State Pollution Control Board (including Delhi Pollution Control Committee "DPCC") and further capable of handling the Hazardous Waste generated at Select CITYWALK.

AND WHEREAS First Party has agreed to avail the services of Second Party for treating the Hazardous Wastes, in its above named facility/facilities.

Now, therefore, those present witnessed and it is hereby declared and agreed by and between the

Parties as follows:-

For Bharat Oil & Waste Management Ltd.

Page 2

Authorised Signatory

Non

- The FIRST PARTY will pay an amount of Rs. 25,000/-(Rs. Twenty Five Thousand Only) plus
 Applicable GST (total payable amount of Rs. 29,500/-) to SECOND PARTY towards Nonrefundable Lifetime Membership Deposit which will be applicable for lifetime from the date of
 signing of this Agreement and membership can be renewed per year without any extra charge.
- 2. The scope of services to be provided by Second Party is limited to lift, transport through authorized vehicles, treat, store and dispose of Hazardous Waste of First Part as per the guidelines prescribed by Pollution Control Board or First Part can also send HW to SECOND Part's Plant directly at its own cost.
- 3. Second Party, on receipt of written information from FIRST PARTY, will plan and schedule lifting logistics of the Hazardous Wastes from the premises of FIRST PARTY within 03 (Three) business days of receipt of such information. First Party shall ensure that Hazardous Wastes must be packed in proper & leak proof Bags or polythene Bags or containers for safe transportation.
- 4. SECOND PARTY shall at all times comply with all the provisions of Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016 as amended from time to time framed by MoEF/CPCB/DPCC.
- SECOND PARTY shall indemnify and keep indemnified FIRST PARTY from all losses, damages, and third party claims after taking out HW from Select CITYWALK, the premises of the First Party, in cases of non-compliance of statutory norms on the part of SECOND PARTY.
- 6. FIRST PARTY shall keep ready the Hazardous Waste as per the mandate given to SECOND PARTY for collection, as it is a common facility catering to diverse wastes. SECOND PARTY shall follow Ministry of Environment & Forest, Central Pollution Control Board and State Pollution Board guidelines, future amendments and latest disposal technologies.
- 7. FIRST PARTY shall ensure that the above Hazardous Waste must be packed in proper containers/bags so as to prevent any damage/spillage of the material, during transit to SECOND PARTY factory. Containers/Bags arranged by FIRST PARTY shall be of Metallic/PVC/Leak proof Bags and kept at the storage place under cover. Container/Bags' weight will also be added in the weight of the material.
- 8. FIRST PARTY will provide labour and special Material Handling Equipments at its own cost to lift and load the containers at the FIRST PARTY premises, in the vehicles for the transportation.

For Bharat Oil & Waste Management Ltd.

Authorised Signatory

Page 3

MIL

- 9. FIRST PARTY has mandatory obligations to provide the entire process detail which leads to generation of Hazardous Waste and its tentative Quantity per month or year to SECOND PARTY for the purpose of determining the waste characteristics and to decide parameters for comprehensive analysis and process for disposal. However, it is specifically agreed between the parties that the process details provided by FIRST PARTY shall be kept confidential and Second Part shall not disclose it to any third party without the First Party's prior written consent. This clause shall survive termination for a period of 01 (One) year after the determination of this Agreement for any reason whatsoever.
- 10. FIRST PART shall provide comprehensive Laboratory Analysis Report from a CPCB approved Laboratory of each type of Hazardous Waste for Finger Print Analysis. In the event there are differences in the analysis results; FIRST PARTY may send its samples to a mutually agreed THIRD PARTY at their own cost. New Comprehensive Analysis Reports shall be provided by FIRST PARTY when there is a change in the Hazardous Waste characteristics, manufacturing process or change in the product mix etc. Reports must be provided to SECOND PARTY prior to scheduling pick-up of Hazardous Waste. Reports shall be sent via Electronic mail as well as by courier/speed post to SECOND PARTY.
- 11. The comprehensive Analysis Report shall determine the disposal Pathway based on the Waste Characteristics and as per Waste Acceptance Criteria given to the FIRST PARTY and any other condition/solution that would help in safe disposal of Hazardous Waste. Disposal Pathway is mutually agreed between FIRST PARTY and SECOND PARTY to finalize the disposal base or basic USER CHARGES. The base User Charges are defined in Annexure to this Agreement.
- 12. FIRST PARTY and the SECOND PARTY will maintain and provide details of the HW as per the provisions in various Forms prescribed in the Rules. These Forms can be provided by SECOND PARTY/ FIRST PARTY, as per the requirement at cost or be printed by FIRST PARTY as per the formats given by the SECOND PARTY.
- 13. If FIRST PARTY provides any false information/declarations or withholds information in relation to the provisions of Hazardous Waste rules and / or E-Waste rules any time during the term of this Agreement, all charges of Hazardous Waste during transportation, handling, treatment and disposal including post-disposal period shall remain vested at the responsibility of FIRST PARTY.
- 14. The charges for collection, treatment, storage, and disposal facility (hereinafter called as User Charges) will be applicable to FIRST PARTY/SECOND PARTY as per Annexure.

For Bharat Oil & Waste Management Ltd.

Authorised Signatory

Page 4

- 15. FIRST PARTY shall make payment for Waste management Services to SECOND PARTY and vice-versa per User Charges and other terms and conditions as per payment terms outlined in Annexure.
- 16. FIRST PARTY is responsible to segregate/store/accumulate/fill/load the Hazardous Waste in the container provided by FIRST PARTY in a neat and proper manner and so also, the container area should be accessible to SECOND PARTY's vehicle, to come and lift the Waste. The Transporter/SECOND PARTY reserves the right to reject lifting of Hazardous Waste spilled over the ground and container whose exteriors are soiled by Hazardous Waste spillage due to leakage.
- 17. In case, for any reason, the SECOND PARTY's Vehicle is sent back without giving the Hazardous Waste even after being requisitioned by FIRST PARTY, FIRST PART will have to pay actual transport charges, which shall be Rs. 2,000/- per trip, to SECOND PART, for a minimum load of 01 (One) MT.
- 18. First Part shall at all times comply with all the provisions of the Acts and Rules from time to time in force and the Guidelines issued from time to time regarding handling of Waste involving the collection, storage, transportation and delivery thereof, and shall, without prejudice to the generality of the foregoing, also comply with all Environmental Protection Laws, Safety Laws and Regulations from time to time in force and the Rules, Regulations and Notifications made or issued thereunder from time to time. In the event of First Part committing any breach of the terms of this clause of Agreement, FIRST PARTY shall indemnify and keep indemnified to SECOND PARTY from and against all claims, payments, costs and actions of whatsoever nature brought against or sustained or incurred by SECOND PARTY arising from or as a result of such breach committed by FIRST PARTY in that behalf, provided these are proved.
- 19. Each PARTY shall indemnify and keep indemnified the other PARTY at all times from and against all actions, suits, proceedings, claims, third party claims, costs, payments and expenses of whatsoever nature made or suffered or incurred by the other PARTY whether by reason of or by virtue of non-performance or non-observance or non-compliance by either PARTY, of any terms and conditions of this Agreement or of the relevant Act, the Rules and the Guidelines.

IT IS FURTHER HEREBY AGREED BY AND BETWEEN THE PARTIES AS UNDER:

20. This Agreement is valid for a period of **05 years** (from 02.01.2018 to 31.12.2022) and can be renewed thereafter on similar or revised terms and conditions as may be mutually agreed between the parties.

For Bharat Oil & Waste Management Ltd.

Werrer Page 5

Authorised Signatory

ghot

- 21. FIRST PARTY shall use the services of the SECOND PARTY during the period of this contract to dispose generated hazardous waste at agreed prices, while the agreement is in force. SECOND PARTY must legally and safely collect, transport, treat, dispose hazardous waste from FIRST PARTY during the agreed period per rates agreed while this Agreement is in force and payments made as per Agreement terms.
- 22. If all the terms and conditions as per the clauses of this Agreement are adhered to by FIRST PARTY, it shall be SECOND PARTY's responsibility to lift, transport, treat and dispose of the Hazardous Wastes generated by FIRST PARTY in accordance with prevailing Govt. Rules and FIRST PARTY shall not have any liability whatsoever in this regard.
- 23. The main mode of final disposal of HW shall be Incineration/Land-filling and ash would be cemented and landfilled. The modes of disposal are dependent on the Hazardous Wastes' characteristics and FIRST PARTY shall not have any liability whatsoever in this regard.
- 24. The User Charges are subject to Annual Revision on the basis of Govt. of India Wholesale Price Index [WPI], (Commodities Index-All India) and once a quarter in the event of escalation of fuel costs and on major price escalations, escalation of fuel costs viz., Power Tariff, change in Disposal Technologies/Method, Wage Hike etc., to name a few. For the purpose of escalation in fuel cost, 30% of freight rate will be considered as fuel element of the cost.
- 25. SECOND PARTY/ First Party reserves the right to cancel this Agreement if FIRST PARTY/ Second Party fails/refuses to pay the bills/dues as per the payment terms applicable to FIRST PARTY/ Second Party as mentioned herein and in Annexure. A Notice period of maximum Thirty (30) days will be allowed from the date of lifting of material. If FIRST PARTY/ Second Party fails to pay in settlement of the Invoice, it shall be liable to pay interest @ 18% per annum and this may also result in cancellation of First Party's Membership, forfeiture of deposit, and termination of this Agreement. Repeated defaults and violation of payment terms will also result in cancellation of Membership and forfeiture of Membership deposit.
- 26. Hazardous Wastes that require other alternate destruction technologies shall be handled at SECOND PARTY's facility. However, the prices for such treatment techniques shall be determined on a case-to-case basis on their characteristics.
- 27. Notwithstanding anything contained herein, neither Party hereto shall be liable for damages or have this Agreement terminated for any delay or default in the performance of such Party hereunder if such delay or default in performance derives from conditions beyond the reasonable control of such Party, including but not limited to, acts of God, fires, floods,

For Bharat Oil & Waste Management Ltd.

Page 6

Authorised Signatory

4...

extreme drought, riots, work stoppages, embargoes, governmental actions or damage to the plant or facility or any cause unavoidable or beyond the control of either party including any arbitrary ruling by the Government prohibiting the handling of the Waste or continuing domestic or international problems such as wars or natural calamities.

- 28. This Agreement shall be deemed to represent the entire Agreement between the parties hereto regarding the subject matter hereof and shall supersede, cancel and replace all prior agreements or arrangements, if any, in this behalf, signed/entered into by and between the parties hereto.
- 29. This Agreement is on principal to principal basis and nothing contained herein shall be deemed to constitute a partnership, joint venture or agency by and between the parties hereto.
- 30. This Agreement may be modified or amended only by writing, duly executed by or on behalf of the parties hereto.
- 31. Any terms and conditions of this Agreement may be waived at any time by the party that is entitled to the benefit thereof. Such waiver must be in writing and must be executed by an authorized officer of such party. A waiver on one occasion will not be deemed to be a waiver of a similar occasion or any other similar breach or non-fulfillment on a future occasion.
- 32. If any provision of this Agreement is held to be illegal, invalid or unenforceable under any present or future laws, such provisions shall be deemed terminable and the remaining parts and provisions of this Agreement shall remain in full force and effect.
- 33. Either Party shall have the right to terminate this Agreement upon giving 30 days written notice to the other Party with a reasonable cause.
- 34. It is clearly and expressly understood by and between the parties that the activity of lifting, transportation, treatment, storage and disposal of Hazardous Wastes is an independent contract and it does not come within the purview of the FIRST PARTY's commercial complex activities. It is also clearly understood and confirmed by and between the parties that this contract is for performance of work and not for supply of Labour.
- 35. Nothing contained in these terms and conditions shall be construed as creating any relationship either direct or indirect of employer and employee between the FIRST PARTY and the persons engaged by SECOND PARTY. The FIRST PARTY shall have no liability towards such persons and such persons will not have any claim whatsoever against the FIRST PARTY for salary, wages,

For Bharat Oil & Waste Management Ltd.

Page 7

Authorised Signatory

Mark .

provident fund, gratuity, retrenchment compensation or any other compensation for accident or death or any other claim whatsoever.

- 36. Any dispute arising on any clause or clauses of this Agreement and the contents of the Annexure hereto between FIRST PARTY and SECOND PARTY shall be referred to an Arbitrator as mutually agreed between both parties. The Arbitration shall be conducted in accordance with the provisions of the Arbitration and Conciliation Act, 1996 with amendments thereof. The arbitration proceedings shall be conducted in English and shall take place at New Delhi, India. The arbitral award, including interim awards, if any, shall be final and binding upon both parties.
- 37. Subject to the provisions of the foregoing clause, FIRST PARTY and SECOND PARTY mutually agree that the courts of Delhi alone, to the exclusion of any other, shall have the jurisdiction.

For Bharat Oil & Waste Management Ltd.

Authorised Signatory

Page 8

IN WITHNESS WHEREOF, both the parties have signed this Agreement and a duplicate copy thereof at the place and the day, month and year first written hereinabove.

Select Infrastructure Pvt. Ltd. Bharat	: Oil & Waste Management Ltd
By its authorized Signatory Name & Designation Witnesses: (Naresh Mitnesses:	Authorised Signatory Director /Partner anglani)/BT Manglani Anjiv S. Bhahr
2 Sandage	p Kumar (9717700119)
(Mobile :) sands	eep.kumar@bharatoil.com
GST No	
TIN No	
PAN No	
Phone No	

<u>ANNEXURE</u>

Waste Management & Handling Service Charge

This annexure is in conjunction with Agreement signed between FIRST PARTY (Select Infrastructure Pvt. Ltd.) and SECOND PARTY (Bharat Oil & Waste Management Limited) on 02.01.2018.

<u>Disposal of Hazardous Waste: - Recycling/incineration/landfill</u> <u>Category - A- Recycling or refining:</u>

S:N O	Type Hazardous Waste	BOWML Rates in Rs.
		2000.00 per Barrel of 220 Lt.
1.	Used/ Waste Oil *	(Rupees Two Thousand only)
		120/- per barrel of 220 Liter
2.	Empty Container- 200-220 Liters	(Rupees One Hundred Twenty Only)
		Rs. 13.00 per Kg
3.	 	(Rupees Thirteen per kg only)
	E-Waste- Laptop, Desktop, Monitor, UPC,	Rs. 11.00 per Kg
4.		(Rupees Eleven per kg only)

- For Category A The Second Party shall pay the above said amount to the First Party within 15 days from the Invoice date. Quoted Rates are inclusive of all taxes.
- * With container; Material should conform to specification in schedule V i.e. Without water & sludge and for fully filled drums.
- > * BOWML will pay for Min qty of 200 Liters otherwise used oil will come free of cost.
- > The First Party shall not be liable to pay transportation charges for delivery of Hazardous Waste to the Second Party under Category A, except as specified in Clause 16 of the Agreement.

<u>Category – B- Disposal:- Hazardous Waste</u>

SR NO.	Type Hazardous Waste	Approx. Generation Frequency/ Annum	BOWML Rates in Rs.
1.	Cotton Waste, plastic Waste, Oil Soaked cotton, paper, rubber waste, Hand gloves, Oily-Paint Sludge etc (Incinerable) Chemicals waste with		Rs. 25.00 per Kg (Rupees Twenty Five per kg only)

For Bharat Oil & Waste Management Ltd. Page 10

Authorised Signatory

May

	water mix.		
			Rs. 45.00 per Piece
2.	Air/Oil Filters (Incinerable)	8	(Rupees Forty Five per PIECE only)
***************************************	CFL/Tube lights, Chokes, Capacitors,		
	wires (E-waste & landfilable) Printers,	10 Kg	n- 35 00 por kg
	Cartage, Mouse, Key board, CPU,		Rs.25.00 per kg
3.	Chargers,		(Rupees Twenty five Per kg Only)
		14.6	Rs. 30.00 per Kg
4.	ETP Sludge (Landfilable waste)	100/29	(Rupees Thirty per kg only)
.,,	Discarded Containers below 200 liters	14.	n 45 50 non 1/5
	capacity	awkg	Rs. 18.00 per Kg
5.		~ 0	(Rupees Eighteen per kg only)
	Used Grease /Used Coolant	75 kg	Rs. 14/- Kg (Rs. Fourteen Only)
6.			a cool portin
7	Transport Charge		Rs. 2,000/- per trip

For Category B – the First Party shall pay to the Second Party within 15 days from the Invoice Date and all cost is inclusive of taxes.

Terms and conditions

- a) FIRST PARTY shall ensure that the above Hazardous Waste must be packed in proper containers/gunny bags so as to prevent any damage/spillage of the material, during transit at FIRST PARTY's commercial complex. Containers/Gunny bags arranged by FIRST PART shall be of metallic/PVC and kept at the storage place under cover. Containers' weight will also be added in the weight of total Hazardous Waste and those are not on returnable basis.
- b) FIRST PARTY, if intends to do so, however not obligatory, shall deliver their waste at our plant E-18, Sahibabad Industrial Area, Ghaziabad/Gata No.-672, village-Kumbhi NH-2, Kanpur Dehat-290101 UP at own cost. If SECOND PART lifts the material transportation cost shall be borne by FIRST PARTY as quoted above. Loading is in scope of FIRST PARTY. All documents shall provide by SECOND PARTY i.e.Form-6 for E-waste & Form- 8, 9, 10 (Hazardous Waste) & Form- 38 if required.
- c) As per Rule 8 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016 as amended FIRST PARTY (Hazardous Waste Generator) needs to send/dispose the

For Bharat Oil & Waste Management Ltd.

Page 11

Authorised Signatory

Nay

Hazardous Waste within 90 days from their Plant failing which agreement can be terminated without any notice.

- d) In accordance with the MoEF Memorandum No. 23-1/2008-HSMD dated 16th April 2009, an amount equivalent to 5% of the billed amount of landfillable hazardous waste towards maintaining of Escrow Fund with scheduled bank jointly operated by MoEF and UPPCB for post-closure monitoring of the Hazardous Waste landfill facility is additionally chargeable.
- e) For Category (A) Payment shall be made by SECOND PARTY in favour of FIRST PARTY by Cheque/DD within 15 days from the lifting/ transportation of the Hazardous Waste. (Used/ Waste Oil should meet parameters as per Schedule V (A) of H.W. (Management & Transboundary Movement) Rules 2016).
- f) For Category (B) FIRST PART shall pay to First Party within 15 days of receipt of SECOND PART's Invoice by cheque/Demand Draft."NO CASH TRANSACTION WILL BE ENTERTAINED. However, besides cheque, we can accept payments under NEFT/ RTGS route also."
- g) TAXES / LEVIES:- All Government / Municipal Taxes / Duties/ Levies/ Octroi / Service Tax/ Tolls etc, as applicable from time to time, will be payable by FIRST PARTY.
- h) There shall be no goods other than mentioned in this Annexure. If FIRST PARTY sends goods which are not as agreed upon or unlawful, controlled substance or can't be disposed by SECOND PART, then the same shall be returned to FIRST PARTY. SECOND PART will not invoice the disposal charge, but full transport, handling fee will be invoiced and payable by FIRST PARTY in such case.

or Select-Infrastructure Pvt. Ltd.

WEX MILITARY

Eirct Dartyd

For Bharat Oil & Waste Management Ltd.

For Bharat Oil & Waste Management Ltd.

- Williams

(Second Marky)sed Signatory

94

Annexure – 19


ECBC Report

ECBC COMPLIANCE REPORT

SELECT CITY WALK EXPANSION, NEW DELHI

ECBC COMPLIANCE REPORT





Introduction

The proposed commercial project development "SELECT CITY WALK" is an expansion of existing mall by SELECT Group. This is an iconic luxurious complex having featuring restaurants and Retail for its customer. As a strong step towards the social corporate responsibility and commitment for protecting the environment, the company has taken an initiative to build this building as a "Green Building".

The objective of the Energy Analysis report is to evaluate Annual Energy usage and Energy Benefits associated with energy-efficient features. The report is prepared with the help of hourly simulation software which serves as an important tool to simulate various energy efficient measures particular to the building without being actually implementing. Energy efficiency measures in envelope, lighting and HVAC can be analyzed as well as thermal comfort of the occupants can be enhanced

ECBC Compliance - General

To comply with the Code, buildings shall -:

- (a) have an Energy Performance Index Ratio (EPI Ratio) as defined in $\S 3.1.1$ that is less than or equal to 1 and
- (b) meet all mandatory requirements mentioned under §4.2, §5.2, §6.2, and §7.2.

The Energy Performance Index (EPI) of a building is its annual energy consumption in kilowatt-hours per square meter of the building. While calculating the EPI of a building, the area of unconditioned basements shall not be included. EPI can be determined by

EPI = Annual energy consumption in kWh /Total Built Up Area (excluding Basement)

The EPI Ratio of a building is the ratio of the EPI of the Proposed Building to the EPI of the Standard Building:

EPI ratio = EPI of Proposed Building / EPI of Standard Building

Where, Proposed Building is consistent with the actual design of the building, and complies with all the mandatory requirements of ECBC.

Standard Building is a standardized building that has the same building floor area, gross wall area and gross roof area as the Proposed Building, complies with the mandatory requirements §4.2, §5.2, §6.2, and §7.2, and minimally complies with prescriptive requirements of §4.3, §5.3, and §6.3 for ECBC Buildings.

To comply with the Code, EPI shall be calculated based on one of the following:

- (a) Prescriptive Method including Building Envelope Trade-off Method (see §3.2.2)
- (b) Whole Building Performance Method (see §3.2.3)

ECBC Buildings that demonstrate compliance through Prescriptive Method (§3.2.2) shall be deemed to have an EPI equal to the Standard Building EPI, and therefore an EPI Ratio of 1. ECBC+ Buildings

and Super ECBC Buildings that demonstrate compliance through Prescriptive Method shall be deemed to have an EPI Ratio equal to the EPI Ratios listed in §9.5 under the applicable building type and climate zone.

Whole Building Energy Performance Analysis

A building complies with the Code using the Whole Building Performance (WBP) Method when the estimated annual energy use of the Proposed Design is less than that of the Standard Design, even though it may not comply with the specific provisions of the prescriptive requirements in §4 trough §7. The mandatory requirements of §4 through §7 (§4.2, §5.2, §6.2, and §7.2) shall be met when using the WBP Method.

SELECT CITY WALK EXPANSION project has been modeled using the e-QUEST energy simulation software which is able to model energy flows on hourly basis for the entire year. This simulation tool has the capability to model hourly variations, lighting, HVAC equipment, daylight control and thermal zones. e-QUEST uses the DOE 2.2 simulation engine. The SLD has been created so that the single line rests on the interior side of the external walls and in the middle of the interior walls. For representing the weather conditions, project has used the ISHRAE weather file database to represent the external weather conditions. Provided below the chart indicating the steps flow of 'Whole Building Energy Performance Process',


ECBC Compliance - Proposed

Project has proposed the following energy conservation or efficiency measures in compliance with ECBC requirement,


- 1. HVAC system design shall be planned with energy conservation features to reduce energy consumption and operating cost.
- 2. High efficient existing water cooled centrifugal chillers shall be used considering IPLV not to exceed 0.55 IKW/TR as per AHRI 550-590.
- 3. High efficient Water-cooled Screw chillers shall be used considering IPLV of 0.6 IKW/TR as per AHRI 550-590.
- 4. Chillers shall be used with ozone friendly HFC refrigerant
- 5. VFDs shall be used for secondary pumps, AHUs, bigger size ventilation fans and cooling towers.
- 6. Pressure independent control valve PICV/2-way valve shall be used in chilled water circuit
- 7. AHUs shall be selected area wise, so that some can be switched off during no occupancy periods and some can be used with lower speed during low occupancy period
- 8. USE of LED Luminaires.
- 9. Lighting controls to be done by Lux level sensors, Presence and occupancy detectors to minimise the energy requirement during low occupancy times in rest rooms.
- 10. Optimally sized water supply distribution piping.
- 11. Only common area lighting is under developer scope and thus the installation and controls will be provided accordingly.
- 12. Basement lighting is controlled by alternate circuit switch for reducing energy consumption during peak hours, by switching off the alternate lighting fixtures.

- 13. LED lighting for external areas and timer controlled feeder pillars are considered.
- 14. Voltage drop for feeders shall not exceed 2% at design load and voltage drop for branch circuit shall not exceed 3% at design load.
- 15. All 3 phases shall maintain 0.97 power factor at the point of connection.
- 16. EFF2 class energy efficient motors are considered for the plumbing system.
- 17. The power cabling shall be sized so that the distribution losses do not exceed 3% of the total power usage in Buildings.
- 18. Roof top SOLAR PV will be proposed to equivalent to 1% of total peak demand or connected load of the building. As per new expansion chart, the additional electrical load (KW) of new built up area will be 860 KW. Hence 10 KW of SOLAR PV will be installed on site

Energy Model: 3 D Representation



Note - Hightlighted area are part of expansion



3D View

WEATHER DATA:

The weather data file for city of NewDelhi.421820 was taken from ISHRAE with the following details: × **Project Properties** Contact Information | QC Reporting | 3-D View Details Project Data Units of Measurement Project Name: | Select City Walk Expansion English Input: Select City Walk Site Address: Output: English City, State Zip: Delhi Energy Code Compliance File References Code & Version: - none -Weather File: IND_New.Delhi.421820_ISHR Library File: eQ_Lib.dat Project Creation: 15:09, Wed, Dec 19, 2018 19:17, Sat, Dec 22, 2018 Last Modified:

SNAP SHOT of Weather Data Selection

Energy Performance Analysis

Whole Building Performance Method has been used to show compliance of SELECT CITY WALK EXPANSION with ECBC. The retail building is considered as operating throughout the day respectively. Following table indicates the operating hours and diversity factor considered for the Retails, Restaurant, toilet and common areas.

PERFORMANCE RATING METHOD COMPLIANCE REPORT

Performance Rating Method Compliance	report				
Project Name	SELECT CITY WALK E	XPANSION			
Project Address	NEW DELHI				
				RO 25-12-2018	
Designer of Record	Godrej & Boyce		1	R1 02-01-2019	
besigner of freedra				R2 08-07-2019	
City	NEW DELHI				
Weather Data: IND_NewDelhi.421820_ISH	-RAE.bin				
Climate Zone: Composite					
Advisory Messages					
Advisory messages		Budget Building		Proposed Case	
Number of hours heating loads not met (s	vstem/nlant)	0			
Number of hours Cooling loads not met (s		0			
Number of warnings	y seemy planty	-			
Number of warnings		1			
Number of errors		-			
Number of defaults overridden		^			
Description of differences between the bu	idget huilding and proposed design	not documented on other forms:			
Description of differences between the bu	lager panering and proposed war-go-				
and the second s	,				
Additional Building Information		1 Building Blocks			
Quantity of Bldg.		eQUEST 3-65			
Simulation Program		EQ0231 3 03			



Model Input Parameter	Baseline Design Input ECBC 2017	Reference	Proposed Case	Reference	
(Woder input) die neee		Building Envelope			
Exterior Wall Construction	U-value as per ECBC 0.40 W/sq mtr K	ECBC 2017 As Per Table 4.4	U-value 0.20 W/sq mtr K	See U value calculation attached in Annexure	
Roof Construction	U-value as per ECBC - 0.33 W/sq mtr K	ECBC 2017 As Per Table 4.4	U-value 0.28 W/sq mtr K	75 MM XPS Insulation on Roof. See U value calculation attached in Annexure	
Fenestration Inputs	1			T	
WWR %	40%	ECBC 2017 As Per Table 4.4	40%	(As per Elevation)	
Solar Heat Gain Coefficient	0.27 Non-North Façade	ECBC 2017 As Per Table 4.4	0.27	Proposed DGU	
	0.50 North Façade	ECBC 2017 As Per Table 4.10	1.8	Proposed DGU	
U- Value (W/ sq. mtr K)	3			1	
		Lighting & Equipment		T	
Interior Lighting Power Density (W/sq. mtr)	Space by Space Area Method Retail- 18.3 W/sq mtr Restaurant- 10.9 W/sq mtr Rest rooms – 7.7 W/sq mtr	ECBC 2017 As Per Table 6.1	Space by Space Area Method Retail- 12 W/sq mtr Restaurant- 10 W/sq mtr Rest rooms – 5.5 W/sq mtr	Client will put LPD restriction value in lease agreement for all retail and restaurant tenants	
Equipment Power Density (W/sq. mtr)	Retail – 15 W/sq mtr Restaurant – 20 W/sq mtr	Assumption	Retail – 15 W/sq mtr Restaurant – 20 W/sq mtr	Same as in Baseline Case	

		HVAC system		
nput Parameter	Baseline Design Input ECBC 2017	Reference	Proposed Case	Reference
Primary HVAC System Type	System Type C – Central cooling plant with variable volume AHU for each zone	ECBC 2017 As Per Table 9.2	Central cooling plant with FCU/CSU for each zone	Proposed as per DBR
Cooling Type	Chilled Water with Water cooled Screw Chiller	ECBC 2017 As Per Table 9.2	New Water-Cooled screw chiller for 2 and 3 rd Floor Area	Proposed as per DBR

objective in the second			Existing Water cooled centrifugal chiller for Basement, Ground and 1 st Floor Area	
Chiller Size (TR)	2 Water Cooled Screw Chiller Equally Sized	Peak Cooling Load as per simulation is 463 TR Approx. ECBC 2017 Table as Per 9.3	1 Existing Water Cooled Centrifugal Chiller Loop 2 New Water-Cooled Screw Chiller equally sized	Proposed as per DBR
Chiller Water Design Supply Temp	Chilled water design supply temperature modeled at 6.7° C and return temperature at 13.3° C.	ECBC 2017 As Per 9.4.2.7	Chilled water design supply temperature modeled at 7° C and return temperature at 13.° C.	Proposed as per DBR
AHU Fan Control	Variable Air Volume	ECBC 2017 As Per Table 9.2	Constant Volume	Proposed as per DBR
AHU Fan Load	0.0008 KW/CFM 60% Efficiency	ECBC 2017 As Per 9.4.2.3 Table 5-12	0.0004 KW/CFM 60% Efficiency	Proposed as per DBR
СОР	5.4	ECBC 2017 As Per Table 5.10	6.1 COP for existing Water Cooled Centrifugal Chiller 5.8 COP for new Water Cooled Screw Chiller	Proposed as per DBR
	Airside economizers are modeled		Dedicated Outdoor Air System has been provided to treat the fresh Air with demand control ventilation	
Economizers	air economizer capable of modulating outside-air and return-air dampers to supply 50% of the design supply air quantity as outside-air	ECBC 2017 As Per 9.4.2.5	Double Wheel Heat Recovery System has been modeled in Dedicated Outdoor Air System to supply fresh air in all the retails	Proposed as per DBR
Chilled Water Pumps	Modeled as primary-secondary with variable secondary flow. Power - 18.2 W/ kWr Pump Efficiency - 70%	ECBC 2017 As Per 9.4.2.9 and table 5.15	Modeled as primary-secondary with variable secondary flow. Power = 18.2 W/kWr Pump Efficiency = 70%	Proposed as per DBR




Cooling Tower	open circuit axial flow tower The fans modeled as two speeds. Condenser water design supply temperature 29.4°C or 5.6°C approach to wet bulb temperature. Efficiency = 0.017 kW/kWr.	ECBC 2017 As Per 9.4.2.10 and table 5.18	The fans modeled as two speed Fan Condenser water design supply temperature 25.7°C or 5.0°C approach to wet bulb temperature. Efficiency = 0.017 kW/kWr	Proposed as per DBR
Condenser Water Pumps	Power - 17.7 W/ kWr Pump Efficiency - 70%	ECBC 2017 As Per 9.4.2.9 and table 5.15	Power = 17.7 W/kWr Pump Efficiency = 70%	Proposed as per DBR.

Annual Energy End Use -

kWh	Area Lights	Misc. Equip.	Space Cool	Heat Reject.	Pumps and Aux	Vent. Fans	Total
00 Deg	545128	294998	684121	73964	124982	250698	1973891
00 Deg 90 Deg	545128	294998	683641	74023	125138	250784	1973712
180 Deg	545128	294998	679552	73668	124826	245874	1964046
270 Deg	545128	294998	682713	74057	125207	249496	1971599
Avg. Baseline	545128	294998	682507	73928	125038	249213	1970812
Proposed Case	381014	294998	574442	64559	161304	216578	1692895
Troposed case	3322		Savings				14.10%

From the above table following parameters are analyzed, Proposed case energy consumption of the project is estimated to be 1692895 kWh, which is less than the base case energy consumption i.e., 1970812 kWh.



EPI Calculation

7459.84 sq meter
1692895 kWh/Year
1970812 kWh/Year
227 kWh/sq meter
264 kWh/sq meter
0.86 Less than 1

Thereby, project is meeting the ECBC compliance by 'Whole Building Performance' approach.

Building Operation Schedule -: Retail Occupancy Schedule Weekday and Weekend

aga pagawa ang katalon militar Maganisa da kabana ang katalon da kabana		Schedules						
Currently	Active Day	Schedule	: EL1 Bldg Occup Y	ON Välkarittana		<u>▼</u>] Type: Fracti	on	
Day Schedule N	Jame: TEL	1 Blda Oc	CUP WD					
	Type: Fra							
Hourly Values								
Mdnt - 1:	0.0000	ratio	8-9 am: [0.0000	ratio	4-5 pm:	0.7500	rati
1-2 am:	0.000.0	ratio	9-10 am: 🗍	0.0000	ratio	5-6 pm:	0.7500	rati
2-3 am:	0.000	ratio	10-11 am:	0.5000	ratio	6-7 pm: 「	0.7500	rati
3-4 am:	0.000.0	ratio	11-noon:	0.6500	ratio	7-8 pm:	0,8000	rati
4-5 am;	0.000.0	ratio	noon-1:	0.6500	ratio	8-9 pm:	0.8000	rat
5-6 am:	0.0000	ratio	1-2 pm; 「	0.7000	ratio	9-10 pm:	0.5000	rat
6-7 am:	0.0000	ratio	2-3 pm:	0.7000	ratio	10-11 pm;	0.4000	rat
7-8 am:	0.0000	ratio	3-4 pm;	0.7000	ratio	11-Mdnt:	0.0000	rat
								?
nnual Schedule				at		▼ Type: Fractio	n	
nnual Schedule	s Week Active Day		<u></u>	at		Type: Fractio	n	
nnual Schedule Currently	Active Day	Schedule	EL1 Bidg Occup S			▼] Type: Fractio	'n	
nnual Schedule Currently Day Schedule I	Active Day	Schedule 1 Bldg Oc	EL1 Bidg Occup S	at		Type: Fractio	'n	
Day Schedule I	Active Day Name: ∫EL	Schedule 1 Bldg Oc	EL1 Bidg Occup S					
nnual Schedule Currently Day Schedule I	Active Day Name: ∫EL	Schedule 1 Bldg Oca action	EL1 Bidg Occup S	0,0900	ratio	4-5 pmi	0.9000	
Ourrently Day Schedule !	Active Day	Schedule 1 Bldg Oca action	: ∫EL1 Bidg Occup S cup Sat	0,000,0	ratio	4-5 pm: 5-6 pm:	0.9000	ratio
Currently Currently Day Schedule I Hourly Values Mdnt - 1:	Active Day Name: EL Type: Fra 0,0000	Schedule 1 Bldg Oceaction ratio	EL1 Bidg Occup S Cup Sat	0.0000 0.0000 0.6000	ratio ratio	4-5 pm: 5-6 pm: 6-7 pm:	0.9000 0.9000 0.9000	ratio ratio
Currently Day Schedule I Hourly Values Mdnt - 1: 1-2 am:	Active Day Name: EL Type: From 0.0000 0.0000	Schedule 1 Bldg Oca action ratio ratio	8-9 am: 9-10 am; 10-11 am: 11-noon: 1	0.0000 0.0000 0.6000 0.7500	ratio ratio ratio	4-5 pm; 5-6 pm; 6-7 pm; 7-8 pm;	0.9000.0 0.9000.0 00.000.0	ratio ratio ratio ratio
Currently Day Schedule I Hourly Values Mdnt - 1: 1-2 am: 2-3 am:	Active Day Name: EL Type: From 0.0000 0.0000	Schedule 1 Bldg Octor action ratio ratio ratio ratio	8-9 am: 9-10 am: 10-11 am:	0.0000 0.0000 0.6000	ratio ratio ratio ratio	4-5 pm: 5-6 pm: 6-7 pm:	0.9000 0.9000 0.9000 0.9000	ratio ratio

0.4500 ratio

0.0000 ratio

10-11 pm:

11-Mdnt:

0.7500 ratio

0.7500 ratio

2-3 pm:

3-4 pm:


6-7 am:

7-8 am:

0.0000 ratio

0.0000 ratio

Retail Lighting Schedule Weekday and Weekend




Annual Schedules Week Schedules		Day Schedules							
Currently Active Day Schedule:			EL1 Bldg Insti Sun			Type: Fracti	Type: Fraction		
Day Schedule	Name: E	L1 Bldg InsLt	Sun						
	туре: F	raction		⋾					
Hourly Values						4-5 pm:	0,9000	ratio	
Mdnt - 1:	0.0000	ratio	8-9 am:	0.0000			0.9000		
1-2 am:	0.000	ratio	9-10 am;	0.0000	ratio	5-6 pm:		(485)	
2-3 am:	0.0000	ratio	10-11 am:	0.7500	ratio	6-7 pm)	0.9000		
3-4 am:	0,0000	ratio	11-noon:	0.7500	ratio	7-8 pm:	0.9000	ratio	
4-5 am:		 ratio	noan-1:	0.7500	ratio	8-9 pm:	0.7500	ratio	
		ratio	1-2 pm:	0.7500	ratio	9-10 pm:	0.7500	ratio	
5-6 am i			2-3 pm:	0.7500		10-11 pm:	0.4500	ratio	
6-7 am:		3 ratio		<u> </u>		ii-Mdot: [0.0008	ratio	
7-8 am:	0.000	0 ratio	3-4 pm;	0.7500	ratio		ar Servició		


Retail Equipment Schedule Weekday and Weekend

		Schedules	Day Schedules						
Currently	Active Day	Schedule	: EL1 Bldg Misc WD) (1985) (1985) (1986)		<u> </u>	Type: Fraction	ən	
Day Schedule !	łame; EL	1 Bldg Mis	sc WD						
	Type: Fra	action							
Hourly Values :									
Mdnt - 1:	0.0000	ratio	8-9 am:	0.0000	ratio		4-5 pm;	0.7000	(5/4/5
1-2 am:	0.0000	ratio	9-10 am:	0.0000	ratio		5-6 pm:	0.7000	ratio
		ratio	10-11 am:	0.6500	ratio		6-7 pm:	0.8000	ratio
2-3 am:	0.0000							0.8000	ratio
2-3 am:	0.0000	ratio	11-noon:	0.7000	ratio		7-8 pm:	(44945444444444444)	
2-3 am: 3-4 am:			11-noon: 	0,7000 0,7000			7-8 pm:] 8-9 pm:	0.9000	ratio
2-3 am: 3-4 am: 4-5 am:	0.0000	ratio		a wa wagawata a gara	ratio		a de la companya 🗝		
2-3 am: 3-4 am:	0.000.0	ratio ratio	noon-1:	0.7000	ratio ratio	1	8-9 pm:	0.9000	ratio

Currently	Active Day	/ Schedule	: EL1 Bldg Misc Sui	n.		▼ Type: Fracti	on	
Day Schedule	Name: El	.1 Bldg Mis	ic Sun					
	Type: Fr	action		-				
Hourly Values	<i>(</i>					·		
Mdnt - 1;	0.0000	ratio	8-9 am:	0.0000	ratio	4-5 pm:	0.8000	rat
1-2 am:	0.0000	ratio	9-10 am:	0.7000	ratio	5-6 pm:	0,9000	rat
2-3 am:	0.0000	ratio	10-11 am:	0,7500	ratio	6-7 pm: 🗍	0.9000	rat
3-4 am:	0.0000		11-naon: 	0.8000	ratio	7-8 pm: 「	0.9000	rat
4-5 am;	0.0000		noon-1:	0.8000	ratio	8-9 pm; 「	0.9000	rat
5-6 am:	0.0000		1-2 pm:	0.8000	ratio	9-10 pm:	0.6500	rat
5-0 ain;]	0.0000		2-3 pm:	0.8000	ratio	10-11 pm:	0.6500	rat
5-7 am:		EATH CO.	经基本的股票 化多克尔二氏 医多克氏病 医二氏病 医二氏病					



Retail Cooling Schedule Weekday and Weekend



Wall Section Details -:

	Conductivity	Thickness	R-Value	
	[W/m.K]	[Meter]	[sm.K/W]	
Outside Air Resistance			0.06	
Stone Cladding	0.84	0.030	0.04	
Air Gap (55 MM)			0.18	
Gypsum Board	0.098	0.030	0.31	
Insulation Mineral Wool	0.03	0.120	4.00	
Gypsum Board	0.098	0.030	0.31	
Internal Air Resistance			0.12	
	Combined R-	Value -	5.00	Sq.m. K/W
			0.20	W/Sq.m. K
	Combined U-Value		0.04	Btu/sq.

Roof Section Details -:

	Conductivity [W/m.K]	Thickness [Meter]	R-Value [sm.K/W]	
Outside Air Resistance			0.06	
150mm Concrete Sla	1.7	0.15	0.09	
75mm PUF insulation	0.023	0.075	3.26	
Internal Air Resistance			0.12	
	Combined R-Value	e	3.53	Sq.m.K/W
			0.28	W/Sq.m.K
	Combined U-Valu	e F	0.050	Btu/sf.F

Annexure – 20

Water Consumption Details

Annexure - 20 Water Consumption Detail October 2019 to March 2020)

Average Fresh Water Consumption Per, day – 213 KL

Average Outsourced Recycled Water Consumption Per Day - 251 KL

Average Soiled water received in STP - 198 KL

Breakup of utilization of inhouse produced Recycled water through STP

Flushing - 5KL

Cooling Tower - 46 KL

Back wash - 34 KL

Softener Rinsing - 14 KL

Losses / Evaporation / Sludge- 27 KL

Annexure – 21

Adequacy of STP

No : Adequacy/Env/2012/[2]/8

Dated: |2||2 /2012

ADEQUACY REPORT

ON

SEWAGE TREATMENT PLANT

FOR

SELECT CITY WALK, SAKET, NEW DELHI

DEVELOPERS: M/s SELECT INFRASTRUCTURE PVT LTD



ENVIRONMENTAL ENGINEERING DEPARTMENT
DELHI TECHNOLOGICAL UNIVERSITY
(FORMERLY DELHI COLLEGE OF ENGINEERING)
BAWANA ROAD, DELHI – 110042

ADEQUACY REPORT ON SEWAGE TREATMENT PLANT FOR SELECT CITY WALK, SAKET, NEW DELHI DEVELOPERS: M/s SELECT INFRASTRUCTURE PVT LTD

1.0 INTRODUCTION

SELECT CITY WALK, SAKET, New Delhi, DEVELOPERS M/s SELECT INFRASTRUCTURE PVT LTD operating the commercial complex provides various facilities for tourist, visitors and entrepreneurs. The mail also runs a Cineplex in the complex. The commercial complex provides space to retailers, manufactures and dealers to showcase and sell their product. The Mail Complex has restaurant facility which caters the needs of visitors/ guests who visit the Commercial Complex. The water requirement of the Complex is for domestic use of the Guests/ visitors, employees housed and process water for cooking and washing operation in the Complex. The Commercial Complex has the facilities of central air conditioning, so a part from this water is used for flushing and gardening.

A concerted effort has been made by the management to contain the wastewater discharge and treat the same to control the effluent quality in order to comply with the requirements of DPCC. A detailed analysis of the control system has been made in order to determine the effectiveness of the control system and the same was further checked by monitoring specific stream and analyzing the same.

The Mall Complex was visited on 06-12-2012 by a team of experts from Delhi Technological University, Delhi, to inspect the operations of the unit, and also check the sewage treatment facilities installed at the site. Detailed discussion with the plant personnel were held regarding the general concept of pollution control system, its operation and maintenance. The report is being submitted on the basis of the visit and study of the processing involved in plant, for effluent generation, its treatment system, sampling and analysis of

the treated and raw wastewater generated and previous experience on the treatment of such effluent stream.

2.0 MANUFACTURING PROCESS

The Mail activities being a service-oriented unit do not have a specific manufacturing system. The major wastewater is expected to be produced from domestic use by the visitors/ guests, kitchen, laundry and the employee stationed therein.

3.0 WASTEWATER QUANTITY AND CHARACTERISTICS

3.1 Wastewater Quantity

Wastewater is generated mainly as domestic wastewater because of use by visitors/guests, occupants and maintenance personnel stationed in The Mall activities. Apart from this a small quantity of wastewater is expected to be generated from floor washing, laundry and kitchen as well. The total wastewater quantity from the process system has been estimated on the basis of the working of various washing systems and the amount of water used in various steps. The total water requirement for the Commercial Complex has been estimated to be about 530 KLD including the amount for domestic purpose, central cooling, flushing and hardening. The water requirement for cooling operation, flushing and gardening is met from the treated wastewater of Sewage Treatment Plant. The estimated amount of wastewater generated from the operation is about 300 Kilolitres per day. The Commercial Complex has installed effluent treatment plant with the capacity to treat about 300 KLD, which shall be recycled to the extent of 100%. The unit has

2

provided dual plumbing system and wastewater treatment facilities to the extent of tertiary treatment level so as to make it enable to use the treated wastewater for reuse. The STP operates on the basis of continuous operation. Domestic water consumption within the Mall activities is obtained from DDA Tanker.

3.2 WASTEWATER CHARACTERISTICS

The wastewater discharged from the individual process steps depend on the material being used at the particular time. The major contaminants in the wastewater suspended solids, oil & grease, Biochemical Oxygen demand and COD.

4.0 Wastewater Treatment

The Commercial Complex has a well designed and installed sewage treatment plant system for the combined effluent from the sources mentioned above at the premises. The sewage treatment plant has been designed and installed on the basis of physico-chemical treatment followed by secondary biological treatment. The treatment plant has been designed on the basis of continuous operation

Entire sewage generated is pumped to the inlet of bar screens and oil & Grease trap where extraneous & floating matter is removed. The treated sewage from oil & grease trap flows to the equalization tank. The equalized effluent from equalization tank is taken to Clarifier, for the removal of suspended solids. Clarified effluent is then taken to aeration tank for the biological treatment. Effluent from aeration tank goes to the secondary settling tank for the removal of suspended solids generated in the aeration tank. The treated effluent from secondary settling tank taken to the clear water tank from where it is pumped to dual media filter followed by

activated carbon filter for the removal of dissolved gases and odours. Treated effluent from activated carbon filter is passed through Ultraviolet system for disinfection. Sludge is collected from the bottom of the settling tank and is sent to the sludge holding tank and then passed through the filter press for its conditioning before its final disposal. Finally, treated effluent is reused depending upon requirements.

5.0 TREATMENT PLANT PROCESS UNITS

The sewage treatment plant thus consists of the following process units:

- 1. Bar Screen
- 2. Oil & Grease trap
- 3. Equalization tank
- 4. Aeration Tank
- 5. Secondary Settling Tank
- 6. UV chamber
- 7. Sludge Holding Tank
- 8. Sand Filter
- 9. Filter Press
- 10. Activated carbon Filter

11.

Details of these process units are mentioned below:

5.1.1. BAR SCREEN PIT

QUANTITY

: INos.

SIZE

: 0.6m x 0.4 m

M.O.C

: 55



5.1.2. OIL AND GREASE TRAP

QUANTITY

: 1 Nos.

SIZE

: 1.0m x 1.5m x 1.2 m

M.O.C

: RCC

5.1.3. EQUALIZATION TANK

QUANTITY

: 1 Nos.

SIZE

: 6.1m x 1.4m x 3.0m

M.O.C.

: RCC

5.1.4. AERATION TANK

QUANTITY

M.O.C.

: 2 Nos.

SIZE

: 2,4m x 1.5m x 2.4m

: MS FRP LINED

5.1.5. SECONDARY SETTLING TANK

QUANTITY

: 1 No.

SIZE

: 1.0m x 1.0m x 0.75m

M.O.C

: MS FRP LINED

5.1.6. UV CHAMBER

QUANTITY

: i No

CAPACITY

: 600 l/min

M O.C

: SS

5.1.7. SLUDGE HOLDING TANK

QUANTITY

: 1 No :

SIZE

: 500 1

M.O.C

: HDPE

5.1.8. FILTER PRESS

QUANTITY

: 7 No.

SIZE

: 0.45m x 0.45m

M.O.C

: CI



5.1.9. SAND FILTER

QUANTITY

; 1 No

CAPACITY

: 4 m³/hr

5.1.10. ACTIVATED CARBON FILTER

QUANTITY

: 1 No

CAPACITY

: 4 m³/hr

M.O.C

: MS

6.0 CONCLUSIONS

The sewage treatment plant as designed and installed for treating the wastewater generated from the mall activities operations of SELECT CITY WALK, SAKET, NEW DELHI, DEVELOPERS: M/s SELECT INFRASTRUCTURE PVT LTD Is adequate for treating 300 KLD of wastewater and the treated wastewater comply with the requirements of DPCC as stipulated above. The unit has to take proper care in the operation of the system so that the treatment capacity matches with plant sewage generation.

(principal Investigator)

Dr. S. K. Singh
Prof. & Head, Dept. of Environmental Engineering
Delhi Technological University
Govt. of NCT of Delhi
(Formerly Delhi College of Engg.)
Bawana Road, Delhi-110042

SUMMARY OF ADEQUACY REPORT FOR SEWAGE TREATMENT PLANT OF SELECT CITY WALK, SAKET, NEW DELHI, DEVELOPERS: M/s SELECT INFRASTRUCTURE PVT LTD

Name of the Unit 1.

: SELECT CITY WALK

Address of the Unit 2.

: SAKET, NEW DELHI DEVELOPERS; M/s SELECT INFRASTRUCTURE PVT LTD.

Activity/Process 3.

: Commercial Complex

Production Capacity (max) 4.

Manufacturing Process 5.

Source of water 6.

: MCD/ Tankers

Rate of Water Consumption 7. Industrial/Catering Domestic

Others

: approx. 430 KLD

Rate of effluent discharged 8. Industrial

Domestic Others

: 300 KLD

Location of effluent discharge 9.

: Reuse (Flushing, Cooling & Gardening)

Source of trade effluent 10.

Whether effluent is treated

: Yes

Whether unit has installed ETP: Yes 12.

Details of ETP 13.

11.

: It consists of bar screen, oil & grease trap, equalization tank, aeration tank, secondary settling tank, UV chamber, sludge holding tank, sand filter, filter press, activated carbon filter, etc.

Whether effluent discharge 14. rate is monitored

Whether manufacturing Process/: Yes 15. Characteristics of raw materials Have been studied thoroughly.

- 16. Whether influent characteristics: No have been monitored
- 17. Whether any by pass : No arrangement
- 18. Whether design aspects have : Yes been considered while evaluating performance of ETP
- 19. If modifications have been : No suggested to upgrade ETP
- 20. Whether existing ETP will be : Yes able to give effluent as per required parameters

(Principa Investigator)

Dr. S. K. Singh
Prof. & Head, Dept. of Environmental Engineering
Delhi Technological University
Govt. of NCT of Delhi
(Formerly Delhi College of Engg.)
Bawana Road, Delhi-110042

Energy Conservation Measures





ENVIRONMENTAL MEASURES AT SELECT CITYWALK

- Green Power usage is 79 % of total Electrical Energy Consumption.
- Contribution to save Environment by procuring Green Power on monthly basis:
- Reduction in CO2 emission: 1190 Yons.
- Reduction in SO2 (Sulphur Dioxide): 10.07 Tons,
- Reduction in NO (Nitric Oxide): 8.12 Tons.
- Development, Maintenance, Beautification & Adoption of Bamunwala Park" (Area: 1 Lac Sq.ft.). Environmental Management System -ISO 14001 : 2015, certified Shopping Centre.
- Zero Discharge Policy" All waste water recycled through Sewage Treatment Plant (300 cu mit per day capacity) and used for
- Horticulture, Cooling Towers and Tollet flushing system.
- Organic Waste Converter* Capacity 200 kg per day Food waste recycled through Organic Waste Convertor to make organic manure. Production of organic manure approximately 2 metric ton per month utilized for horticulture and plantation.
 - Segregation, Disposal and Re-cycling of wet and dry garbage in Environment friendly manner through certified NGO by DPCC as
 - Disposal of Hazardous waste generated at premises through Authorized Recycler certified by DPCC as per hazardous and other wastes (Management and trans-boundary movement) rule 2016. per Solid Waste Management rules 2016.
 - Disposal of E-Waste generated at premises through authorized collector certified by DPCC as per E-waste (Management) Rules 2016.
- Rain Water Harvesting System having Fiffeen (15 Nos.) pils constructed at premises designed & duly certified by Central Ground
 - Water Authority & Delhi Jai Board to re-charge underground water table. Usage of Solar Energy:
- Solar water heating system through solar panel to tap on renewable energy converting to Hot Water system of capacity 3000 LPD for food outlets.
 - Solar lights for open area.

ŀ

Inducted "U" treated system for water disinfection to eliminate the uses of liquid chiorine. The UV treated water used for washrooms and other domestic use.

Conversion of conventional lights to LED lights for basements, staircases, common areas& Plaza area.

- Inducted Sensomatic Tap and urinals in washrooms to reduce water consumption.
- Regular monitoring of Air (Ambient & Indoor), Water (Domestic & Waste Water) and Stack (DG sets & Hot Water Generator) as per
 - Air conditioning Chiller Plants equipped with CFC free refrigerants Pollution Control Board Norms.
- Foam concrete light weight blocks made up of Fly ash used for partition walls.
- Using automated 3D Trasar Technology for proportionate Chemical Dozing and Automatic bleed off to conserve water. Reduction of Chemical Dozing in Cooling Towers by Inducting ATC system for Air-conditioning Units.
 - Cleaning chemicals used for Housekeeping services are Environment friendly


ENERGY SAVING MEASURES AT SELECT CITYWALK

- Energy Management System ISO 50001: 2011, certified Shopping Centre
- Integrated Building Management System (IBMS) installed for controlling and monitoring of main Plants & Auxiliary Machineries.

b

- APFC equipped with passive tuned harmonic filters in capacitor bank to reduce harmonics and inductive losses to achieve P.F in the range of 0.99 (1 agging)-unity.
- Automatic Tube Cleaning System (ATCS) installed in Chiller plants for condenser cleaning there by maintaining optimum approach temperature for better efficiency (1.F approach temperature is 3% of energy reduction).
- UV heat resistant transparent film applied over facade glasses to have 90% heat rejection.
- Maximum usage of Natural light by using tensile fabric, toughened sandwiched facade glasses and Skylights to utilize sun light to optimize lux level. Ь
- Centralized Chiller and Auxiliary Machineries are equipped with Variable Frequency Drive (VFD) for energy efficiency.
- Conversion of conventional lights to LED lights for Common area, Basements, Staircases, Signages & Plaza area.
- Motion sensor installed for lighting control and Escalators. b
- Periodic Energy Audits conducted to upgrade the Plant & Machinery and to explore Energy saving opportunities,
- Solar water tapping for Hot water system designed at 3000 Liter per day.
- Remote Monitoring Diagnostics (RMD) services for Chillers from experts of M/s JCl to analyze information and generate report to recommend the strategy for extending equipment life, reduce downtime and save energy. b

Form 4 and Form 10 DPCC





olc

SIPL/Engg/20-21/002

8th June 2020

To
The Member Secretary
DPCC
Dept. of Environment (Govt. of NCT of Delhi)

Sub: Submission of Form No. 04 with respect to Annual return of used lube oil for the year 2019-20.

Dear Sir,

Kindly find attached the Form No. 10 with respect to disposal of used Lube Oil. The details of the same are mentioned as below:-

- 1. 1320 L disposed off to Bharat Oil and Waste Management Ltd., Plot no. 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur- Dehat (UP) on 23.07.2019.
- 2. 1260 L disposed off to Bharat Oil and Waste Management Ltd., Plot no. 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur- Dehat (UP) on 09.01.2020.

Form 10 for the same have already been submitted to DPCC on regular intervals. However the copy of the same has been attached for your reference.

Thanking you,

Yours truly,

For Select Infrastructure Pxt. Ltd.

Director- Operations & Projects

Enclosures

1. Form - 4

2. Form - 10 (23rd July 2019 and 9th January 2020)

Select Infrastructure Pvt. Ltd. (Regd./Corporate Office) A-3, District Centre, Saket, New Delhi, India 110 017 T+91 11 3050 3000 F+91 11 4211 4222 E contact@selectcitywalk.com W www.selectcitywalk.com CIN No. U74999DL1979PTC009494

FORM 4

[See rules 6(5), 13(8), 16(6) and 20 (2)]

FORM FOR FILING ANNUAL RETURNS

[To be submitted to State Pollution Control Board by 30th day of June of every year for the preceding period April to March]

- 1. Name and address of facility: SELECT INFRASTRUCTURE PVI LTD (SELECT CITYWALK)
 A-8 DISTRICT CENTRE SAKET, NEW DELHI 110017
- 2. Authorisation No. and Date of issue: N/A
- 3. Name of the authorised person and full address with telephone, fax number and e-mail: SHASHI SHARMI Shakkille selectify walk. com

9654339933

4. Production during the year (product wise), wherever applicable

Part A. To be filled by hazardous waste generators

- 1. Total quantity of waste generated category wise 2580 LTRS
- 2. Quantity dispatched *
 - (i) to disposal facility USED LUBE OIL OF DG SETS CATEGORY 5.1
 - (ii) to recycler or co-processors or pre-processor 2580 LTRI
 - (iii) others
- 3. Quantity utilised in-house, if any -
- 4. Quantity in storage at the end of the year -

Part B. To be filled by Treatment, storage and disposal facility operators

- 1. Total quantity received -
- 2. Quantity in stock at the beginning of the year -
- 3. Quantity treated -
- 4. Quantity disposed in landfills as such and after treatment -
- 5. Quantity incinerated (if applicable) -
- 6. Quantity processed other than specified above -
- 7. Quantity in storage at the end of the year -

Part C. To be filled by recyclers or co-processors or other users

- 1. Quantity of waste received during the year -
 - (i) domestic sources
 - (ii) imported (if applicable)
- 2. Quantity in stock at the beginning of the year -

414



- 3. Quantity recycled or co-processed or used --
- 4. Quantity of products dispatched (wherever applicable) -
- 5. Quantity of waste generated -
- 6. Quantity of waste disposed -
- 7. Quantity re-exported (wherever applicable)-
- 8. Quantity in storage at the end of the year -

Signature of the occupier or Operator of the disposal facility

Date. 8. 1. JUNE. 2020

Place...NEW.DELHI



0/c.

SIPL/Engg/19-20/021

To
The Member Secretary
DPCC
Dept. of Environment (Govt. of NCT of Delhi)

DELHI POLLUTION CONTROL COMMITTEE

DELHI POLLUTION CONTROL COMMITTEE

DEPARTMENT OF ENVIRONMENT

DEPARTMENT OF NCT OF DELHI

GOVT. OF NCT OF DELHI

4TH FLOOR, ISBT BUILDING,

KASHMERE GATE, DELHI-110006

Sub: Submission of Form No. 10 with respect to disposal of used lube oil.

Dear Sir,

Kindly find attached the Form No. 10 with respect to disposal of used Lube Oil. The details of the same are mentioned as below:-

 1320 L disposal off to Bharat Oil and Waste Management Ltd., Plot no. 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur- Dehat (UP) on 23.07.2019.

The firm to which we have disposed off the used lube oil is State Pollution Control board / Central Pollution control board authorized recyclers. Also please find enclosed herewith our membership certificate for disposal of Hazardous Waste. Membership No. BOWML/K/2748/18 valid till January 01, 2020.

Thanking you,

Yours truly,

For Select Infrastructure Pvt/Ltd

Shashi Sharma

Senior Vice President Corporate-Engineering, Projects & Operations.

Select Infrastructure Pvt. Ltd. (Regd./Corporate Office) A-3, District Centre, Saket, New Delhi, India 110 017 T +91 11 3050 3000 F +91 11 4211 4222 E contact@selectcitywalk.com W www.selectcitywalk.com CIN No. U74999DL1979PTC009494

FORM 10 [See rule 19 (1)]

Occupier's Copy

MANIFEST FOR HAZARDOUS AND OTHER WASTE Walk, Select Intrakt Occupier's Name & Mailing Address dis mit Centre (including Phone No. and email) Sender's Authorization No. Manifest Document No. Transporter's Name & Address (including Phone No. and email) Type of Vehicle Transporter's Registration Vehicle Registration No. BHARAT OIL COMPANY (I) REGD. E-18, Site-IV, Sahibabad Industrial Area, 8 Receiver's Name & Mailing Address Ghazlabad, UP-201010 Tel.: 0120-4167924, (including Phone No. and email) e-mail:sales@bharatoil.com, (III) BHARAT OIL & WASTE MANAGEMENT LTD. (II) BHARAT OIL & WASTE MANAGEMENT LTD. Plot # 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur Dehat, UP, Tel: 0512-2285296 Mauza Mukimpur, Roorkee-Lakshar Road. Roorkee - 247664 UK, Tel: 08874207664 e-mail:sales@bharatoit.com (I) 1486/UPPCB/Ghazlabad/UPPCBRO)/HWM/GHAZIABAD/2018 Valid upto: 03/05/2023 e-mail:sales@bharatoil.com (iii) 1403/UPPCB/KanpurDehat(UPPCBROVHWW/KANPUR DEHAT/2018 Valld upto:30/04/2023 Receiver's Authorization No. (ii) UEPPCB/HO/Con-B-84/2018/548 Valid upto: 31/03/2023 10 Waste Description 41 3220m° or MT 11 Total Quantity Drum 6 Nos No. of Containers (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) Do not throw Drums from truck. In case of leakage/ 12 Physical Form seapage, use Washing soap at point of leak to stop its 13 Special Handling Instructions & Additional leakage. Information hereby declare that the contents of the consignment are fully and accurate described above by proper shipping name and are categorised packed, market 14 SENDER'S CERTIFICATE and labeled; and are in all respects in proper condition for transport by roa according to applicable national government regulations. Typed Name & Stamp : Month? Day B.O.CNPTA Year Month 15 Transporter Acknowledgement of Receipt of Waste Typed Name & Stamp Year 16 Receiver's Certificate for Day Month eceipt of other Waste Signature Typed Name & Starres



SIPL/Engg/19-20/052

To
The Member Secretary
DPCC
Dept. of Environment (Govt. of NCT of Delhi)

13th January 2020

(ENQUIRY COUNTER)
DELHI POLLUTION CONTROL COMMITTEE
DEPARTMENT OF ENVIRONMENT
GOVT. OF NCT OF DELHI
4TH FLOOR, ISBT BUILDING,
KASHMERE GATE, DELHI-110008

Sub: Submission of Form No. 10 with respect to disposal of used lube oil.

Dear Sir,

Kindly find attached the Form No. 10 with respect to disposal of used Lube Oil. The details of the same are mentioned as below:-

• 1260 L disposal off to Bharat Oil and Waste Management Ltd., Plot no. 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur- Dehat (UP) on 09.01.2020.

The firm to which we have disposed off the used lube oil is State Pollution Control board / Central Pollution control board authorized recyclers.

Thanking you,

Yours truly,

For Select Infrastructure Pvt. Ltd.

Director-Operations & Projects

FORM 10

[See rule 19 (1)]

Occupier's Copy s.No.: 27676

MANIFEST FOR HAZARDOUS AND OTHER WASTE Infrastructure Put Ltd. Selec Occupier's Name & Walling Address A-3, district Centre Soket, (including Phone No. and email) Sender's Authorization No. Mänifest Document No. Transporter's Name & Address (including Phone No and email) (Truck / Tanker / Special Vehicle) 28429 Type of Vehicle Transporter's Registration Vehicle Registration No. BHARAT OIL COMPANY (I) RE E-18, Site-IV, Sahibabad Industrial Area, Receiver's Name & Mailing Address Ghaziabad, UP-201010 Tel.: 0120-4167924, (including Phone No. and email) e-mail:sales@bharatoll.com PHARAT OIL & WASTE MANAGEMENT LTD. Plot # 672, Sikandra Road, NH-2, Kumbhi Village, (II) BHARAT OIL & WASTE MANAGEMENT LTD. Tehsil Akbarpur, Kanpur Dehat, UP, Tel: 0512-2285296 Mauza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247664 UK, Tel. :08874207664 e-mail:sales@bharatoil.com e-mail:sales@bharatoil.com (1) 1486/UPPCB/Ghaziabad(UPPCBRO)/HWM/GHAZIABAD/2018 Valid upto: 03/05/2023 (III) 1403/UPPCB/Kanpur Dehat (UPPCBRO) HWM/KANPUR DEHAT/2018 Valid upto:30/04/2023 Receiver's Authorization No. (ii) AWH-38265 Valid upto: 31/03/2023 10 Waste Description 1.260 ms or MT 11 Total Quantity 6. dauny Nos. No. of Containers (Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid) Do not throw Drums from truck. In case of leakage/ 12 Physical Form seapage, use Washing soap at point of leak to stop its 13 Special Handling Instructions & Additional leakage. Information hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised packed, marked, and labeled, and are in all respects in proper condition for transport by road 14 SENDER'S CERTIFICATE according to applicable national government regulations. Signature: Typed Name & Stame Year. Day Month Year Day Mönth 18 Transporter Acknowledgement of Receipt of Waste Signature Typed Name & Stamp: Year Day Month 8 16 Receiver's Certificate for Receipt other Waste Signature Typed Name & Stamp :

Company Policy



POLICY

To create a unique shopping experience by progressing through excellence and customer satisfaction using continual improvement approach with a unique socio-economic environment.

Select CITYWALK, is committed to achieve

Ħ

Multi Stake Holders Requirements

We shall strive to achieve operational excellence by framing, reviewing and continually improving on Qualitative, Energy Efficiency, Environmental, and Health & Safety –IMS- performance by:

۵	Complying with all national legislations, guidelines, code of practices and all other requirements applicable to our operations, safety, environmental & Energy aspects in letter and in spirit.					
	Ensuring world class facilities at Select CITYWALK to meet expectations of our Multi Stake holders					
۵	Ensuring safe and efficient operations; reducing and controlling all types of wastages/losses, pollutions, optimizing resource utilization; initiating energy and water conservation measures and increasing use of green energy therby reducing carbon footprints. Preventing injury and ill health.					
	Promoting waste avoidance & reduction, recycling and reusing waste and disposal of inevitable waste in environmental friendly manner.					
	Creating an atmosphere of IMS System awareness for Quality EHS & Energy by providing adequate resources, training & educating our employees, contract personnel, licensees and other interested parties.					
0	Ensuring that Qualitative EHS, and Energy criteria are integrated in all our processes					
	Taking measure in Energy Management System by being proactive, innovative and cost effective including procurement of energy efficient product & services.					
The management and employees of Select CITYWALK are committed to implement the policy & maintain Policy in line with the best applicable practices.						

Executive Director & CEO

15th July 2017

B

10 12 13

> 16 12 13

EMP Expenditure

Annexure 25 Environment Management Plan

0	Items	Expenditure till date		Proposed Budget estimates for next two years		
Sr. No.		Recurring in Rs.	Non-recurring in Rs.	Recurring in Rs.	Non- Recurring in Rs.	Basis of recurring Cost
a)	Air pollution control measures	9.267 Lacs	83.73 I Lacs	2.5 lac	Nil	Monitoring cost
b)	Water Pollution control measures	171.312 Lacs	37.744 Lacs	43 Lacs	Nil	Manpower / operation & maintenance cost of STP, oil & grease traps
c)	Noise pollution control measures	3.812 Lacs	25 Lacs (Accoustic enclousre DG set)	0.94 Lacs	Nil	Monitoring & maintenance of accoustic enclosure
d)	Monitoring	25.718 Lacs	Nil	3.8 Lacs	Nil	Monitoring cost of air, water, noise, soil, stack & STP
e)	Rain Water Harvesting	50.57 Lacs	61 Lacs	14 Lacs	0	Maintenance of harvesting pits, upkeep / maintenance of storm water channels
f)	Green Belt	190.68 Lacs	200.44 Lacs	80 Lacs	5 Lacs	Upkeep & maintenance of Green Belt and addition of plantation in plaza and DDA park, development of Jamunwala park, Saket, New Delhi
g)	Fire Management	490.356 Lacs	819.52 Lacs	141.81 Lacs	150 lacs	Manpower , operation & maintenance and upgradtion of Fire Management System
h) -1	Miscellaneous (a)- Audits and training - Energy , Fire & Safety, IMS (ISO- 9001, ISO 14001 & OHSAS - 18001,ISO50001 .	66.91 Lacs	8 Lacs	11.858 Lacs	Nil	Audit Expense

h)-2	Miscellaneous-Solar Lighting /Solar water heating system	7.84 Lacs	19 Lacs	2 Lac	65 Lacs	Maintenance of solar lighting and solar water heating system For adding 120 KW of solar lightining system
h)-3	Miscellaneous - Solid Waste Management	20.4 Lacs	20.99 Lacs	21.88 Lacs	Nil	Procurement of OWC and Manpower and electricity cost (Whereas this has been operational since 2010 we are calculating cost from last 6 months)

Advertisement in Newspapers for Environment Clearance

दादर संगाव लाद का पान गण ए। विसाह हा फाटक के पास पहुंचा तो धात आरोप में एफ आईआर दर्ज की गई है।

सावजनक संबंधा

मैससी सैलेक्ट इन्फ्रास्ट्रक्चर प्रा. लिमिटेड आपको यह स्चित करत है कि A-3 & P-1B जिला केंद्र, साकेत, नई दिल्ली - 110017 ने "कमिशियल कॉम्प्लेक्स सेलेक्ट सिटी बॉक (शॉपिंग मॉल) का विस्तार" प्रयावरण वन और जलवायु परिवर्तन मंत्रालय, भारत सरकार के द्वारा प्रयावरणीय मंजूरी Ref-21-45/2019-IA-III, दिनांक 1 नवबर 2019 में हुआ है। मंजूरी पत्र की प्रतिया पर्यावरण, वन और जलवायु परिवर्तन मंत्रालय के पास उपलब्ध हैं, और जिसको आप वेबसाइट www.envfor.nic.in पर भी देख सकते हैं।

मैसर्स सेलेवट इन्फ्रास्ट्रक्चर प्रा. लिगिटेड

strengthened,"he said

U.

mm

Besides its 105 MLAs (the 127)

4114

h.

50

PUBLIC Nonles

M/s Select Infrastructure Pvt. Ltd. is pleased to inform that the "Expansion of Commercial Complex SELECT CITYWALK (Shopping Mall)" at A-3 & P-1B District Centre, Saket, New Delhi - 110017 has been accorded with Environmental Clearance vide Ref. No. 21-45/2019-IA-III dated 1" November 2019 from Ministry of Environment, Forest and Climate Change, Govt. of India The copies of the clearance letters are available with the Ministry of Environment, Forest and Climate Change and can also be seen on their website www.envfor.nic.in Mis Select Infrastructure Pvt. Ltd.

LASSE BUILD AND THE PROPERTY OF THE PROPERTY O